

**greenly**

2025-09-18

Lyreco LCA

# Life Cycle Assessment

*The methodology in this report is based on ISO 14040*

1596573 (sold in CH)

# Summary



**01** | Methodology



**02** | Results

# 01

## Methodology

# Environmental Impact Assessment

<p><b>Functional unit</b></p>	<p>The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). The functional unit of this analysis is "250 page(s) of A4 paper for writing".</p>
<p><b>Impact Indicator</b></p>	<p>The impact is measured through the "IPCC 2013 GWP 100a" method.</p>
<p><b>Electricity impact calculation method</b></p>	<p>Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.</p>
<p><b>Hypothesis</b></p>	

# Environmental Impact Assessment

## System Boundaries

The scope of this research includes the complete lifecycle of a piece of paper from raw material extraction to disposal options for each material, which is the cradle-to-grave perspective.

## Exclusions


The impact of secondary packaging impact and writing utensils are excluded from this assessment.

# 02

## Results

1596573 (sold in CH)

# Climate Change



Step	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Raw Material Extraction and Processing	1.87	45.04 %
End-of-Life Treatment	1.44	34.77 %
Transportation and Distribution	0.67	16.17 %
Manufacturing	0.17	4.02 %
TOTAL	4.14	100.00 %

1596573 (sold in CH)


# Climate Change - Raw Material Extraction and Processing



Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Sourcing of raw material (bleached kraft paper)	1	3.75	1.87	100.00 %
TOTAL			1.87	100.00 %

1596573 (sold in CH)

# Climate Change - Manufacturing



- Electricity usage during material transformation (bleached kraft paper)
- Natural gas usage during material transformation (bleached kraft paper)

Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Natural gas usage during material transformation (bleached kraft paper)	3	0.71	128.94	77.45 %
Electricity usage during material transformation (bleached kraft paper)	2	1.33	37.53	22.55 %

--	--	--	--	--

--	--	--	--	--

TOTAL			166.47	100.00 %
-------	--	--	--------	----------

1596573 (sold in CH)

# Climate Change - Transportation and Distribution



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Freight	4	2.5	669.87	100.00 %
TOTAL			669.87	100.00 %

1596573 (sold in CH)

# Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
End of life (bleached kraft paper)	5	2.5	1.44	100.00 %
TOTAL			1.44	100.00 %

# Contact us

Alexis Normand CEO

[www.greenly.earth](http://www.greenly.earth)