

# SAFETY DATA SHEET

1. Identification				
Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***			
Product identifier	HP LaserJet Q2612A-AC-AD-AF-L Print Cartridge			
Other means of identification	None.			
Recommended use	This product is a toner preparation that is used in HP LaserJet M1005mfp/1010/1012/1015/1018/1020/1020 plus/1022/M1319fmfp/3015/3020/3030/3050/3050Z/3052/3055 series printers.			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier	r/Distributor information			
	HP Inc.			
	1501 Page Mill Road			
	Palo Alto, CA 94304-1112			
	United States			
Telephone	650-857-1501			
HP Inc. health effects line				
(Toll-free within the US)	1-800-457-4209			
(Direct)	1-760-710-0048			
HP Inc. Customer Care				
Line (Tall free within the US)	1-800-474-6836			
(Toll-free within the US) (Direct)	1-208-323-2551			
Email:	hpcustomer.inquiries@hp.com			
2. Hazard(s) identification				
Physical hazards	Not classified.			
Health hazards	Not classified.			
Environmental hazards	Not classified.			
OSHA defined hazards	Not classified.			
Label elements				
Hazard symbol	None.			
Signal word	None.			
Hazard statement	Not available.			
Precautionary statement				
Prevention	Not available.			
Response	Not available.			
Storage	Not available.			
Disposal	Not available.			
Hazard(s) not otherwise classified (HNOC)	None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.			
GHS Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012)			

## 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<55

Chemical name	Common name and synonyms	CAS number	%
Iron oxide	Iron oxide	1317-61-9	<50
Amorphous silica	Amorphous silica	7631-86-9	<3
4. First-aid measures			
Inhalation	Move person to fresh air immediately. If irritat	ion persists, consult a physicia	n.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.		
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.		
Ingestion	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.		
Most important symptoms/effects, acute and delayed	Not available.		

## 5. Fire-fighting measures

Specific methods	None established.
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Special protective equipment and precautions for firefighters	Not available.
Specific hazards arising from the chemical	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Suitable extinguishing media Unsuitable extinguishing media	CO2, water, or dry chemical None known.

Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
7. Handling and storage	
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

## 8. Exposure controls/personal protection

### Occupational exposure limits

US. NIOSH: Pocket Guide Components	to Chemical Hazards Type	Value	
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3	
Biological limit values	No biological exposure limits noted	for the ingredient(s).	
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)		
	ACGIH (TWA/TLV): 10 mg/m3 (Inh	alable Particulate), 3 mg/m3 (Respirable Particulate)	
	Amorphous silica: USA OSHA (TW mg/m3	/A/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10	
	TRGS 900 (Luftgrenzwert) - 10 mg	/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)	

Appropriate engineering controls	Use in a well ventilated area.
Individual protection measures Eye/face protection	, such as personal protective equipment Not available.
Skin protection	
Hand protection	Not available.
Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.

## 9. Physical and chemical properties

ApperanceFine powderPhysical stateSolid.Solid.Solid.FormSolid.Bak.Solid.OdorSolid.OdortnesholdNot available.pHNot available.Films point/freezing pointNot available.Filsh point/freezing pointNot available.Filsh point and boild.Not available.Filsh point and point and boild.Not available.Filsh point and point and point and point available.Not available.Filsh point and point and point and point and point available.Not available.Filsh point and point available.Not available.Filsh point and point and point available.Not available.Filsh point and point availab	••••••••••••••••••••••••••••••	
Form       solid         Color       Black.         Odor       Slight plastic odor         Odor threshold       Not available.         PH       Not applicable         Melting point/freezing point       Not available.         Initial boiling point and boiling arage       Not available.         Flash point       Not available.         Flasmability limit - tower       Not available.         flammability limit - tower       Not available.         flammability limit - tower (%)       Not available.         flammability limit - tower (%)       Not available.         flammability limit - upper (%)       Not available.         flammability limit - upper (%)       Not available.         flammability limit - upper (%)       Not available.         Vapor density       Not available.         votapriceable       Not available.         votapricent ordettion       Not available.         votapricent (%)       Not available.         votaplicable       No	Appearance	Fine powder
clor   Black.     Olor   Sight plastic odor     Olor   Notavallable.     pH   Notavallable.     pH   Notavallable.     Notavallable.   Notavallable.     PH   Notavallable. <th>Physical state</th> <th>Solid.</th>	Physical state	Solid.
OdrSign plastic ador0drInstance0drNotavalable.pHNotavalable.Notavalable.Notavalable.Prover flammability or vor SizeNotavalable.Prover flammability or vor SizeNotavalable.Flammability limit - tower flammability l	Form	solid
Odor thresholdNa available.pHNot available.Initial boiling point and boilingNot available.Initial boiling point and boilingNot available.Flash pointNot available.Evaporation rateNot available.Flammability (solid, gas)Not available.Ipper/lower flammability or exportsImmable.flammability limit - towerNot available.flammability limit - towerNot available.vor densityNot available.Solubility (wator)Not available.flammability or exportsNot available.flammability or exportsNot available.flammability or exportsSolubility (Not exports)solubility (wator)Not applicableflammability or exportsSolubility (Not exports)flammability or exportsSolubility (Not exports)solubility (wa	Color	Black.
pi       Nataplicable         Nataplicable       Nataplicable         Nataplicable       Nataplicable         Nataplicable       Nataplicable         Nataplicable       Nataplicable         Exborn       Nataplicable         Flam       Nataplicable         Flammability instructure       Nataplicable         fammability instructure       Nataplicable         falsevine       Nataplicable         falsevine       Nataplicable         falsevine       Nataplicable         falsevine       Nataplicable         falsevine       Nataplicable         solubility (war)       Nataplicable    <	Odor	Slight plastic odor
Metiting point/freezing point       Not available.         Initial boiling point and boiling range       Not applicable         Flash point       Not applicable         Evaporation rate       Not available.         Flash point       Not available.         Upper/lower flammability or explosive limits       Image: Not available.         Flammability limit - lower (%)       Not available.         Flammability limit - lower (%)       Not available.         Flammability limit - lower (%)       Not available.         Flammability limit - upper (%)       Not available.         Flammability limit - upper (%)       Not available.         Kapor pressure       Not available.         Vapor density       Not available.         Solubility (water)       Negligible in water. Partially soluble in toluene and xylene.         Partition coefficient       Not available.         Partition coefficient       Not applicable         Vato-ignition temperature       >392 °F (> 200 °C)         Viscosity       Not applicable         Other information       Not information available.         Oxidizing properties       Not information available.         Oxidizing properties       Not information available.         Ox	Odor threshold	Not available.
Initial boiling point and boiling     Not applicable       Flash point     Not applicable       Evaporation rate     Not available.       Evaporation rate     Not available.       Flammability (solid, gas)     Not available.       Upper/lower flammability or explore     Not flammable       (%)     Not available.       Flammability limit - lower     Not flammable       (%)     Not available.       Flammability limit - lower     Not available.       (%)     Not available.       Explosive limit - lower (%)     Not available.       Explosive limit - upper (%)     Not available.       Vapor pressure     Not available.       Vapor density     Not available.       Solubility (water)     Negligible in water. Partially soluble in toluene and xylene.       Partition coefficient     Not available.       (n-octanol/water)     Not available.       Auto-ignition temperature     > 392 °F (> 200 °C)       Viscostly     Not applicable       Decomposition temperature     > 392 °F (> 200 °C)       Viscostly     Not information available.       Oxidizing properties     Noi information available.       Oxidizing propertie	рН	Not applicable
range     Not applicable       Flash point     Not available.       Evaporation rate     Not available.       Flammability (solid, gas)     Not available.       Upper/lower flammability or v=v=v=v=v=v=v=v=v=v=v=v=v=v=v=v=v=v=v=	Melting point/freezing point	Not available.
Evaporation rate       Not available.         Flammability (solid, gas)       Not available.         Upper/Jower flammability or exuption exupti	•••••••	Not applicable
Fam bility (solid, gas)Not available.Upper/Jower flammability or exposedNot flammableFlammability limit - lowerNot flammable[%]Not available.Flammability limit - opperNot available.[%]Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.[%]Not available.[%]Not available.[%]Not available.[%]Not applicable[%]Not applicable[%]Not applicable[%]Not available.[%]Not available.[%]Not available.[%]Not available.[%]Not available.[%]Not available.[%]Not applicable[%]Not available.[%]Not available.[%]Not available.[%]Not applicable[%]Not applicable[%]Not available.[%]Not available.[%]Not applicable[%]Not applicable[%]Not applicable[%]Not applicable[%]Not available.[%]Not available.[%]Not applicable[%]Not applicable[%]Not applicable[%]Not applicable[%]Not available.[%]Not available.[%]Not applicable[%]Not applicable[%]Not applicable<	Flash point	Not applicable
Upper/lower flammability or expl>sive limits       Flammability limit - lower (%)     Not flammable       Flammability limit - upper (%)     Not available.       Flammability limit - lower (%)     Not available.       Explosive limit - lower (%)     Not available.       Explosive limit - upper (%)     Not available.       Vapor pressure     Not available.       Vapor density     Not applicable       Solubility(ies)     Vapor density       Solubility (water)     Negligible in water. Partially soluble in toluene and xylene.       Partition coefficient (n-octanol/water)     Not available.       Auto-ignition temperature     Not applicable       Vato-ignition temperature     >392 °F (> 200 °C)       Viscosity     Not applicable       Oxidizing properties     Noi nformation available.       Percent volatile     0 % estimated       Softening point     212 - 302 °F (100 - 150 °C)	Evaporation rate	Not available.
Flammability limit - lower (%)Not flammableFlammability limit - upper (%)Not available.Explosive limit - lower (%) (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot applicableSolubility(ies)Not applicableSolubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not applicableAuto-ignition temperature Decomposition temperatureNot applicableOxid zign properties Parcent volatile Softening pointNot information available.Oxidizing properties Softening pointNo information available.	Flammability (solid, gas)	Not available.
(%)     Not available.       Flammability limit - upper (%)     Not available.       Explosive limit - lower (%)     Not available.       Explosive limit - upper (%)     Not available.       Vapor pressure     Not available.       Vapor density     Not applicable       Solubility(ies)     Not available.       Solubility(water)     Negligible in water. Partially soluble in toluene and xylene.       Partition coefficient (n-octanol/water)     Not available.       Auto-Ignition temperature     Not applicable       Vapor water.     Not applicable       Viscosity     Not applicable       Oxidizing properties     No information available.       Percent volatile     0% estimated       Softening point     212 - 302 °F (100 - 150 °C)	Upper/lower flammability or exp	losive limits
(%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot applicableVapor densityNot applicableSolubility (ies)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature (pressition temperature)Not applicableViscosityNot applicableOxidizing properties Percent volatileNo information available.Partent volatile (pressition temperature)No information available.0 % estimated Softening point212 - 302 °F (100 - 150 °C)		Not flammable
Explosive limit - upper (%)Not available.Vapor pressureNot applicableVapor densityNot applicableSolubility(ies)Solubility (water)Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther informationNot applicable.Percent volatileNo information available.Percent volatile0 % estimatedSoftening point212 - 302 °F (100 - 150 °C)		Not available.
Vapor pressureNot applicableVapor densityNot applicableSolubility(ies)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperatureNot applicableViscosityNot applicableOther informationNot applicableOther informationNot applicableOxidizing propertiesNo information available.Percent volatile0 % estimatedSoftening point212 - 302 °F (100 - 150 °C)	Explosive limit - lower (%)	Not available.
Vapor densityNot applicableSolubility(ies)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperatureNot applicableViscosityNot applicableOther informationNot applicable.Oxidizing propertiesNo information available.Percent volatile0% estimatedSoftening point212 - 302 °F (100 - 150 °C)	Explosive limit - upper (%)	Not available.
Solubility(ies)     Negligible in water. Partially soluble in toluene and xylene.       Partition coefficient (n-octanol/water)     Not available.       Auto-ignition temperature     Not applicable       Decomposition temperature     > 392 °F (> 200 °C)       Viscosity     Not applicable       Other information     Vot applicable       Percent volatile     0 % estimated       Softening point     212 - 302 °F (100 - 150 °C)	Vapor pressure	Not applicable
Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther informationVoi applicable.Oxidizing propertiesNo informationle.Percent volatile0 % estimatedSoftening point212 - 302 °F (100 - 150 °C)	Vapor density	Not applicable
Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther informationNot applicableOther information0 % estimatedPercent volatile0 % estimatedSoftening point212 - 302 °F (100 - 150 °C)	Solubility(ies)	
(n-octanol/water)Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther informationNot information available.Percent volatile0 % estimatedSoftening point212 - 302 °F (100 - 150 °C)	Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Decomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther informationVoinformation available.Oxidizing propertiesNo information available.Percent volatile0 % estimatedSoftening point212 - 302 °F (100 - 150 °C)		Not available.
ViscosityNot applicableOther informationNo information available.Oxidizing propertiesNo information available.Percent volatile0 % estimatedSoftening point212 - 302 °F (100 - 150 °C)	Auto-ignition temperature	Not applicable
Other information       Oxidizing properties     No information available.       Percent volatile     0 % estimated       Softening point     212 - 302 °F (100 - 150 °C)	Decomposition temperature	> 392 °F (> 200 °C)
Oxidizing propertiesNo information available.Percent volatile0 % estimatedSoftening point212 - 302 °F (100 - 150 °C)	Viscosity	Not applicable
Percent volatile0 % estimatedSoftening point212 - 302 °F (100 - 150 °C)	Other information	
<b>Softening point</b> 212 - 302 °F (100 - 150 °C)	Oxidizing properties	
	Percent volatile	0 % estimated
Specific gravity 1.4 - 1.8	Softening point	212 - 302 °F (100 - 150 °C)
	Specific gravity	1.4 - 1.8

## 10. Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reactions	Not available. Stable under normal storage conditions. Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers

## 11. Toxicological information

Information on likely routes of e	xposure		
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.		
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Ingestion is not a likely route of exposure.		
Symptoms related to the physical, chemical and toxicological characteristics	Not available.		
Information on toxicological effe	ects		
Acute toxicity	Based on available data, the classification criteria are not met.		
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory or skin sensitizatior	1		
Respiratory sensitization	Based on available data, the classification criteria are not met.		
Skin sensitization	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Not listed.			
	d Substances (29 CFR 1910.1001-1050)		
Not regulated. US. National Toxicology Pro Not listed.	ogram (NTP) Report on Carcinogens		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		

## 12. Ecological information

Ecotoxicity			
Product		Species	Test Results
Q2612A-AC-AD-AF-L			
Aquatic			
Fish	LL50	Rainbow Trout	> 1000 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

#### 13. Disposal considerations

**Disposal instructions** 

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

#### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

UN number UN proper shipping name Transport hazard class(es)	UN2807 Magnetized Material
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No.
Special precautions for user	Not available.

#### IMDG

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

**Further information** 

168or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material. These requirements do not apply to single or dual pack cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air.

#### 15. Regulatory information

**US** federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

# SARA 311/312 Hazardous No chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations Not Listed

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### 16. Other information, including date of preparation or last revision

to: Other information, including date of preparation of last revision	
Issue date	16-Apr-2015
Revision date	03-Oct-2019
Version #	06
Other information	This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.
Revision information	Identification: Important information
Explanation of abbreviations	

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds