

SAFETY DATA SHEET

1. Identification		
Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
Product identifier	HP Color LaserJet CF413A-X-XC Magenta Print Cartridge	
Other means of identification	None.	
Recommended use	This product is a magenta toner preparation that is used in HP Color LaserJet Pro M452, HP Colo LaserJet Pro MFP M477, HP Color LaserJet Pro MFP M377 series printers.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
	HP Inc.	
	1501 Page Mill Road	
	Palo Alto, CA 94304-1112	
	United States	
Telephone	650-857-1501	
HP Inc. health effects line		
(Toll-free within the US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	
2. Hazard(s) identification	1	
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	Not available.	
Precautionary statement		
Prevention	Not available.	
Response	Not available.	
Storage	Not available.	
Disposal	Not available.	
Hazard(s) not otherwise classified (HNOC)	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.	
GHS Supplemental information		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Pigment	Pigment	Trade Secret	<10

Material name: CF413A-X-XC

Chemical name	Common name and synonyms	CAS number	%	
Wax Wax		Trade Secret	<10	
Amorphous silica Amorphous silica		7631-86-9	<3	
4. First-aid measures				
nhalation	Move person to fresh air immediately. If irritation persists, consult a physician.			
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.			
Eye contact		Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.		
ngestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.			
Nost important symptoms/effects, acute and lelayed	Not available.			
5. Fire-fighting measures				
Suitable extinguishing media	CO2, water, or dry chemical			
Jnsuitable extinguishing nedia	None known.			
Specific hazards arising from he chemical	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.			
Special protective equipment and precautions for firefighters	Not available.			
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.			
Specific methods	None established.			
6. Accidental release meas	sures			
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.			
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.			
Environmental precautions	Do not flush into surface water or sanitary sev considerations.	wer system. See also section 13	3 Disposal	
7. Handling and storage				
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use wit adequate ventilation. Keep away from excessive heat, sparks, and open flames.			
	s for safe storage, Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.			

Components	Туре	Value
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3	(Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inha	alable Particulate), 3 mg/m3 (Respirable Particulate)
	Amorphous silica: USA OSHA (TW mg/m3	/A/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10
	TRGS 900 (Luftgrenzwert) - 10 mg/	m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Appropriate engineering controls	Use in a well ventilated area.	
Individual protection measures	s, such as personal protective equipment	
Eye/face protection	Not available.	
Skin protection		
Hand protection	Not available.	
Other	Not available.	
Respiratory protection	Not available.	
Thermal hazards	Not available.	
9. Physical and chemical properties		
Annoaranaa	Fine newdor	

Appearance	Fine powder		
Physical state	Solid.		
Form	solid		
Color	Magenta		
Odor	Slight plastic odor		
Odor threshold	Not available.		
рН	Not applicable		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not applicable		
Flash point	Not applicable		
Evaporation rate	Not applicable		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or exp	losive limits		
Flammability limit - lower (%)	Not flammable		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not applicable		
Vapor density	Not applicable		
Solubility(ies)			
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not applicable		
Decomposition temperature	> 392 °F (> 200 °C)		
Viscosity	Not applicable		
Other information			
Oxidizing properties	No information available.		
Percent volatile	0 % estimated		
Softening point	176 - 266 °F (80 - 130 °C)		
Specific gravity	1 - 1.2		

10. Stability and reactivity

Conditions to avoid Imaging Drum: E	xposure to light
Possibility of hazardous Will not occur. reactions	na otorago conationo.
ReactivityNot available.Chemical stabilityStable under norm	mal storage conditions.

Material name: CF413A-X-XC

11. Toxicological information

Information on likely routes of exposure				
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.			
Skin contact	Contact with skin may result in mild irritation.			
Eye contact	Contact with eyes may result in mild irritation.			
Ingestion	Ingestion is not a likely route of exposure.			
Symptoms related to the physical, chemical and toxicological characteristics	Not available.			
Information on toxicological effe	ects			
Acute toxicity	Based on available data, the classification criteria are not met.			
Skin corrosion/irritation	Based on available data, the classification criteria are not met.			
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.			
Respiratory or skin sensitization	1			
Respiratory sensitization	Based on available data, the classification criteria are not met.			
Skin sensitization	Based on available data, the classification criteria are not met.			
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.			
Carcinogenicity	Based on available data, the classification criteria are not met.			
IARC Monographs. Overall Evaluation of Carcinogenicity				
Not listed.				
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)				
Not regulated.	ogram (NTP) Report on Carcinogens			
Not listed.				
Reproductive toxicity	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.			
Aspiration hazard	Based on available data, the classification criteria are not met.			
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.			

12. Ecological information

Ecotoxicity	LC50: > 100 n	ng/I, Fish, 96.00 Hours	
Product		Species	Test Results
CF413A-X-XC			
Aquatic			
Fish	LC50	Fish	> 100 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

13. Disposal consideratio	115	
Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.	
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.	
14. Transport information		
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.	
15. Regulatory informatio	n	
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.	
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)	
Not regulated. CERCLA Hazardous Substa Not listed.		
SARA 304 Emergency releas Not regulated.	se notification Id Substances (29 CFR 1910.1001-1050)	
Not regulated.	u Substances (29 CFR 1910.1001-1050)	
-	authorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazard	-	
Not listed.		
SARA 311/312 Hazardous chemical	No	
Other federal regulations		
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutants (HAPs) List	
	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated. Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	Not Listed	
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
16. Other information, inc	luding date of preparation or last revision	
Issue date	16-Oct-2015	
Revision date	02-Oct-2019	
Version #	06	
Other information	This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29	

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment. exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. Identification: Important information **Revision information Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds