

Logitech MX Anywhere 3S for Business mus Højre hånd RF trådløs + Bluetooth Laser 8000 dpi

Mærke : Logitech

Produktkode: 910-006958


Produkt navn : MX Anywhere 3S for Business

Logitech MX Anywhere 3S for Business. Formfaktor: Højre hånd. Bevægelsesdetekteringsteknologi: Laser, Enhedsgrænseflade: RF trådløs + Bluetooth, Bevægelsesopløsning: 8000 dpi, Knapper type: Trykte knapper, Antal knapper: 6, Rulle type: Hjul. Strømkilde: Batterier. Produktfarve: Grafit



Mus		Driftsbetingelser	
Formål *	Kontor	Opbevaringstemperatur (T-T)	-5 - 40 °C
Enhedsgrænseflade *	RF trådløs + Bluetooth	Systemkrav	
Bevægelsesdetekteringsteknologi *	Laser	Understøttede Windows-operativsystemer	Windows 10, Windows 11
Knapper type	Trykte knapper	Understøttede Mac-operativsystemer	Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Rulle type *	Hjul	Understøttede Linux-operativsystemer	✓
Antal knapper *	6	Understøttede mobile operativsystemer	Android 10.0, Android 11.0, Android 12.0, Android 13.0, Android 9.0, iOS 14, iOS 14.5, iOS 15, iOS 16
Bevægelsesopløsning	8000 dpi	Andre understøttede operativsystemer	ChromeOS
Brugerdefinerbar bevægelsesopløsning	✓	Bæredygtighed	
Understøttelse af flere enheder	✓	Bæredygtighedscertifikater	CarbonNeutral, Forest Stewardship Council (FSC)
Programmerbare museknapper	✓	Genbrugsplast	78%
Antal programmerbare knapper	4	Vægt & størrelser	
Knapfunktioner	Tilbage, Forlæns	Bredde	65 mm
Antal rullehjul	1	Dybde	100,5 mm
Bluetooth Low Energy (BLE)	✓	Højde	34,4 mm
Knappernes holdbarhed (millioner klik)	10	Vægt	99 g
Design		Modtager bredde	5,8 mm
Formfaktor *	Højre hånd	Modtager dybde	8,8 mm
Produktfarve *	Grafit	Modtager højde	1,16 cm
Overfladefarvning	Monokromatisk	Emballage indhold	
LED-indikatorer	✓	Modtager inkluderet	✓
Ergonomisk		Brugergrænseflade med trådløs modtager	USB Type-A
Trådløs rækkevidde	10 m	Modtagertype	Nano-modtager
Strømstyring		Brugervejledning	✓
Strømkilde *	Batterier		
Genopladelig	✓		
Opladningsport type	USB Type-C		
Antal understøttede batterier	1		
Batteritype	Indbygget batteri		
Batteriteknologi	Lithium polymer (LiPo)		

Strømstyring		Emballeringsdata	
Batterikapacitet	500 mAh	Medfølgende software	Logi Options+
Driftsbetingelser		Antal *	1
Driftstemperatur (T-T)	0 - 40 °C	Pakkevægt	160 g
Logistik data			
		Produkter pr. hovedkasse (udvendigt)	10 stk
Andre funktioner			
		Kapabilitet	Logi Bolt USB receiver



5099206112490

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-APR-2024. Prints or copies of Information are only valid on the printed Publication date