

# Rubber Light – 2 AA

**RBR213**



The *Energizer*® Rubber Flashlight features bright LED technology and a durable ergonomic design. This light offers a non-slip, textured rubber handle for ergonomics and enhanced durability. Designed with a convenient, built-in stand, the light provides hands-free use whenever needed. An integrated lanyard loop makes it easy to attach, while the durable push-button switch is designed to last. The *Energizer* Rubber Flashlight is the ultimate do-it-yourself light that provides excellent performance and reliability for all types of projects.

Lumens	Runtime	Beam Distance	Drop
 FL1 STANDARD 125 LUMENS	 FL1 STANDARD 12h	 FL1 STANDARD 100m	 FL1 STANDARD 1m



BATTERY SPECIFICATIONS	
Battery Type	ENR Max Alkaline
Battery Size	AA
Number of Cells	2
BATTERY PERFORMANCE	
Modes	Lumens (lm)
On	125
Modes	Runtime (h)
On	12
Modes	Beam Distance (m)
On	100

DESIGN BENEFITS
<ul style="list-style-type: none"> <li>✓ Durable rubber construction</li> <li>✓ Non-slip grip</li> <li>✓ Convenient, built-in stand</li> <li>✓ Can be attached to lanyard or carabineer</li> <li>✓ Shatterproof lens</li> </ul>

PERFORMANCE BENEFITS
<ul style="list-style-type: none"> <li>✓ Up to 10x brighter vs. ordinary LED technology</li> <li>✓ Long lasting runtime</li> <li>✓ Excellent beam distance</li> </ul>

LIGHT AND POWER SOURCE
<ul style="list-style-type: none"> <li>✓ Features LED technology</li> <li>✓ Operates on 2 AA batteries</li> </ul>

PRODUCT SPECIFICATIONS	
Weight:	240 Grams / 8.5 Ounces
Dimensions:	191 mm x 62 mm x 71 mm 7.5" x 2.4" x 2.8"

ELECTRICAL CHARACTERISTICS	
Nominal Power Consumption:	.45 W
Batteries:	2 AA Energizer E91 3.0V dc
LED Specifications:	LED 3.0V cc / 150 mA

DISCLAIMERS
Tested according to ANSI FL1 Standards.

CERTIFICATES AND COMPLIANCE
EMC, EN62471

Publish Date: DD-MM-YYYY

## OPERATING INSTRUCTIONS

1. Press on/off button to turn on.

## BATTERY CHANGING INSTRUCTIONS

1. Batteries (2X AA) are user replaceable.
2. Insert batteries with the (-) end touching the spring.