



ARTIKEL-NUMMER: 2299500

DeepBlue Winter

Handling öliger oder fettiger Teile in kalter Arbeitsumgebung. Arbeiten in feuchtem Außenbereich. Montagearbeiten in fettiger/öliger Arbeitsumgebung.

Honeywell**Überblick****Artikelnummer**

2299500

Produkttyp

Handschuhe

Programm

Allgemeine Anwendung

Produktlinie

Kälte

Marke

Honeywell

Branche

- Branche
- Automobilindustrie und Bauteilproduktion
- Bauindustrie
- Garten- und Landschaftsbau
- Logistik
- Wartung und Instandhaltung
- Mining and Quarrying
- Offshore
- Transportwesen

Produktverwendung

Handling öliger oder fettiger Teile in kalter Arbeitsumgebung. Arbeiten in feuchtem Außenbereich. Montagearbeiten in fettiger/öliger Arbeitsumgebung.

Eigenschaften und Nutzen**Eigenschaften**

Strickhandschuh aus Polyamid
Komplett mit blauem Nitrilschaum beschichtet.
Vollständig gefüttert mit Polar-Fleece.
Verschluss am Bündchen
Strickstärke 13.
Länge: 25 cm

Nutzen**KOMFORT**

Die ergonomisch nahtlose Strickausführung entspricht besser der natürlichen Form der Hand und sorgt dadurch für eine bessere Stärke und Haltbarkeit sowie hohen Komfort

Das Fasergarn sorgt für eine verringerte Flusenbildung für besonders sensible Anwendungen und lässt sich für eine

längere Nutzung einfach waschen.

Die dichte Maschenstruktur verleiht dem Handschuh eine einwandfreie Passform, schützt vor dem Eindringen von Schmutz und bietet ein gutes Tastempfinden.

Die Schaumbeschichtung optimiert die Atmungsaktivität des Handschuhs.

Der Nitrilschaum verbessert die Griffsicherheit.

Die Strickausführung sowie der Verschluss bieten guten Halt.

WIDERSTANDSFÄHIGKEIT

Die Nitrilbeschichtung bietet hervorragende Abriebfestigkeit und Ölundurchlässigkeit auf der gesamten Hand.

Das Polar-Fleece sorgt für eine sehr gute Kälteisolierung.

Technische Beschreibung

Beschreibung

CE-KATEGORIE: II Mittlere Risiken

Entspricht den Normen:

EN 420-2003 Allgemeine Anforderungen

EN 388-2003 Mechanische Risiken

EN511-2006 Kälteschutz

MERKMALE:

Strickhandschuh aus Polyamid

Komplett mit blauem Nitrilschaum beschichtet.

Vollständig gefüttert mit Polar-Fleece.

Verschluss am Bündchen

Strickstärke 13.

Länge: 25 cm

Produkttechnologie

Gestrickt und beschichtet

Faser

Polyamide und Polar-Fleece

Strickstärke

13

Beschichtungstyp

Nitrilschaum

Beschichtungsfarbe

Blau

Länge

25 cm

Unbedenklichkeit

Gemäß den Europäischen Normen

Tastgefühl

Klasse 5

Größen

7-12

EN 388 - Mechanische Gefahren und Abriebfestigkeit

Abriebfestigkeit	4
Schnittbeständigkeit	1
Reißfestigkeit	2
Durchstichfestigkeit	1

EN 511- Schutz bei niedrigen Temperaturen:

Beständigkeit gegen leitende Kälte	X
Beständigkeit gegen Kontaktkälte	1
Wasserdurchlässigkeit	X

Verpackungsetikett

Kennzeichnung

CE HONEYWELL
2299500 XX
EN 420
EN 388: 4121
EN 511: X1X

Zertifizierungen

 **EU-Konformitätserklärung**

EG-Kategorie PSA

2

Qualitätssicherung

ISO 9001 / 2000

EG-Zertifizierungsnummer

Warten auf Zertifikat

EG-Baumusterprüfbescheinigung

 EC attestation

Nr. EG-Baumusterprüfbescheinigung

Warten auf Zertifikat

Zusätzliche Informationen

Benutzerhandbuch

UI 105

Benutzerinformationen

105

Wartung und Instandhaltung

Informationen zur Aufbewahrung

Kleinste Verpackungsgröße: 10 Paar.
Karton mit 100 Paar.

Pflegeanleitung

Dieser Artikel kann gereinigt werden. Wenden Sie sich bezüglich Reinigungsanweisungen an Honeywell Safety Products.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,
registered under the number 0075, published in OJEC, delivers :

EC-TYPE EXAMINATION CERTIFICATE 0075/797/162/08/14/0749

To the following model of personal protective equipment :

- * reference of the model : 22 995 00
- * protective glove against mechanical risks, cold risks.
- * Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on August 04th, 2014
Update 01 of September 08th, 2016

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 22 995 00

Basic Model

Dated : August 2016

Available sizes :

06 07 08 09 10 11 12

Visual description :



Material :

	Color	Material	Gauges	Thickness
PALM	Blue	Nitrile		0,7-0,8
BACK	Blue	Nitrile		0,7-0,8
LINING	White/Blue	Polyamide	15	
	Black	Velcro – in the cuff		
	Black	Polar fleece		
CUFF	Blue	Nitrile		0,7-0,8
	Natural	Elastic yarn	15	
	White/Blue	Polyamide	15	
BINDING	Black	Polyester/PU Bias		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 511 : 2006 - Protective gloves against cold
- * At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)
- * This product is a category II.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC	Other
EN 420	1309-15449/1 1309-15705/1 L160712723_1	
Azo	1309-15449/1 1309-15705/1	
EN 388	1309-15705/1	
EN 511	1309-15465 1404-7781	
OTHER	1309-15705/1 L160712722_1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1

The levels of performance have been measured on the palm

Performance levels offered against cold (EN 511:2006) are:

Convective cold	Contact cold	Water penetration
X	1	X


« X » means that the test hasn't been performed ; no protection is required

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 22 995 00
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for cold risks followed by the performance levels
- * information pictogram

Marking example:





EU-Konformitätserklärung

Der Hersteller oder sein in der EU als gesetzlicher Vertreter handelnder Lieferant:

Honeywell Safety Products Europe

Erklärt, dass die im Folgenden beschriebene Persönliche Schutzausrüstung die Richtlinien der Direktive des Europäischen Rates erfüllt 89/686/CEE:

Bezeichnung: DeepBlue Winter

Referenz: 2299500

Standard(s): EN 388, EN 420, EN 511

Für diese PSA gilt die folgende EU-Prüfbescheinigung Nr.:

Warten auf Zertifikat

Ausgestellt von:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Ort, Datum: Roissy, 28/06/2017

Ausgestellt von: Eric Puile

Abteilung: Handschuhe

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Villepinle - 95958 ROISSY CDG CEDEX
SAS au capital 17 750 000 € - Siret 349 497 307 00137
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com