



ARTIKEL-NUMMER: 1005600
Filtrierende Halbmaske
Honeywell 5261 M/L der
Schutzklasse FFP2D-AV
Honeywell

Überblick

Artikelnummer

1005600

Programm

Filtrierende Halbmasken

Produktlinie

Formmasken

Marke

Honeywell

Marke vorher bekannt als

WILLSON

Branche

- Glasindustrie
- Industrie allgemein

Produktverwendung

Filtrierende Halbmaske SPERIAN 5261 M/L der Schutzklasse FFP2D-AV mit Ausatemventil

Anwendung: Aluminiumschmelze, Elektronik, Glasindustrie, Elektrolyse, Batterieproduktion, Pool-Wartung usw. ...
 Schützt gegen Staub, Nebel und Rauch mit Kalziumkarbonat, Ton, Kaolin, Zellulose, Baumwolle, Mehl, eisenhaltige Metalle, pflanzliche und Mineralöle, Hilfsstoffe für die Metallverarbeitung (*diese Liste ist nicht vollständig*).
 Schützt gegen Geruchsbeeinträchtigung durch saure Gase und Dämpfe in einer Konzentration unter MAK*
 (Fluorwasserstoff, Chlor, Salzsäure usw. ...)

Maximales Schutzniveau: einsetzbar gegen feste und/oder flüssige Aerosole bis zu einer maximalen Schadstoffkonzentration 10 x MAK* (nach EN 149:2001). Bei spezifischen Gefahrenstoffen können Einschränkungen bestehen. Bitte geltende Sicherheits- und Arbeitsschutznormen beachten.

Anwendungsgrenze:

Diese filtrierende Halbmaske sollte NICHT verwendet werden,

- wenn der Sauerstoffgehalt der Umgebungsluft unter 17 VOL% liegt;
- wenn die Schadstoffe oder deren Konzentration unbekannt oder als unmittelbar gesundheits- oder lebensgefährlich eingestuft sind;
- wenn die Schadstoffkonzentration die geltenden Sicherheits- und Arbeitsschutznormen oder die 10fache MAK* überschreitet – bei mehreren Schadstoffen ist der jeweils niedrigste Wert maßgebend;
- gegen giftige oder radioaktive Schadstoffe
- gegen Gase oder Dämpfe
- zur Brandbekämpfung.

Achtung:

Bitte unbedingt sicherstellen, dass der von der Atemschutzmaske gewährleistete Schutzgrad für den/die Schadstoff/e

und dessen/deren Konzentration im Arbeitsbereich ausreichend ist.

Verwendung nur durch geschultes und qualifiziertes Personal

Die Dichtigkeit kann kaum erreicht werden, wenn die Maske auf Bart oder Bartstoppen aufgesetzt wird.

Diese Atemschutzmaske liefert keinen Sauerstoff.

* MAK: maximale Arbeitsplatzkonzentration.

Eigenschaften und Nutzen

Eigenschaften

Mit Aktivkohle gegen Gerüche sauren Ursprungs unter MAK ausgerüstet

Nutzen

Vermeidet dass der Maskenträger durch unangenehme saure Gerüche belästigt wird.

Eigenschaften

Breites Einwegmasken-Programm

Nutzen

Deckt alle Anwendungsbereiche der Einweg-Atemschutzausrüstung ab.

Eigenschaften

Effektive Filterwirkung

Nutzen

Garantierte Sicherheit, entspricht den neuesten Bestimmungen

Eigenschaften

Ultraweiche Willtech-Dichtlippe

Nutzen

Außergewöhnlicher Komfort, guter Dichtsitz

Eigenschaften

Willtech-Dichtlippe mit absorbierenden Eigenschaften

Nutzen

Vermeidet Hautreizungen und erhöht die Akzeptanz

Eigenschaften

Willtech-Dichtlippe mit Schaumstoff und dichter Folie

Nutzen

Verbesserter Schutzfaktor und höchste Akzeptanz

Eigenschaften

Hypoallergene Willtech-Dichtlippe

Nutzen

Kein Allergierisiko

Eigenschaften

Ausatemventil

Nutzen

Geringer Atemwiderstand / minimierte Maskenerwärmung

Eigenschaften

Geschütztes Ausatemventil

Nutzen

Größere Sicherheit

Eigenschaften

Vorgeformter Nasensteg

Nutzen

Guter Dichtsitz, keine Leckagen

Eigenschaften

Farbiger Nasensteg

Nutzen

Die Farbkodierung verbessert die Maskenauswahl und die Kontrolle: größere Sicherheit, Zeiteinsparung

Eigenschaften

Belastungstest mit 120 mg

Nutzen

Maske muss innerhalb normaler Gebrauchsdauer nicht gewechselt werden

Eigenschaften

4-Punkt-Bebänderung

Nutzen

Keine Leckagen, guter Dichtsitz

Eigenschaften

Leichte Maske: from 10 to 28g

Nutzen

Auf Dauer bessere Akzeptanz

Eigenschaften

Formmaske

Nutzen

Formstabil auch in feuchtem Zustand (Atemfeuchtigkeit) und bei hoher Belastung

Eigenschaften

Angeheftete Gummibänder, sehr weich und robust

Nutzen

Zeit- und Sicherheitsgewinn

Eigenschaften

Heftung an speziellen Verlängerungen außerhalb der Atemzone

Nutzen

Vermeidung des Risikos von Undichtigkeit

Eigenschaften

Maske ohne Latex, Silikon oder PVC

Nutzen

Keine Gebrauchseinschränkung, vermeidet Allergien

Eigenschaften

3 Größen

Nutzen

Ausgezeichneter Dichtsitz auch bei unterschiedlichen Gesichtsgrößen

Technische Beschreibung

Zertifizierungen

 EU-Konformitätserklärung

EG-Kategorie PSA

3

Qualitätssicherung

ISO 9001 / 2000

EG-Zertifizierungsnummer

Q.S.001

EG-Baumusterprüfbescheinigung

 EC Attestation

Nr. EG-Baumusterprüfbescheinigung

928

Drucksachen & Dokumentationen

 PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/f1bd994f44ac4f0dba5b5d4958b5529e.jpg>

 PIC SKU - Pictures

Wartung und Instandhaltung

Lebensdauer

3 Jahre

Informationen zur Aufbewahrung

Temperaturbereich für die Lagerung: -20°C/+40°C

Maximale relative Luftfeuchtigkeit für die Lagerung: unter 95 %

Verpackung

EAN-Code

7312550056004 (10 Masken in einer Verteilerbox, 2 Verteilerboxen pro Packung) / 17312550056001 (200 Masken in einem Karton)

INSPEC



EC TYPE-EXAMINATION CERTIFICATE: 0928

Product description: -

Filtering Face Mask – single use

Product identification: -

Refer to attached schedule

Manufacturer: -

Sperian Protection Armor S.A.S.
Z. I. de la Gare
22940 Plainetel
France



When assessed and examined against harmonised standard EN149:2001 and 120 mg loading test, is found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

And

Is manufactured under a Quality Control System, which has been satisfactorily assessed as meeting the requirements of Article 11 Section B of the same Directive.

Signed

Date: 9th May 2001

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)



For terms and conditions of issue, see page 2


Terms and Conditions

Reference Documents: -

- | | | | |
|------|--------------------------|---|--|
| i) | Test Reports | - | 01.04.37 to 47, 01.04.10, 06.07.32
08.07.97 |
| ii) | Technical File | - | TF/0928 |
| iii) | Test and Inspection Plan | - | QUA PRO 01/001 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) Satisfactory maintenance of independent certification against Article 11.B of the P.P.E. Directive.
- v) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 2	Withdrawn		
Page 1 of 2 (Amendment ONE)	Withdrawn		
Schedule ONE	Withdrawn		
Schedule TWO	Withdrawn		
Schedule THREE	Withdrawn		
Page 2 of 2	Withdrawn		
Schedule FOUR	Withdrawn	5/8/04	To add additional model names
Page 1 of 2 (Amendment TWO)	Withdrawn		
Page 2 of 2 (Amendment ONE)	Withdrawn	12/7/06	To add test report 06.07.32
Schedule FIVE	Withdrawn	12/7/06	To amend model references from 5321 to 5311
Pages 1 to 4 (Amendment THREE)	Withdrawn	11/06/07	Addition of masks Willson 5211 x 2 and Willson 5321.
Pages 1 to 5	Withdrawn	23/07/07	Addition of masks: Willson 5311 S 1x10 Willson 5311 M/L 1x10 Willson 5311 XL 1x10
Pages 1 to 5	Withdrawn	21/01/08	Addition of masks removed with previous certificate issue and name change
Pages 1 to 5	Withdrawn	28/02/08	Addition of WILLSON 5221 M/L-RD
Pages 1 to 5	Withdrawn	18/04/08	Addition of new pack sizes
Pages 1 to 5	Withdrawn	24/06/08	Name change to SPERIAN
Pages 1 to 5	Withdrawn	26/08/08	Addition of SPERIAN 5311 M/L DIY Sachet x 3
Pages 1 to 5	Valid	24/09/08	Addition of SPERIAN 5310 M/L



CERTIFICATION SCHEDULE

Number	Designation	Class	Valve	Size
1005525	SPERIAN 5110 S	FFP1D	NO	SMALL
1005580	SPERIAN 5110 ML	FFP1D	NO	MEDIUM/LARGE
1005113	SPERIAN 5110 XL	FFP1D	NO	EXTRA LARGE
1005581	SPERIAN 5111 S	FFP1D	YES	SMALL
1005582	SPERIAN 5111 ML	FFP1D	YES	MEDIUM/LARGE
1005097	SPERIAN 5111 XL	FFP1D	YES	EXTRA LARGE
1005583	SPERIAN 5210 S	FFP2D	NO	SMALL
1005584	SPERIAN 5210 ML	FFP2D	NO	MEDIUM/LARGE
1005098	SPERIAN 5210 XL	FFP2D	NO	EXTRA LARGE
1005585	SPERIAN 5211 S	FFP2D	YES	SMALL
1005586	SPERIAN 5211 ML	FFP2D	YES	MEDIUM/LARGE
1005099	SPERIAN 5211 XL	FFP2D	YES	EXTRA LARGE
1005587	SPERIAN 5221 S	FFP2D	YES	SMALL
1005588	SPERIAN 5221 ML	FFP2D	YES	MEDIUM/LARGE
1005588-RD	SPERIAN 5221 ML-RD	FFP2D	YES	MEDIUM/LARGE
1005120	SPERIAN 5221 XL	FFP2D	YES	EXTRA LARGE
1005590	SPERIAN 5140 S	FFP1D (OV)	NO	SMALL
1005591	SPERIAN 5140 ML	FFP1D (OV)	NO	MEDIUM/LARGE
1005589	SPERIAN 5140 XL	FFP1D (OV)	NO	EXTRA LARGE
1005592	SPERIAN 5141 S	FFP1D (OV)	YES	SMALL
1005593	SPERIAN 5141 ML	FFP1D (OV)	YES	MEDIUM/LARGE
1005121	SPERIAN 5141 XL	FFP1D (OV)	YES	EXTRA LARGE
1011373	SPERIAN 5240 S	FFP2D (OV)	NO	SMALL
1011370	SPERIAN 5240 ML	FFP2D (OV)	NO	MEDIUM/LARGE
1011374	SPERIAN 5240 XL	FFP2D (OV)	NO	EXTRA LARGE
1005594	SPERIAN 5251 S	FFP2D (OV)	YES	SMALL
1005595	SPERIAN 5251 ML	FFP2D (OV)	YES	MEDIUM/LARGE
1005122	SPERIAN 5251 XL	FFP2D (OV)	YES	EXTRA LARGE
1005597	SPERIAN 5161 S	FFP1D (AV)	YES	SMALL
1005598	SPERIAN 5161 ML	FFP1D (AV)	YES	MEDIUM/LARGE
1005124	SPERIAN 5161 XL	FFP1D (AV)	YES	EXTRA LARGE
1011375	SPERIAN 5260 S	FFP2D (AV)	NO	SMALL
1011371	SPERIAN 5260 ML	FFP2D (AV)	NO	MEDIUM/LARGE
1011376	SPERIAN 5260 XL	FFP2D (AV)	NO	EXTRA LARGE
1005599	SPERIAN 5261 S	FFP2D (AV)	YES	SMALL
1005600	SPERIAN 5261 ML	FFP2D (AV)	YES	MEDIUM/LARGE
1005125	SPERIAN 5261 XL	FFP2D (AV)	YES	EXTRA LARGE
1005601	SPERIAN 5321 S	FFP3D	YES	SMALL
1005602	SPERIAN 5321 ML	FFP3D	YES	MEDIUM/LARGE
1005126	SPERIAN 5321 XL	FFP3D	YES	EXTRA LARGE
1015634	SPERIAN 5311 S	FFP3D	YES	SMALL
1015635	SPERIAN 5311 ML	FFP3D	YES	MEDIUM/LARGE
1015636	SPERIAN 5311 XL	FFP3D	YES	EXTRA LARGE
1015916	SPERIAN 5211	FFP2D	YES	MEDIUM/LARGE
1015917	SPERIAN 5321	FFP3D	YES	MEDIUM/LARGE

Number	Designation	Class	Valve	Size
1016705	SPERIAN 5311 S – 1x10	FFP3D	NO	SMALL
1016707	SPERIAN 5311 M/L – 1x10	FFP3D	NO	MEDIUM/LARGE
1016708	SPERIAN 5311 XL – 1x10	FFP3D	NO	EXTRA LARGE
1017636	SPERIAN 5211 S – 2x10	FFP2D	YES	SMALL
1017638	SPERIAN 5211 M/L – 2x10	FFP2D	YES	MEDIUM/LARGE
1017637	SPERIAN 5211 XL – 2x10	FFP2D	YES	EXTRA LARGE
1017641	SPERIAN 5210 S – 2x10	FFP2D	NO	SMALL
1017642	SPERIAN 5210 M/L – 2x10	FFP2D	NO	MEDIUM/LARGE
1017643	SPERIAN 5210 XL – 2x10	FFP2D	NO	EXTRA LARGE
1016242	SPERIAN 5311 M/L DIYSACHET x3	FFP3D	NO	MEDIUM/LARGE
1018775	SPERIAN 531 0 M/L	FFP3D	NO	MEDIUM/LARGE





EU-Konformitätserklärung

Der Hersteller oder sein in der EU als gesetzlicher Vertreter handelnder Lieferant:

Honeywell Safety Products Europe

**Erklärt, dass die im Folgenden beschriebene Persönliche Schutzausrüstung die Richtlinien der
Direktive des Europäischen Rates erfüllt 89/686/CEE:**

Bezeichnung: Filtrierende Halbmaske Honeywell 5261 M/L der Schutzklasse FFP2D-AV

Referenz: 1005600

Standard(s): EN149:2001

Für diese PSA gilt die folgende EU-Prüfbescheinigung Nr.:

Q.S.001

Ausgestellt von:

INSPEC

56 Leslie Hough Way

Salford

M6 6AJ

Greater Manchester

United Kingdom

+44 (0)12 96 68 29 66

Ort, Datum: Plaintel, 28/06/2017

Ausgestellt von:

Abteilung: Atemschutz

Pascal MARGERIT

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com



