

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Trade name	Tork Surface Cleaning Wet Wipes
Article number	190594
UFI:	VMY1-CKCH-E319-GG8Y

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Wipes for cleaning
Uses that are advised against	Do not apply to face, avoid contact with eyes

### 1.3. Details of the supplier of the safety data sheet

Company	Essity Hygiene and Health AB (previously SCA Hygiene Products AB) SE-40503 Göteborg Sweden
Telephone	+46 (0)31 746 00 00 +44 1 582 677 400
E-mail	info@essity.com
Website	www.essity.com

### 1.4. Emergency telephone number

Acute cases: Call 112, request poison information.

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Upon assessment, this mixture is not classified as hazardous according to 1272/2008

### 2.2. Label elements

Hazard pictogram	Not applicable
Signal word	Not applicable
Hazard statement	Not applicable

### Supplemental hazard information

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

This product does not contain any substances that are assessed to be a PBT or a vPvB

This product has been tested according to "United Nations Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria Part III – 32.5.2." and is not classified as flammable in accordance with section 2.6.4.5 of regulation (EC) No 1272/2008, Annex I.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

Constituent	Classification	Concentration
<b>ETHANOL</b>		
CAS No: 64-17-5 EC No: 200-578-6 Index No: 603-002-00-5 REACH: 01-2119457610-43	Flam. Liq. 2, Eye Irrit. 2; H225, H319	5 - 15 %

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b. Contents according to 648/2004.

<5% Non-ionic surfactants.

<5% Amphoteric surfactants.

Preservatives: Phenoxyethanol

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### Generally

In case of concern, or if symptoms occur, call a doctor/physician.

#### Upon breathing in

Fresh air and rest. If symptoms persist seek medical advice.

#### Upon eye contact

Rinse the eye for several minutes with lukewarm water. If irritation persists call a doctor.

#### Upon skin contact

Remove contaminated clothes.

Wash the skin with soap and water.

If symptoms occur, contact a physician.

#### Upon ingestion

First rinse the mouth thoroughly with plenty of water and SPIT OUT the rinsing water. Then drink at least half a litre of water and contact the doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Upon eye contact

Eye irritation may occur.

#### Upon skin contact

Skin irritation may occur.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Recommended extinguishing agents

Extinguish with water mist, powder, carbon dioxide or alcoholresistant foam.

#### Unsuitable extinguishing agents

May not be extinguished with water dispersed under high pressure.

### 5.2. Special hazards arising from the substance or mixture

Produces fumes containing harmful gases (carbon monoxide and carbon dioxide) when burning.

In case of fire, substances hazardous to health, or substances harmful in other respects, may be dispersed.

### 5.3. Advice for firefighters

Protective measures should be taken regarding other material at the site of the fire.  
In case of fire use proper breathing apparatus.  
Wear full protective clothing.  
Cool closed containers that were exposed to fire with water.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use recommended safety equipment, see section 8.  
Switch off equipment which has an exposed flame, glows, or has a heat source of some other kind.  
Ensure good ventilation.

### 6.2. Environmental precautions

Avoid release to drains, soil or watercourses.

### 6.3. Methods and material for containment and cleaning up

Minor spillage should be wiped away or flushed away with water. Large quantities should be collected for incineration in accordance with the local regulations.

### 6.4. Reference to other sections

See section 8 and 13 for personal protection equipment and disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Avoid open fire, hot items, sparks or other ignition sources.  
Take precautionary measures against static discharge.  
Avoid spillage, inhalation and contact with eyes and skin.  
Store this product separately from food items and keep it out of the reach of children and pets.  
Do not eat, drink or smoke in premises where this product is handled.  
Use recommended safety equipment, see section 8.  
Wash your hands after using the product.  
Implement appropriate engineering controls if necessary, see Section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

This product should be stored well out of reach of young children and kept safely apart from products intended for consumption.  
Store in dry and cool area.  
The product should be stored in a manner which prevents hazards to health and the environment. Avoid exposure to humans and animals and do not discharge the product in a sensitive environment.  
Always use sealed and visibly labeled packages.  
Store in a well-ventilated space.

### 7.3. Specific end use(s)

See identified uses in Section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### 8.1.1. National limit values

##### ETHANOL

United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 1000 ppm / 1920 mg/m<sup>3</sup>

##### METHANOL

United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 200 ppm / 266 mg/m<sup>3</sup>

Short term exposure limit (STEL) 250 ppm / 333 mg/m<sup>3</sup>

Note Sk

Explanations of abbreviations are given in Section 16b

**DNEL  
ETHANOL**

	Type of exposure	Route of exposure	Value
Worker	Acute Local	Inhalation	1900 mg/m <sup>3</sup>
Consumer	Chronic Systemic	Inhalation	114 mg/m <sup>3</sup>
Worker	Chronic Systemic	Dermal	343 mg/kg
Worker	Chronic Systemic	Inhalation	950 mg/m <sup>3</sup>
Consumer	Acute Local	Inhalation	950 mg/m <sup>3</sup>
Consumer	Acute Local	Dermal	950 mg/m <sup>3</sup>
Consumer	Chronic Systemic	Oral	87 mg/kg
Consumer	Chronic Systemic	Dermal	206 mg/kg

**PNEC  
ETHANOL**

Environmental protection target	PNEC value
Fresh water	0.96 mg/l
Freshwater sediments	3.6 mg/kg
Marine water	0.79 mg/l
Marine sediments	2.9 mg/kg
Microorganisms in sewage treatment	580 mg/l
Soil (agricultural)	0.63 mg/kg

**8.2. Exposure controls**

The risks posed by the product or its constituents must be considered in the task specific risk assessment, in accordance with current working environment legislation. The risk assessment should be reviewed regularly and updated if necessary.

**8.2.1. Appropriate engineering controls**

The ventilation in the workplace must ensure an air quality that meets the requirements of the current working environment legislation. Local exhaust ventilation should be used to remove airborne contaminants at the source.

**Eye/face protection**

Eye protection should be worn if there is any danger of direct exposure or splashing.

**Skin protection**

Protective gloves are normally not needed due to the properties of this product, but may be necessary for other reasons, e.g. mechanical risks, temperature conditions or microbiological risks.

The most suitable protective glove should be chosen in consultation with the glove supplier, taking into account the risk assessment for the specific task and the properties of the chemicals involved. Note that the breakthrough time of the material is affected by the duration of the exposure, temperature conditions, abrasion, etcetera.

**Respiratory protection**

Respiratory protection is not normally required.

The most appropriate respiratory protective equipment should be decided in consultation with the appointed safety representative, taking into account the risk assessment for the specific task.

**8.2.3. Environmental exposure controls**

For limiting environmental exposure, see section 12.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

(a) Physical state	solid Form: wipe
(b) Colour	Not indicated
(c) Odour	characteristic
(d) Melting point/freezing point	Not indicated
(e) Boiling point or initial boiling point and boiling range	Not indicated
(f) Flammability	Not indicated
(g) Lower and upper explosion limit	Not indicated
(h) Flash point	48.5 °C
(i) Auto-ignition temperature	Not indicated
(j) Decomposition temperature	Not indicated
(k) pH	Not indicated
(l) Kinematic viscosity	Not indicated
(m) Solubility	Solubility in water: Soluble
(n) Partition coefficient n-octanol/water (log value)	Not indicated
(o) Vapour pressure	Not indicated
(p) Density and/or relative density	Not indicated
(q) Relative vapour density	Not indicated
(r) Particle characteristics	Not indicated

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Not indicated

#### 9.2.2. Other safety characteristics

Not indicated

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

The product contains no substances which can lead to hazardous reactions at normal use.

### 10.2. Chemical stability

The product is stable at normal storage and handling conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known during normal use.

### 10.4. Conditions to avoid

Avoid heat, sparks and open flames.  
Protect from moisture.

### 10.5. Incompatible materials

Avoid contact with acids, bases and oxidizing agents.  
Peroxides.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on possible health hazards are based on experience and / or toxicological properties of several components in the product.

#### Acute toxicity

The product is not classified as acutely toxic.

#### ETHANOL

LD50 rabbit 24h: > 20000 mg/kg Dermally

LC50 rat 4h: 124.7 mg/l Inhalation

LD50 rat 10h: 38 mg/liter Inhalation

LD50 rat 10h: 2000 ppm Inhalation

LD50 rat 24h: 7060 mg/kg Orally

#### Skin corrosion/irritation

The product is not classified for skin corrosion/irritation.

#### Serious eye damage/irritation

The product is not classified for serious eye damage/eye irritation.

#### Respiratory or skin sensitisation

The product is not classified as sensitising.

#### Germ cell mutagenicity

The product is not classified as mutagen.

#### Carcinogenicity

The product is not classified as carcinogenic.

#### Reproductive toxicity

The product is not classified as a reproductive toxicant.

#### STOT-single exposure

The product is not classified for specific organ toxicity after single exposure.

#### STOT-repeated exposure

The product is not classified for specific organ toxicity after repeated exposure.

#### Aspiration hazard

The product is not classified as being toxic for aspiration.

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

The product does not have any known endocrine-disrupting properties.

#### 11.2.2. Other information

Not indicated.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

No ecological damage is known or expected in the event of normal use.

Prevent release on land, in water and drains.

#### ETHANOL

LC50 Rainbow trout (*Oncorhynchus mykiss*) 96h: 1 - 16 g/l

LC50 fathead minnow (*Pimephales promelas*) 96h: > 100 mg/l

LC50 Freshwater water flea (*Daphnia magna*) 48h: 12340 mg/l

EC50 Freshwater water flea (*Daphnia magna*) 48h: 1 - 14221 mg/l

### 12.2. Persistence and degradability

There is no information regarding persistence or degradability.

### 12.3. Bioaccumulative potential

There is no information regarding bioaccumulation.

### 12.4. Mobility in soil

Information about mobility in nature is not available.

## 12.5. Results of PBT and vPvB assessment

This product does not contain any substances that are assessed to be a PBT or a vPvB.

## 12.6. Endocrine disrupting properties

The product does not have any known endocrine-disrupting properties.

## 12.7. Other adverse effects

Data lacking.

# SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

### Waste handling of the product

Avoid discharge into sewers.

The product is not classified as hazardous waste.

Empty, rinsed packaging is sent for recycling where practicable.

See directive 2008/98/EC on waste. Observe national or regional provisions on waste management.

# SECTION 14: TRANSPORT INFORMATION

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

## 14.1. UN number or ID number

Not classified as dangerous goods

## 14.2. UN proper shipping name

Not applicable

## 14.3. Transport hazard class(es)

Not applicable

## 14.4. Packing group

Not applicable

## 14.5. Environmental hazards

Not applicable

## 14.6. Special precautions for user

Not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## 14.8 Other transport information

This product has been tested according to "United Nations Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria Part III – 32.5.2." and is not classified as a dangerous good.

# SECTION 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not indicated.

## 15.2. Chemical safety assessment

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

## SECTION 16: OTHER INFORMATION

### 16a. Indication of where changes have been made to the previous version of the safety data sheet

#### Revisions of this document

Earlier versions

2022-01-21 Changes in section(s) 1.

### 16b. Legend to abbreviations and acronyms used in the safety data sheet

#### Full texts for Hazard Class and Category Code mentioned in section 3

Flam. Liq. 2 Flammable liquids, Hazard Category 2 - Flam. Liq. 2, H225 - Highly flammable liquid and vapour

Eye Irrit. 2 Serious eye damage/eye irritation, Hazard Category 2 - Eye Irrit. 2, H319 - Causes serious eye irritation

#### Explanations of the abbreviations in Section 8

##### United Kingdom

Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity

#### Explanations of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangerous Goods by Road

RID Regulations concerning the International Transport of Dangerous Goods by Rail

IMDG International Maritime Dangerous Goods Code

ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)

IATA The International Air Transport Association

### 16c. Key literature references and sources for data

#### Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2022-04-19.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

#### Full texts for Regulations mentioned in this Safety Data Sheet

1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

1272/2008 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

648/2004 REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents

2008/98/EC DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives

### 16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I, where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI.

### 16e. List of relevant hazard statements and/or precautionary statements

#### Full texts for hazard statements mentioned in section 3

H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation



## 16f. Advice on any training appropriate for workers to ensure protection of human health and the environment

### Warning for misuse

This product is not expected to cause severe harm to humans or the environment. The manufacturer, the distributor or the supplier are not responsible for adverse effects if the product is not handled in accordance with the directions for use.

### Other relevant information

Not indicated

### Editorial information



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, [www.kemrisk.se](http://www.kemrisk.se)