

Technical data sheet LX002

Specification Counter chair, mesh backrest, synchro

Dimensions in mm	Backrest:	H:	665
		Seat:	H: 585 - 770
		W:	460
		D:	450
	Total:	H:	1425
		W (no ArmR):	480
W (ArmR):		670	
D:		580	
Packaging data	Weight:	kg	17,58
	Volume:	m³	0,5



Basic equipment

Benefit

Plastic parts	Colour maintained throughout, black.	Quality and aesthetics are maintained even with intensive use.
Backrest	Mesh covered backrest, black. Height adjustable. Backrest lockable in 4 positions.	
Upholstery	Seat upholstery: 50 mm foam.	Good seating comfort.
Mechanism	Synchronous mechanism, lockable.	Synchronous mechanisms of Interstuhl are designed in a way that they help to support optimally the body in every seating position and at the same time they relieve the change between the different seating positions.
Seat height adjustment	Seat height adjustment infinitely variable from 585 - 770 mm. Self-supporting safety gas spring.	People measuring with a height between 151 and 192 cm (Acc. to DIN EN 1335) can individually adjust the seat height in the most ergonomic way.
Weight adjustment	From 45 - 120 kg, multilevel.	Individual adjustment of the backrest and the back pressure to the weight and height of the user.
Glides	Glides for hard floors (Acc. to DIN EN 12529).	Good stability.
Base with climb assistance	Aluminium base, polished with foot ring (Ø 470 mm) on glides.	Very good stability, long service life.
Armrests	2D T-armrests, width and height adjustable, soft surface.	The armrests relieve the neck and shoulder muscles.
Materials	All materials are pure and recyclable.	Environmentally friendly.

Technical data sheet LX002

Specification Counter chair, mesh backrest, synchro

Dimensions in mm	Backrest:	H:	665	
		Seat:	H: 585 - 770	
		W:	460	
		D:	450	
	Total:	H: 1425	W (no ArmR): 480	W (ArmR): 670
Packaging data	Weight:	kg	17,58	
	Volume:	m³	0,5	



Certification

Quality management system DIN EN ISO 9001:2015, Regulation (EC) no. 1221/2009 (EMAS), Environmental Management System DIN EN ISO 14001:2015, Occupational Health and Safety Management System DIN ISO 45001:2018, Energy management system DIN EN ISO 50001:2018, EcoVadis Gold, Commitment to sustainability.

High-quality product.

Warranty and Return

3 years warranty according to our current warranty conditions.

Quality guaranteed to last for entire product life.

Technical data sheet LX002

Specification Counter chair, mesh backrest, synchro

Dimensions in mm	Backrest:	H:	665
	Seat:	H:	585 - 770
		W:	460
		D:	450
	Total:	H:	1425
W (no ArmR):		480	
W (ArmR):		670	
D:		580	
Packaging data	Weight:	kg	17,58
	Volume:	m³	0,5



Options

Benefit

Castors	Sit-stop castors.	Fixed positioning for sitting and mobile when unoccupied.
Armrests	4D T-armrests, height, width and depth adjustable, rotatable, soft surface.	The armrests relieve the neck and shoulder muscles.
Material (fabric)	Several fabric qualities in various colours are available.	A great variety of design possibilities.