Technical data sheet LX001

Specification Counter chair, medium, upholstered, synchro

| Dimensions in mm | Backrest: | H: | 525 |
|------------------|-----------|-------------|-----------|
| | Seat: | H: | 585 - 770 |
| | | W: | 460 |
| | | D: | 450 |
| | Total: | H: | 1405 |
| | | W (no ArmR) | 480 |
| | | W (ArmR): | 635 |
| | | D: | 585 |
| Packaging data | Weight: | kg | 19,46 |
| | Volume: | m³ | 0,5 |



| Basic equipment | | Benefit |
|----------------------------|--|---|
| Plastic parts | Colour maintained throughout, black. | Quality and aesthetics are maintained even with intensive use. |
| Backrest | Upholstered back, medium. 30 mm foam. Rear side of the backrest plastic cover. Height adjustable backrest comfortable and easy to handle according to the individual requirements of each person, also when sitting. With an adjustment area of 7 positions (70 mm). Backrest lockable in 4 positions. | Optimum microclimate due to unglued cushions. Breathable. |
| Upholstery | Seat upholstery: 50 mm foam. | Good seating comfort. |
| Mechanism | Synchronous mechanism, lockable. | Synchronous mechanisms of Interstuhl are designed in a way that they help to support optimally the body in every seating position and at the same time they relieve the change between the different seating positions. |
| Seat height adjustment | Seat height adjustment infinitely variable from 585 - 770 mm. Self-supporting safety gas spring. | People measuring with a height between 151 and 192 cm (Acc. to DIN EN 1335) can individually adjust the seat height in the most ergonomic way. |
| Weight adjustment | From 45 - 120 kg, multilevel. | Individual adjustment of the backrest and the back pressure to the weight and height of the user. |
| Glides | Glides for hard floors (Acc. to DIN EN 12529). | Good stability. |
| Base with climb assistance | Aluminium base, polished with foot ring (Ø 470 mm) on glides. | Very good stability, long service life. |
| Armrests | 2D T-armrests, width and height adjustable, soft surface. | The armrests relieve the neck and shoulder muscles. |
| Materials | All materials are pure and recyclable. | Environmentally friendly. |

Se7en continue page 2

Technical data sheet LX001

Specification Counter chair, medium, upholstered, synchro

| Backrest: | H: | 525 |
|--------------------|----------------------|---|
| Seat: | H: | 585 - 770 |
| | W: | 460 |
| | D: | 450 |
| Total: | H: | 1405 |
| | W (no ArmR) | 480 |
| | W (ArmR): | 635 |
| | D: | 585 |
| Weight: Volume: | kg m³ | 19,46 0,5 |
| | Seat: Total: Weight: | Seat: H: W: D: Total: H: W (no ArmR) W (ArmR): D: Weight: kg |



High-quality product.

Certification Quality management system DIN EN ISO

9001:2015, Regulation (EC) no. 1221/2009 (EMAS), Environmental Management System DIN EN ISO 14001:2015, Occupational Health and

Safety Management System DIN ISO

45001:2018, Energy management system DIN

EN ISO 50001:2018, EcoVadis Gold, Commitment to sustainability.

Warranty and Return

3 years warranty according to our current

warranty conditions.

Quality guaranteed to last for entire product life.

Technical data sheet LX001

Specification Counter chair, medium, upholstered, synchro

| Dimensions in mm | Backrest: | H: | 525 |
|------------------|-----------|-------------|-----------|
| | Seat: | H: | 585 - 770 |
| | | W: | 460 |
| | | D: | 450 |
| | Total: | H: | 1405 |
| | | W (no ArmR) | 480 |
| | | W (ArmR): | 635 |
| | | D: | 585 |
| Packaging data | Weight: | kg | 19,46 |
| | Volume: | m³ | 0,5 |



| Options | | Benefit |
|-------------------|---|---|
| Castors | Sit-stop castors. | Fixed positioning for sitting and mobile when unoccupied. |
| Armrests | 4D T-armrests, height, width and depth adjustable, rotatable, soft surface. | The armrests relieve the neck and shoulder muscles. |
| Material (fabric) | Several fabric qualities in various colours are available. | A great variety of design possibilities. |