

SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 1 / 13

Replaced revision:2 (Dated 28/04/2021)

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: SFR00100108AA

Product name BALL PEN INK BLACK 1308

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use INK FOR BALLPOINT PENS

Identified Uses Industrial Professional Consumer
Inks
Uses Advised Against

Do not use for purposes other than those specified

1.3. Details of the supplier of the safety data sheet

Name REINOL S.R.L.

Full address Strada del Francese 21
District and Country 10071 Borgaro T.se (TO)

Italia

Tel. +39 011 4701510 Fax +39 011 4703910

e-mail address of the competent person

responsible for the Safety Data Sheet info@reinol.it

1.4. Emergency telephone number

For urgent inquiries refer to REINOL S.R.L. - Tel. +39 011-4701510 (h 09.00 - 12.00) (h 14.00 - 16.00) working days

CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA - Piazza

Sant'Onofrio, 4 CAP 00165 Roma Tel. 06-68593726

Az. Osp. Univ. Foggia - V.le Luigi Pinto, 1 CAP 71122 Foggia Tel. 800183459 Az. Osp. A. Cardarelli - Via A. Cardarelli, 9 CAP 80131 Napoli Tel. 081-5453333

CAV Policlinico Umberto I - V.le del Policlinico, 155 CAP 00161 Roma

Tel. 06-49978000

CAV Policlinico A. Gemelli - Largo Agostino Gemelli, 8 CAP 00168 Roma

Tel. 06-3054343

Az. Osp. Careggi - U.O. Tossicologia Medica - Largo Brambilla, 3 CAP 50134 Firenze

Tel. 055-7947819

CAV Centro Nazionale di Informazione Tossicologica - Via Salvatore Maugeri,10

CAP 27100 Pavia Tel. 0382-24444

Osp. Niguarda Ca' Granda - Piazza Ospedale Maggiore, 3 CAP 20162 Milano

Tel. 02-66101029

Azienda Ospedaliera Papa Giovanni XXIII - Piazza OMS, 1 CAP 24127 Bergamo

Tel. 800-883300

Azienda Ospedaliera Integrata Verona - Piazzale Aristide Stefani, 1 - CAP 37126 Tel.

800011858

Servizi operativi 24h/24h

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1 H318 Causes serious eye damage. Specific target organ toxicity - single exposure, H335 May cause respiratory irritation. category 3



SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 2 / 13

Replaced revision:2 (Dated 28/04/2021)

SECTION 2. Hazards identification .../>>

Skin sensitization, category 1 H317 May cause an allergic skin reaction.

Hazardous to the aquatic environment, acute toxicity, H400 Very toxic to aquatic life.

category 1

Hazardous to the aquatic environment, chronic H410 Very toxic to aquatic life with long lasting effects.

toxicity, category 1

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:







Signal words: Danger

Hazard statements:

H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsina.

P280 Wear protective gloves / eye protection / face protection.

P310 Immediately call a POISON CENTER / a doctor / a center suitable for emergency medical advice.

P273 Avoid release to the environment.

P391 Collect spillage.

P261 Avoid breathing dust / fume / gas / mist / vapours / spray.

Contains: 2-PHENOXYETHANOL

[4-[P,P'-BIS(DIMETHYLAMINO)BENZHYDRYLIDENE]CYCLOHEXA-2,5-DIEN-1-YLIDENE]DIMETHYLAMMO

NIUM M-[[P-ANILINOPHENYL]AZO]BENZENESULPHONATE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

2-PHENOXYETHANOL

INDEX 603-098-00-9 $22 \le x < 25$ Acute Tox. 4 H302, Eye Dam. 1 H318, STOT SE 3 H335

EC 204-589-7 LD50 Oral: 1850 mg/kg

CAS 122-99-6

REACH Reg. 01-2119488943-21-xxxx

 $\hbox{[4-[P,P'-BIS(DIMETHYLAMINO)BENZHYDRYLIDENE]CYCLOHEXA-2,5-DIEN-1-YLIDENE]DIMETHYLAMMONIUM} \\$

M-[[P-ANILINOPHENYL]AZO]BENZENESULPHONATE

INDEX 10 ≤ x < 13 Eye Dam. 1 H318, STOT SE 3 H335, Skin Sens. 1 H317, Aquatic Acute 1 H400

M=100, Aquatic Chronic 1 H410 M=100

EC 265-449-9 CAS 65113-55-5

REACH Reg. 01-2119982974-17-xxxx



SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 3 / 13

Replaced revision:2 (Dated 28/04/2021)

SECTION 3. Composition/information on ingredients .../>>

BENZYL ALCOHOL

INDEX 603-057-00-5 3 ≤ x < 5 Acute Tox. 4 H302, Acute Tox. 4 H332, Eye Irrit. 2 H319

EC 202-859-9 LD50 Oral: 1620 mg/kg, LC50 Inhalation mists/powders: >4,178 mg/l/4h

CAS 100-51-6

REACH Reg. 01-2119492630-38-xxxx

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the



SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023

Page n. 4 / 13 Replaced revision:2 (Dated 28/04/2021)

SECTION 6. Accidental release measures/>>

remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
RUS	Россия	ПОСТАНОВЛЕНИЕ от 13 февраля 2018 г. N 25 ОБ УТВЕРЖДЕНИИ ГИГИЕНИЧЕСКИХ НОРМАТИВОВ ГН 2.2.5.3532-18 "ПРЕДЕЛЬНО ДОПУСТИМЫЕ КОНЦЕНТРАЦИИ (ПДК) ВРЕДНЫХ ВЕЩЕСТВ В ВОЗДУХЕ РАБОЧЕЙ ЗОНЫ"
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)



SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 5 / 13 Replaced revision:2 (Dated 28/04/2021)

SECTION 8. Exposure controls/personal protection .../>>

				2-PHENO	XYETHANOL				
Threshold Limit Va	alue								
Туре	Country	TWA/8h		STEL/15min		Remarks / O	bservations		
71	,	mg/m3	ppm	mg/m3	ppm				
AGW	DEU	5,7	1	5,7	1				
MAK	DEU	5,7	1	5,7	1				
NDS/NDSCh	POL	230							
ПДК	RUS			2					
MV	SVN	110	20	110	20	SKIN			
Predicted no-effec	t concentra	ation - PNE	С						
Normal value in fresh water							0,943	mg/l	
Normal value in	marine wate	er					0,0943	mg/l	
Normal value for	fresh wate	r sediment					7,2366	mg/kg	
Normal value for	marine wa	ter sedimen	t				0,7237	mg/kg	
Normal value for water, intermittent release							3,44	mg/l	
Normal value of	organisms					24,8	mg/l		
Normal value for	rial comparti	ment				1,26	mg/kg		
Health - Derived no								0 0	
Effects on consumers						Effects on workers			
Route of exposu	re Acu	te Ac	ute	Chronic	Chronic	Acute local	Acute	Chronic	Chronic
	loca	ıl sys	stemic	local	systemic		systemic	local	systemic
Oral	VNI) 17,	43	VND	17,43		·		
		mg	/kg bw/d		mg/kg bw/d				
Inhalation		•		2,41	2,41			8,07	8,07
				mg/m3	mg/m3			mg/m3	mg/m3
Skin				VND	20,83			VND	34,72
					mg/kg bw/d				mg/kg
									bw/d

				BENZYL	ALCOHOL				
Threshold Limit V	alue								
Type	Country	TWA/8h		STEL/15min		Remarks / Observations			
		mg/m3	ppm	mg/m3	ppm				
TLV	BGR	5							
TLV	CZE	40	8,88	80	17,76				
AGW	DEU	22	5	44	10	INHAL			
MAK	DEU	22	5	44	10	INHAL			
NDS/NDSCh	POL	240							
MV	SVN	22	5	44	10	SKIN			
Predicted no-effect	t concentra	ation - PNE	C						
Normal value in	fresh water						1	mg/l	
Normal value in marine water							0,1	mg/l	
Normal value for fresh water sediment							5,27	mg/kg	
Normal value for marine water sediment							0,527	mg/kg	
Normal value for water, intermittent release							2,3	mg/l	
Normal value of	organisms					39	mg/l		
Normal value for the terrestrial compartment							0,456	mg/kg	
Normal value for the atmosphere							NPI		
Health - Derived n	o-effect lev	el - DNEL /	DMEL						
	Effe	cts on consu	ımers			Effects on workers			
Route of exposu	ıre Acu	te Acı	ute	Chronic	Chronic	Acute local	Acute	Chronic	Chronic
	loca	ıl sys	temic	local	systemic		systemic	local	systemic
Oral	VNI	20		VND	4		•		•
		mg	/kg bw/d		mg/kg bw/d				
Inhalation	NPI		-	NPI	5,4	NPI	110	NPI	22
		mg	/m3		mg/m3		mg/m3		mg/m3
Skin	NPI			NPI	4	NPI	40	NPI	8
		mg	/kg bw/d		mg/kg bw/d		mg/kg		mg/kg
							bw/d		bw/d

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.



SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 6 / 13

Information

Replaced revision:2 (Dated 28/04/2021)

SECTION 8. Exposure controls/personal protection/>>

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

ENVIRONMENTAL EXPOSURE CONTROLS

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Value Appearance viscous liquid Colour black Odour imperceptible Melting point / freezing point not determined Initial boiling point not determined Flammability not flammable Lower explosive limit not determined

Upper explosive limit not determin
Flash point > 70 °C
Auto-ignition temperature not determin
Decomposition temperature not determin

pH .

Kinematic viscosity Dynamic viscosity

Solubility
Partition coefficient: n-octanol/water

Partition coefficient: n-octanol/water
Vapour pressure
Density and/or relative density
Relative vapour density
Particle characteristics

not determined
not determined
70 °C
not determined
not determined
not applicable
not available
8000 +/- 1000 mPa*s @ 25°C

insoluble in water not determined not determined 1100 +/- 0,100 kg/l not determined not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Evaporation rate not determined VOC (Directive 2010/75/EU) 20,20 % VOC (volatile carbon) 10,73 %

FΝ



REINOL S.R.L.

SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 7 / 13

Replaced revision:2 (Dated 28/04/2021)

SECTION 9. Physical and chemical properties / >

Explosive properties not explosive

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture: > 5 mg/l
ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

2-PHENOXYETHANOL

LD50 (Dermal): > 2214 mg/kg Rabbit (New Zealand White) - Standard acute method

LD50 (Oral): 1850 mg/kg Rat (Wistar) - OECD Guideline 401

 $[4-[P,P'-BIS(DIMETHYLAMINO)BENZHYDRYLIDENE]CYCLOHEXA-2,5-DIEN-1-YLIDENE]DIMETHYLAMMONIUM\\ M-[[P-ANILINOPHENYL]AZO]BENZENESULPHONATE$

LD50 (Dermal): > 2000 mg/kg Rat (Sprague-Dawley) - OECD Guideline 402

LD50 (Oral): > 2000 mg/kg Rat (Sprague-Dawley) (female) - OECD Guideline 423



SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 8 / 13

Replaced revision:2 (Dated 28/04/2021)

SECTION 11. Toxicological information .../>>

BENZYL ALCOHOL LD50 (Dermal): LD50 (Oral):

> 2000 mg/kg Rabbit - EPA OTS 798.1100 (Acute Dermal Toxicity) 1620 mg/kg Rat (Wistar) (male) - Standard acute method LC50 (Inhalation mists/powders): > 4,178 mg/l/4h Rat (Wistar) - OECD Guideline 403

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and highly toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

BENZYL ALCOHOL

LC50 - for Fish EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

Chronic NOEC for Fish

Chronic NOEC for Crustacea

Chronic NOEC for Algae / Aquatic Plants

460 mg/l/96h Pimephales promelas - EPA OPP 72-1 (Fish Acute Toxicity Test)

230 mg/l/48h Daphnia magna - OECD Guideline 202

770 mg/l/72h Pseudokirchnerella subcapitata - OECD Guideline 201

48,897 mg/l Fish species

51 mg/l Daphnia magna - OECD Guideline 211 - Total exposure duration: 21 days 310 mg/l Pseudokirchnerella subcapitata - OECD Guideline 201 - Total exposure

duration: 72h

2-PHENOXYETHANOL

LC50 - for Fish

EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

344 mg/l/96h Pimephales promelas - ASTM guideline > 500 mg/l/48h Daphnia magna - OECD Guideline 202 > 500 mg/l/72h Desmodesmus subspicatus - DIN 38412 Part 9



SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 9 / 13

Replaced revision:2 (Dated 28/04/2021)

SECTION 12. Ecological information .../>>

[4-[P,P'-BIS(DIMETHYLAMINO)BENZHYDRYLIDENE]CYCLOHEXA-2,5-DIEN-1-YLIDENE]DIMETHYLAMMONIUM

M-[[P-ANILINOPHENYL]AZO]BENZENESULPHONATE

EC50 - for Algae / Aquatic Plants 0,0034 mg/l/72h Pseudokirchnerella subcapitata - OECD Guideline 201

Chronic NOEC for Algae / Aquatic Plants < 0,001 mg/l

12.2. Persistence and degradability

BENZYL ALCOHOL

Solubility in water > 10000 mg/l

Rapidly degradable % Degradation: 92-96% - Duration of test: 14 days - Method: OECD Guideline 301 C

2-PHENOXYETHANOL

Solubility in water 24000 mg/l

Rapidly degradable Degradation: > 90% in 15 days (OECD Guideline 301 A)

[4-[P,P'-BIS(DIMETHYLAMINO)BENZHYDRYLIDENE]CYCLOHEXA-2,5-DIEN-1-YLIDENE]DIMETHYLAMMONIUM

M-[[P-ANILINOPHENYL]AZO]BENZENESULPHONATE

NOT rapidly degradable

12.3. Bioaccumulative potential

BENZYL ALCOHOL

Partition coefficient: n-octanol/water 1,05

BCF 1,37 L/kg ww

2-PHENOXYETHANOL

Partition coefficient: n-octanol/water 1,2 Log Kow BCF 0,349 -

12.4. Mobility in soil

BENZYL ALCOHOL

Partition coefficient: soil/water 1,332 l/kg

2-PHENOXYETHANOL

Partition coefficient: soil/water 1,6

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information



SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 10 / 13

Replaced revision:2 (Dated 28/04/2021)

SECTION 14. Transport information .../>>

14.1. UN number or ID number

ADR / RID, IMDG, IATA: 3082

ADR / RID: In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not

submitted to ADR provisions.

IMDG: In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity ≤ 5Kg or

5L, is not submitted to IMDG Code provisions.

IATA: In accordance with SP A197, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to

IATA dangerous goods regulations.

14.2. UN proper shipping name

ADR / RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

([4-[P,P'-BIS(DIMETHYLAMINO)BENZHYDRYLIDENE]CYCLOHEXA-2,5-DIEN-1-YLIDENE]DIMETHYLAMMONIUM

M-[[P-ANILINOPHENYL]AZO]BENZENESULPHONATE)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

([4-[P,P'-BIS(DIMETHYLAMINO)BENZHYDRYLIDENE]CYCLOHEXA-2,5-DIEN-1-YLIDENE]DIMETHYLAMMONIUM

M-[[P-ANILINOPHENYL]AZO]BENZENESULPHONATE)

IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

([4-[P,P'-BIS(DIMETHYLAMINO)BENZHYDRYLIDENE]CYCLOHEXA-2,5-DIEN-1-YLIDENE]DIMETHYLAMMONIUM

M-[[P-ANILINOPHENYL]AZO]BENZENESULPHONATE)

14.3. Transport hazard class(es)

ADR / RID: Class: 9 Label: 9

Class: 9 Label: 9

IATA: Class: 9 Label: 9



14.4. Packing group

IMDG:

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: Environmentally Hazardous

IMDG: Marine Pollutant

IATA: Environmentally Hazardous



14.6. Special precautions for user

ADR / RID: HIN - Kemler: 90 Limited Quantities: 5 L Tunnel restriction code: (-)

Special provision: -

IMDG:EMS: F-A, S-FLimited Quantities: 5 LIATA:Cargo:Maximum quantity: 450 LPacl

Cargo: Maximum quantity: 450 L Packaging instructions: 964
Passengers: Maximum quantity: 450 L Packaging instructions: 964
Special provision: A97, A158, A197, A215

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant



SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023

Replaced revision:2 (Dated 28/04/2021)

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

E1

Product

Point Contained substance

75 Point

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances BENZYL ALCOHOL

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4 Acute toxicity, category 4 Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Skin sensitization, category 1 Skin Sens. 1

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1 Hazardous to the aquatic environment, chronic toxicity, category 1 **Aquatic Chronic 1**

H302 Harmful if swallowed. Harmful if inhaled. H332

H318 Causes serious eye damage. Causes serious eye irritation. H319 H335 May cause respiratory irritation. H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule

FΝ



REINOL S.R.L.

SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 12 / 13

Replaced revision:2 (Dated 28/04/2021)

SECTION 16. Other information .../>>

- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section

ΕN



REINOL S.R.L.

SFR00100108AA - BALL PEN INK BLACK 1308

Revision nr.3 Dated 30/01/2023 Printed on 30/01/2023 Page n. 13 / 13 Replaced revision:2 (Dated 28/04/2021)

SECTION 16. Other information .../>>

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 01/02/03/08/09/10/11/12/15/16.