

Label Remover

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation Label Remover

Chemical name

Product-type Mixture Product code 761.200

UFI: PU20-V0JE-P00R-NMGC

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

- PC35: Washing and cleaning products (including solvent based products).
- Aerosols
- Consumer uses: Private households (= general public = consumers)

1.3 - Details of the supplier of the safety data sheet

ECS Cleaning Solutions GmbH

Wolfener Str. 32-34 D-12681 Berlin Germany

Telephone : +49 (0)30 / 36 46 40 36 gunnar.kleinmann@ecsag.com

Distributor

ECS AG

Roosstrasse 53

CH-8832 Wollerau

gunnar.kleinmann@ecsag.com

+41 (0)44 / 787 53 53

1.4 - Emergency telephone number

Giftnotrufzentrale (Österreich)

Tel. No.: +43 1 406 4343

Centar za kontrolu trovanja (Hrvatska)

Tel. No.: +385 1 234 8342

Hotline voor gifbestrijding (Denemarken)

Tel. No.: +45 82 12 12 12

Mürgistusteabekeskus (Eesti)

Tel. No.: +372 794 3794 (või 16662 riiklikku)

ORFILA (INERIS) (France) Tel. No.: +33 (0) 1 45 42 59 59

Vergiftungs-Informations-Zentrale (Deutschland)

Notfalltelefon: +49 761 19240

Eitrunarmiðstöð (Ísland) Tel. No.: +354 543 2222

CAV Milano Niguarda Ca' Granda (Italy)

Tel. No.: +39 02 66101029

CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA

06/03/2024 - English 1/16



Label Remover

Tel. No.: +39 06 68593726

Ionad Faisnéise Náisiúnta Nimheanna (Éire)

Tel. No.: +353 (0)1 809 2566 / +353 (0)1 837 9964

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs (Latvia)

Tel. No.: +371 670 42473

Valstybinė vaistų kontrolės tarnyba (VVKT), Apsinuodijimų informacijos biuras (VTI) (Lietuva)

Tel. No.: +370 5 236 20 52

Isptar Mater Dei (Malta) Tel. No.: +356 2545 0000

Nationaal Vergiftigingen Informatie Centrum (NVIC) (Nederland)

Tel. No.: +31 (0) 30 274 8888

Hjelpetelefon for psykisk helse (Norge)

Tel. No.: +47 22 59 13 00

Instituto Nacional de Emergência Médica (Portugal)

Tel. No.: +351 213 303 271

Servicio de Información Toxicológica (España)

Tel. No.: +34 91 562 04 20

Svensk Giftinformationscentral (Sverige)

Tel. No.: +46 08 331231

Schweizerisches Toxikologisches Informationszentrum (Schweiz)/ Centro svizzero di informazione tossicologica (Svizzera)/ Centre Suisse d'Information Toxicologique (Suisse)

Tel. No.: +41 44 251 51 51

Tox Info Suisse Notrufnummer: 145 (24 Stunden)/ Numero di emergenza Tox Info Suisse: 145 (24 ore)/ Tox Info

Suisse Numéro d'urgence: 145 (24h/24)

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2	Irritation, Category 2	
Eye Irrit. 2	Eye irritation - Category 2	
STOT SE 3 (H336)	STOT-single exposure - Category 3 (H336)	
Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2	
Aerosol 1	Aerosol - Category 1	

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (CAS No.:) | propan-2-ol, isopropyl alcohol, isopropanol (CAS No.: 67-63-0)

Signal word : Danger

06/03/2024 - English 2/16



Label Remover

Hazard pictograms







Hazard statements

H222	Extremely flammable aerosol	
H229	Pressurised container: May burst if heated	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	
H411	Toxic to aquatic life with long lasting effects	

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read carefully and follow all instructions.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P211	Do not spray on an open flame or other ignition source.	
P251	Do not pierce or burn, even after use.	
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
EUH-phrases	: None	

Regulation (EC) No. 648/2004 (Detergents regulation)

Contains:

- 30% or more: aliphatic hydrocarbons PARFUM (CITRAL)

2.3 - Other hazards

PBT-substance.	- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
vPvB-substance.	- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
n-alkanes, isoalkanes,	CAS No. : Index No. : EC No. : 921-024-6	90	Aquatic Chronic 2 - H411 Asp. Tox. 1 - H304 Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 STOT SE 3 (H336) - H336	Not applicable

06/03/2024 - English 3/16



Label Remover

Chemical name	No	%	Class(es)	Specific concentration limit
propan-2-ol, isopropyl alcohol, isopropanol INCI: ISOPROPYL ALCOHOL	CAS No. : 67-63-0 Index No. : 603-117-00-0 EC No. : 200-661-7	>= 10 - <= 12.5	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336	Not applicable
carbon dioxide INCI: CARBON DIOXIDE	CAS No. : 124-38-9 Index No. : EC No. : 204-696-9	>= 1 - <= 2.5	Press. Gas (Comp.) - H280	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation	Provide fresh air.When in doubt or if symptoms are observed, get medical advice.
Following skin contact	After contact with skin, wash immediately with plenty of water and soap.In case of skin irritation, consult a physician.
After eye contact	Rinse immediately carefully and thoroughly with eye-bath or water.In case of eye irritation consult an ophthalmologist.
After ingestion	Rinse mouth thoroughly with water.Do NOT induce vomiting.When in doubt or if symptoms are observed, get medical advice.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation	- No information available.
Symptoms and effects - Following skin contact	- Causes skin irritation.
Symptoms and effects - After eye contact	- Causes eye irritation.

Symptoms and effects - After on information available. Ingestion

4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.
- In case an intoxication is suspected, National Poisons Information Centre should be addressed immediately, number of Emergency telephone see in section 1.4.

SECTION 5: Firefighting measures

5.1 - Extinguishing media

Suitable extinguishing media - ABC-powder

- Carbon dioxide (CO2)

- Foam

- Extinguishing powder

Unsuitable extinguishing - Full v

- Full water jet

media

5.2 - Special hazards arising from the substance or mixture

06/03/2024 - English 4/16



Label Remover

Special hazards arising from the substance or mixture

- Vapours can form explosive mixtures with air.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

5.3 - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.
- Wear a self-contained breathing apparatus and chemical protective clothing.
- Use water spray jet to protect personnel and to cool endangered containers.
- Suppress gases/vapours/mists with water spray jet.
- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
- Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel Use personal protection equipment.
 - Avoid breathing dust/fume/gas/mist/vapours/spray.
 - Provide adequate ventilation.
 - Remove all sources of ignition.
 - Remove persons to safety.
 - Ventilate affected area.

For emergency responders

- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2 - Environmental precautions

- Do not allow uncontrolled discharge of product into the environment.
- Explosion risk.

6.3 - Methods and material for containment and cleaning up

Methods and	l material for
containment	

- No information available.

Methods and material for cleaning up

- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

- Wash with plenty of water.

Inappropriate techniques

- No information available.

6.4 - Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

Recommendation	- It is recommended to design all work processes always so that the following is
	excluded: Eve contact

5/16 06/03/2024 - English



Label Remover

	 It is recommended to design all work processes always so that the following is excluded: Skin contact Do not breathe gas/fumes/vapour/spray. Do not pierce or burn, even after use. If handled uncovered, arrangements with local exhaust ventilation have to be used.
Advices on general occupational hygiene	 Avoid contact with skin, eyes and clothes. Immediately remove any contaminated clothing, shoes or stockings. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2 - Conditions for safe storage, including any incompatibilities

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep container tightly closed in a cool, well-ventilated place.
- Keep locked up.
- Provide adequate ventilation as well as local exhaustion at critical locations.
- Store in a place accessible by authorized persons only.
- Do not store together with: Oxidising agent
- Do not store together with: Combustible substance
- Do not store together with:Food and feedingstuffs

7.3 - Specific end use(s)

- Aerosols

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
TWA EH40 ppm (UK)	400 ppm	
TWA EH40 mg/m³ (UK)	999 mg/m³	
STEL EH40 ppm (UK)	500 ppm	
STEL EH40 mg/m³ (UK)	1250 mg/m³	
carbon dioxide (124-38-9)		
IOELV TWA mg/m³ (UE)	9150 mg/m³	
IOELV TWA ppm (UE)	5000 ppm	
IOELV STEL mg/m³ (UE)	27400 mg/m³	
IOELV STEL ppm (UE)	15000 ppm	

DNEL / PNEC

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane			
Туре	Value	User	Effect
DNEL long-term oral (repeated)	699 mg/kg bw/day	Consumers	Systemic
DNEL long-term inhalative	2035 mg/m ³	Workers	Systemic
DNEL long-term inhalative	608 mg/m³	Consumers	Systemic
DNEL long-term dermal	699 mg/kg bw/day	Consumers	Systemic
DNEL long-term dermal	773 mg/kg bw/day	Workers	Systemic

06/03/2024 - English 6/16



Label Remover

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)			
Туре	Value	User	Effect
DNEL short-term oral (acute)	51 mg/kg	Consumers	Systemic
DNEL long-term oral (repeated)	26 mg/kg bw/day	Consumers	Systemic
DNEL acute inhalative	178 mg/m³	Consumers	Systemic
DNEL acute inhalative	1000 mg/m³	Workers	Systemic
DNEL long-term inhalative	500 mg/m³	Workers	Systemic
DNEL long-term inhalative	89 mg/m³	Consumers	Systemic
DNEL long-term dermal	319 mg/kg bw/day	Consumers	Systemic
DNEL long-term dermal	888 mg/kg bw/day	Workers	Systemic
PNEC aquatic, freshwater	140.9 mg/l		
PNEC aquatic, marine water	140.9 mg/l		
PNEC aquatic, intermittent release	140.9 mg/l		
PNEC sediment, freshwater	552 mg/kg		
PNEC sediment, marine water	552 mg/kg		
PNEC soil	28 mg/kg		
PNEC Secondary Poisoning	160 mg/kg		
PNEC sewage treatment plant (STP)	2251 mg/l		

8.2 - Exposure controls

Appropriate engineering controls

- If handled uncovered, arrangements with local exhaust ventilation have to be used.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

- Eye glasses with side protection
- DIN EN 166
- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.
- Tested protective gloves must be worn



- For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
- EN ISO 374
- Breakthrough time: > 480 min.
- Glove material: Nitrile rubber (0.11 mm).
- When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.
- Wear anti-static footwear and clothing

Environmental exposure controls

- Do not allow to enter into surface water or drains.

06/03/2024 - English 7/16



Label Remover

SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

Physical state	Liquid	Appearance	Aerosol
Colour	clear	<u>Odour</u>	fruity
Odour threshold		No data available	
рН		No data available	
Melting point		No data available	
Freezing point		No data available	
Boiling point		> 65 °C	
Flash point		< 0 °C	
Evaporation rate		No data available	
flammability		No data available	
Lower explosion limit		0.6 % Vol.	
Upper explosion limit		12 % Vol.	
Vapour pressure		No data available	
Vapour density		No data available	
Relative density		0.707	
Density		No data available	
Solubility (Water)		No data available	
Solubility (Ethanol)		No data available	
Solubility (Acetone)		No data available	
Solubility (Organic solvents)	No data available	
Log KOC		No data available	
Auto-ignition temperature		> 200 °C	
Decomposition temperature)	No data available	
Kinematic viscosity		No data available	
Dynamic viscosity		No data available	

Particle characteristics

Particle size	No data available
Dustiness	No data available
Specific surface area	No data available
Shape	No data available

9.2 - Other information

VOC content	97.86 %
Minimum ignition energy	No data available
Conductivity	No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- Extremely flammable aerosol. Pressurized container: May burst if heated.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

06/03/2024 - English 8/16



Label Remover

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

10.5 - Incompatible materials

- No information available.

10.6 - Hazardous decomposition products

- Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 - Information on haz	zard classes as defined in Regulation (EC) N	o 1272/2008
Acute toxicity	- Not classified	
Toxicity: Mixture		
	LD50 oral (rat)	No data available
	LD50 dermal (rat)	No data available
	LD50 dermal (rabbit)	No data available
	LC50 inhalation (rat)	No data available
	LC50 inhalation dusts and mists (rat)	No data available
	LC50 inhalation vapours (rat)	No data available
- Based on available data, the classification criteria are not met.		criteria are not met.

Toxicity: Substances

Germ cell mutagenicity

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ()		
LD50 oral (rat) > 5840 mg/kg		
LD50 dermal (rat)	> 2920 mg/kg	
LC50 inhalation vapours (rat) > 25.2 mg/l		

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
LD50 oral (rat) 5840 mg/kg		
LD50 dermal (rabbit)	13900 mg/kg	
LC50 inhalation vapours (rat) 5000 mg/l		

Irritation, Category 2 - Causes skin irritation
Irritating to skin.
Eye irritation - Category 2 - Causes serious eye irritation
Irritating to eyes.
Not classified

06/03/2024 - English 9/16

- Not classified

- Based on available data, the classification criteria are not met.



Label Remover

	- Based on available data, the classification criteria are not met.
Carcinogenicity	- Not classified
	- Based on available data, the classification criteria are not met.
Reproductive toxicity	- Not classified
	- Based on available data, the classification criteria are not met.
STOT-single exposure	- STOT-single exposure - Category 3 (H336) - May cause drowsiness or dizziness
	- May cause drowsiness or dizziness.
STOT-repeated exposure	- Not classified
	- Based on available data, the classification criteria are not met.
Aspiration hazard	- Not classified

11.2 - Information on other hazards

- This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity: Mixture

No data available
No data available

Toxicity: Substances

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
EC50 48 hr crustacea	1000 mg/l	
LC50 96 hr fish	9640 mg/l	
ErC50 algae	> 100 mg/l	
NOEC chronic fish	> 1000 mg/l	
NOEC chronic algae	1800 mg/l	
carbon dioxide (124-38-9)		
EC50 48 hr crustacea	3.2 mg/l	
ErC50 algae	7.9 mg/l	

- Toxic to aquatic life with long lasting effects.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available

06/03/2024 - English 10/16



Label Remover

Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available	
Log KOC	No data available	

- No indication of bioaccumulation potential.

12.4 - Mobility in soil

- No information available.

12.5 - Results of PBT and vPvB assessment

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 - Endocrine disrupting properties

- This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 - Other adverse effects

- Avoid release to the environment.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

10.1 Waste treatment met	nodo
Waste treatment methods	 Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Waste code product 16 05 04 WASTES NOT OTHERWISE SPECIFIED IN THE LIST Gases in pressure containers (including halons) containing hazardous substances gases in pressure containers and discarded chemicals hazardous waste This material and its container must be disposed of as hazardous waste. Dispose of empty or partially emptied packaging/container/can after appropriate use of the product to municipal waste. Non-contaminated packages may be recycled.
Sewage disposal	- No information available.
Special precautions for waste treatment	- No information available.
Community or national or	- No information available.

SECTION 14: Transport information

regional provisions

06/03/2024 - English 11/16



Label Remover

14.1 - UN number or ID number

 UN number (ADR)
 : UN1950

 UN number (RID)
 : UN1950

 UN number (ADN)
 : UN1950

 UN number (IMDG)
 : UN1950

 UN number (IATA)
 : UN1950

14.2 - UN proper shipping name

UN proper shipping name

AEROSOLS

(ADR)

UN proper shipping name

AEROSOLS

(RID)

UN proper shipping name : AEROSOLS

(ADN)

UN proper shipping name

AEROSOLS

(IMDG)

UN proper shipping name : AEROSOLS, FLAMMABLE

(IATA)

14.3 - Transport hazard class(es)

ADR Transport hazard : 2

class(es)

ADR Classification code: : 5F

Pictograms



Transport hazard class(es) : 2

(RID)

Pictograms



Transport hazard class(es) : 2

(ADN)

Pictograms



Transport hazard class(es) : 2

(IMDG)

Pictograms



Transport hazard class(es) : 2

(IATA)

06/03/2024 - English 12/16



Label Remover

Pictograms





14.4 - Packing group

Packing group :
Packing group (RID) :
Packing group (ADN) :
Packing group (IMDG) :
Packing group (IATA) :

14.5 - Environmental hazards

Environmental hazards : Yes.

Marine pollutant : Hazardous to the aquatic environment - Aquatic Chronic 2

14.6 - Special precautions for user

ADR

ADR Classification code: 5F

ADR Special provisions : 190+327+344+625

ADR Limited quantity (LQ) : 1L
ADR Excepted quantities : E0

ADR Packing instructions : P207 LP200

ADR Special packing provisions

ADR Mixed packing provisions

Instructions for portable tanks and bulk containers :

Special provisions for portable tanks and bulk containers

ADR tank code

ADR tanks special provisions :

Vehicle for tank carriage

ADR Transport category : 2

ADR Tunnel restriction code : D

ADR Special provisions loading, unloading and handling :

Special provisions - Packages : V14

Special provisions - Bulk :

Special provisions - Operation : S2

ADR Hazard identification number (Kemler No.)

RID

Special provisions : 190+327+344+625

Limited quantity (LQ) : 1L Excepted quantities : E0

ADN

Special provisions : 190+327+344+625

Limited quantity (LQ) :

Excepted quantities : E0

06/03/2024 - English 13/16



Label Remover

IMDG

Special provisions : 63 190 277 327 344 381 959

Limited quantity (LQ)

Excepted quantities : E0

<u>Packing instructions</u> : P207 LP200 Special packing provisions : PP87 L2

IBC instruction(s)

IBC provisions

Instructions for portable tanks and bulk containers

Special provisions for portable tanks and bulk containers

EmS codes : F-D, S-U

Stowage and handling : Category None SW1 SW22

Segregation : SG69

Properties and observations

IATA

PCA - Excepted quantities:E0PCA - Limited Quantity - Packing Instructions:Y203PCA - Limited Quantity - Maximum Net Quantity per Package:30kgPCA - Packing Instructions:203PCA - Maximum Net Quantity per Package:75kgCAO - Packing Instructions:203

CAO - Maximum Net Quantity per Package : 150kg

Special Provisions : A145 A167 A802

ERG Code :

14.7 - Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH None

candidates

Substances Annex XIV None
Substances Annex XVII None

VOC content 97.86 %

- P3b Flammable aerosols
- hazardous to water (WGK 2)
- Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
- Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]
- COUNCIL DIRECTIVE of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (OJ L 147, 9.6.1975, p. 40)
- - REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents (OJ L 104/1, 8.4.2004, p.001-0035);
- - The European Agreement concerning International Carriage of Dangerous Goods by Road (ADR).
- 850/2004/EC, 79/117/EEC, 689/2008/EC, 2008/47/EC

06/03/2024 - English 14/16



Label Remover

- Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work
- Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
- Swiss Regulations: Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Regulation (EC) No. 648/2004 (Detergents regulation)

Contains:

- 30% or more: aliphatic hydrocarbons
- PARFUM (CITRAL)

15.2 - Chemical Safety Assessment

<u>Chemical safety assessment carried</u> - No information available. out for the product

SECTION 16: Other information

SDS versions

Version	Issue date	Author	Description of the amendments
2	19/07/2023		Added information in section 15: Regulation (EC) No. 648/2004 on detergents Contains: - 30% or more: aliphatic hydrocarbons - PARFUM (CITRAL)
1	02/06/2023		

Ahhra	viatione	and	acronvms
ADDIE	งเลแบบร	anu	acionivins

- ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
- ADR European Agreement concerning the International Carriage of Dangerous Goods by Road.
- EC50 Effective concentration to 50% of a test population (half maximal effective concentration).
- IC50 Inhibitory concentration to 50% of a test population (half maximal inhibitory concentration).
- IMDG International Maritime Dangerous Goods.
- IMO International Maritime Organization.
- LC50 Lethal Concentration to 50 % of a test population.
- LD50 Lethal Dose to 50% of a test population (Median Lethal Dose).
- MSDS Material Safety Data Sheet.
- NIOSH National Institute of Occupational Safety and Health.
- NOEC No effect concentration.
- PBT Persistent, Bioaccumulative and Toxic substance.
- PNEC(s) Predicted No Effect Concentration(s).
- RID Regulations concerning the International Carriage of Dangerous Goods by Rail.
- STOT Specific Target Organ Toxicity.
- vPvB Very Persistent and Very Bioaccumulative.

Data sources:

European Chemicals Agency (ECHA) European Chemicals Bureau (ECB) International Laboratories Organization (ILO)

06/03/2024 - English 15/16



Label Remover

Texts of the regulatory sentences

Aerosol 1	Aerosol - Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2
Asp. Tox. 1	Aspiration hazard - Category 1
Eye Irrit. 2	Eye irritation - Category 2
Eye Irrit. 2A	Eye irritation - Category 2A
Flam. Liq. 2	Flammable liquid and vapour Category 2
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
Press. Gas (Comp.)	Compressed gas
Skin Irrit. 2	Irritation, Category 2
STOT SE 3 (H336)	STOT-single exposure - Category 3 (H336)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*** *** ***

06/03/2024 - English 16/16