






ALTERNATING USE. TARGETED COMFORT.

Anti-fatigue mat designed for up to 3 hours of cumulative standing per day.

- 10 mm thick resilient foam for ergonomic comfort.
- 20° precision bevelled safety edges on standard mats and custom lengths to prevent trip hazards.

Cushioning	High
Pressure Distribution	Medium
Bounce-Back	Medium
Top Surface Grip	Standard
Floor Grip*	Standard

*Upgrade with optional **FloorHold**



Recommended Use

Ideal for dry work environments where standing is frequent, but not continuous.

Ergonomic Guidance

- For standing work up to 3h per day, alternating with other tasks.
- Suitable for small to medium user sizes.

Available Configurations

- Standard mats: ready-to-use fixed sizes
- FloorHold mats: with factory-applied fixing strips
- Roll format: full rolls for long work areas
- Per meter: custom lengths, also available with FloorHold

2-Year Warranty

Covering Manufacturing Defects



TECHNICAL SPECIFICATIONS

Material	Resilient foam
Operating Temperature Range	-30°C - 70°C
Moisture Resistance	Not Recommended
Oil Resistance	Not recommended
Chemical Resistance	Weak
Recyclable	Yes - Eligible for The Rebourne® Circularity Program
REACH	Yes
Phthalate-Free	Yes

FLOORHOLD

Keeps your mat in place.

Factory-applied adhesive strips, developed specifically for REBOURNE® anti-fatigue mats, help prevent unwanted mat movement.

This reduces potential trip hazards while maintaining a neat workplace.

Simply peel off the protective liner, position the mat on a clean, dry floor and press firmly into place.

FloorHold can be lifted and repositioned multiple times when needed.

Watch how
FloorHold works



Scan to watch the video

INSTALLATION & MAINTENANCE

Surface preparation: Floor must be clean, dry, and free of dust and grease


Mats without FloorHold: Roll out and position in your work area

Mats with FloorHold: Peel off the protective liner, position the mat and press firmly into place. When repositioning, lift carefully and reapply to a clean, dry floor.

Routine cleaning: Sweep or vacuum to remove dust and debris


Equipment caution: Use hand-held cleaning equipment only

Available Sizes - W1 Series Black & Yellow




Article Number	Dimensions	Weight (kg)	Thickness	Top Surface	Color
W1S0023ELBY	60 cm x 91 cm	1.3	10 mm	Elephant Skin	Black /Yellow
W1S0034ELBY	91 cm x 120 cm	2.6	10 mm	Elephant Skin	Black / Yellow
W1S0035ELBY	91 cm x 150 cm	3.3	10 mm	Elephant Skin	Black /Yellow
W1S3200ELBY	91 cm x 200 cm	4.4	10 mm	Elephant Skin	Black / Yellow
W1S3250ELBY	91 cm x 250 cm	5.5	10 mm	Elephant Skin	Black /Yellow
W1S3300ELBY	91 cm x 300 cm	6.6	10 mm	Elephant Skin	Black / Yellow
W1S3400ELBY	91 cm x 400 cm	8.7	10 mm	Elephant Skin	Black /Yellow
W1S3500ELBY	91 cm x 500 cm	10.9	10 mm	Elephant Skin	Black / Yellow
W1S0333ELBY	91 cm x 10 m	21.8	10 mm	Elephant Skin	Black /Yellow
W1S4200ELBY	122 cm x 200 cm	5.9	10 mm	Elephant Skin	Black / Yellow
W1S4300ELBY	122 cm x 300 cm	8.8	10 mm	Elephant Skin	Black /Yellow
W1R0260ELBY	60 cm x 18,3 m	26.4	10 mm	Elephant Skin	Black / Yellow
W1R0360ELBY	91 cm x 18,3 m	40.0	10 mm	Elephant Skin	Black /Yellow
W1R0460ELBY	122 cm x 18,3 m	53.6	10 mm	Elephant Skin	Black / Yellow
W1C0200ELBY	60 cm per linear meter	1.4	10 mm	Elephant Skin	Black /Yellow
W1C0300ELBY	91 cm per linear meter	2.2	10 mm	Elephant Skin	Black / Yellow
W1C0400ELBY	122 cm per linear meter	2.9	10 mm	Elephant Skin	Black /Yellow

W1 Series with FloorHold Black & Yellow




Article Number	Dimensions	Weight (kg)	Thickness	Top Surface	Color
W1S0023ELBYFH	60 cm x 91 cm	1.3	10 mm	Elephant Skin	Black /Yellow
W1S0034ELBYFH	91 cm x 120 cm	2.6	10 mm	Elephant Skin	Black / Yellow
W1S0035ELBYFH	91 cm x 150 cm	3.3	10 mm	Elephant Skin	Black /Yellow
W1S3200ELBYFH	91 cm x 200 cm	4.4	10 mm	Elephant Skin	Black / Yellow
W1S3250ELBYFH	91 cm x 250 cm	5.5	10 mm	Elephant Skin	Black /Yellow
W1S3300ELBYFH	91 cm x 300 cm	6.6	10 mm	Elephant Skin	Black / Yellow
W1S3400ELBYFH	91 cm x 400 cm	8.7	10 mm	Elephant Skin	Black /Yellow
W1S3500ELBYFH	91 cm x 500 cm	10.9	10 mm	Elephant Skin	Black / Yellow
W1S0333ELBYFH	91 cm x 10 m	21.8	10 mm	Elephant Skin	Black /Yellow
W1S4200ELBYFH	122 cm x 200 cm	5.9	10 mm	Elephant Skin	Black / Yellow
W1S4300ELBYFH	122 cm x 300 cm	8.8	10 mm	Elephant Skin	Black /Yellow
W1C0200ELBYFH	60 cm per linear meter	1.4	10 mm	Elephant Skin	Black /Yellow
W1C0300ELBYFH	91 cm per linear meter	2.2	10 mm	Elephant Skin	Black / Yellow
W1C0400ELBYFH	122 cm per linear meter	2.9	10 mm	Elephant Skin	Black /Yellow

Available Sizes - W1 Series Grey



Article Number	Dimensions	Weight (kg)	Thickness	Top Surface	Color
W1S0023GRGY	60 cm x 91 cm	1.3	10 mm	Grid	Grey
W1S0024GRGY	91 cm x 120 cm	2.6	10 mm	Grid	Grey
W1S0035GRGY	91 cm x 150 cm	3.3	10 mm	Grid	Grey
W1S3200GRGY	91 cm x 200 cm	4.4	10 mm	Grid	Grey
W1S3250GRGY	91 cm x 250 cm	5.5	10 mm	Grid	Grey
W1S3300GRGY	91 cm x 300 cm	6.6	10 mm	Grid	Grey
W1S3400GRGY	91 cm x 400 cm	8.7	10 mm	Grid	Grey
W1S3500GRGY	91 cm x 500 cm	10.9	10 mm	Grid	Grey
W1S0333GRGY	91 cm x 10 m	21.8	10 mm	Grid	Grey
W1S4200GRGY	122 cm x 200 cm	5.9	10 mm	Grid	Grey
W1S4300GRGY	122 cm x 300 cm	8.8	10 mm	Grid	Grey
W1R0260GRGY	60 cm x 18,3 m	26.4	10 mm	Grid	Grey
W1R0360GRGY	91 cm x 18,3 m	40.0	10 mm	Grid	Grey
W1R0460GRGY	122 cm x 18,3 m	53.6	10 mm	Grid	Grey
W1C0200GRGY	60 cm per linear meter	1.4	10 mm	Grid	Grey
W1C0300GRGY	91 cm per linear meter	2.2	10 mm	Grid	Grey
W1C0400GRGY	122 cm per linear meter	2.9	10 mm	Grid	Grey

W1 Series with FloorHold Grey



Article Number	Dimensions	Weight (kg)	Thickness	Top Surface	Color
W1S0023GRGYFH	60 cm x 91 cm	1.3	10 mm	Grid	Grey
W1S0024GRGYFH	91 cm x 120 cm	2.6	10 mm	Grid	Grey
W1S0035GRGYFH	91 cm x 150 cm	3.3	10 mm	Grid	Grey
W1S3200GRGYFH	91 cm x 200 cm	4.4	10 mm	Grid	Grey
W1S3250GRGYFH	91 cm x 250 cm	5.5	10 mm	Grid	Grey
W1S3300GRGYFH	91 cm x 300 cm	6.6	10 mm	Grid	Grey
W1S3400GRGYFH	91 cm x 400 cm	8.7	10 mm	Grid	Grey
W1S3500GRGYFH	91 cm x 500 cm	10.9	10 mm	Grid	Grey
W1S0333GRGYFH	91 cm x 10 m	21.8	10 mm	Grid	Grey
W1S4200GRGYFH	122 cm x 200 cm	5.9	10 mm	Grid	Grey
W1S4300GRGYFH	122 cm x 300 cm	8.8	10 mm	Grid	Grey
W1C0200GRGYFH	60 cm per linear meter	1.4	10 mm	Grid	Grey
W1C0300GRGYFH	91 cm per linear meter	2.2	10 mm	Grid	Grey
W1C0400GRGYFH	122 cm per linear meter	2.9	10 mm	Grid	Grey