






ESD PROTECTION. STATIC SAFE.

ESD table mat designed to protect sensitive components in controlled work environments.

- 5.5 mm impact-absorbing foam helps protect components from minor drops and shocks on the workbench.
- Designed for areas where electrostatic discharge (ESD) control is required.

Cushioning
Pressure Distribution
Bounce-Back
Top Surface Grip
Table Grip

Medium
Medium
Medium
Standard
Standard



Recommended Use

Engineered for creating a controlled ESD work surface.

ESD Standard

Manufactured and tested in accordance with EN IEC 61340-5-1 with a resistance range of 10^6 to 10^9 ohms

Available Configurations

- Standard mats: ready-to-use fixed sizes
- Roll format: full rolls for long work areas
- Per meter: cut to the exact length needed

2-Year Warranty

Covering Manufacturing Defects



**MADE IN
EUROPE**

TECHNICAL SPECIFICATIONS

Material	ESD Compliant Foam
Operating Temperature Range	-30°C - 70°C
ESD Rating	Compliant: 10 ⁶ - 10 ⁹ ohms
Moisture Resistance	Not Recommended
Oil Resistance	Not recommended
Chemical Resistance	Weak
Recyclable	Yes - Eligible for The Rebourne® Circularity Program
REACH	Yes
Phthalate-Free	Yes

INSTALLATION & MAINTENANCE


Prepare your surface: Table must be clean, dry, and free of dust or grease.

Place your mat: Roll out, install on the workbench, and connect your accessories.

Maintenance: Keep free from dust buildup to prevent from affecting ESD performance.



Sizes Available - W3 Series Blue




Article Number	Dimensions	Weight (kg)	Thickness	Top Surface	Color
W3S0021SMBU	60 cm x 45 cm	0.4	5,5 mm	Smooth	Blue
W3S0025SMBU	60 cm x 90 cm	0.8	5,5 mm	Smooth	Blue
W3S0024SMBU	60 cm x 120 cm	1.1	5,5 mm	Smooth	Blue
W3S0025SMBU	60 cm x 150 cm	1.4	5,5 mm	Smooth	Blue
W3S0026SMBU	60 cm x 180 cm	1.6	5,5 mm	Smooth	Blue
W3S0255SMBU	60 cm x 10m	9.0	5,5 mm	Smooth	Blue
W3C0200SMBU	60 cm per linear meter	0.9	5,5 mm	Smooth	Blue

REBOURNE® W3 ESD Table Mat Kit With Accessories

Kit includes:

1x ESD Table Mat, 1x Antistatic Wrist Strap, 1x Coiled Grounding Cord, 1x Double-Inlet Grounding Point With Socket Terminal, 1x Continental Earth Bonding Plug


Article Number	Dimensions	Weight (kg)	Thickness	Top Surface	Color
W3KC021SMBU	60 cm x 45 cm	0.4	5,5 mm	Smooth	Blue
W3KC023SMBU	60 cm x 90 cm	0.8	5,5 mm	Smooth	Blue
W3KC024SMBU	60 cm x 120 cm	1.1	5,5 mm	Smooth	Blue
W3KC025SMBU	60 cm x 150 cm	1.4	5,5 mm	Smooth	Blue
W3KC026SMBU	60 cm x 180 cm	1.6	5,5 mm	Smooth	Blue




Accessories Available

Article Number	Description	Application	Size
AWB000000BB	Antistatic Wrist Strap	Ground the user	Fits all wrists
CCM2B0015BL	Coiled Grounding Cord	Connects wrist strap to double-inlet grounding point	1.8 Meters
DIGCRT015BL	Double-Inlet Grounding Point – Ring Terminal	Connects table mat and up to 2 wrist strap cords	4.5 Meters
DIGCST015BL	Double-Inlet Grounding Point – Socket Terminal	Connects table mat and up to 2 wrist strap cords	4.5 Meters
EBPCONTIOYL	Earth Bonding Plug – Continental (EU)	Compatible with socket terminals	50 mm x 50 mm x 38 mm
EBPUK0000YL	Earth Bonding Plug – UK	Compatible with socket terminals	51 mm x 49 mm x 31 mm

Accessories set-up:



AWB000000BB



Wristband

CCM2B0015BL




Coiled cord

DIGCRT015BL

Or

DIGCST015BL



Double Inlet

EU version : EBPCONTI0YL
UK version : EBPUK0000YL



Earth