

PERFORMANCE SERIES NITRILE

POWDER-FREE EXAMINATION GLOVES

BLUE NITRILE NON-STERILE AMBIDEXTROUS TEXTURED FINGERS **BEADED CUFF** FOR SINGLE USE ONLY NON-LATEX These nitrile gloves are manufactured using a soft and stretchy formulation that offers excellent durability as well as comfort. A three mil thickness provides enhanced tactile sensitivity. Powder-free and textured for enhanced gripping power.

• An economical alternative to latex exam gloves



PRODUCT CODE		PACKAGING	
XS	N290	100	Gloves/Box
S	N291	10	Boxes/Case
М	N292		
L	N293		
XL	N294		
XXL	N295		

GLOVE PROFILE		ASTM D 6319	N29
Length	mm (inches)	min. 220 (8.7)	245 (9.6)
Cuff Thickness	mm (mils)	n/a	0.06 (2.4)
Palm Thickness	mm (mils)	min. 0.05 (2.0)	0.08 (3.1)
Finger Thickness	mm (mils)	min. 0.05 (2.0)	0.12 (4.7)
Tensile Strength	Before Aging After Aging	min. 14 min. 14	31 29
Elasticity/Elongation	Before Aging After Aging	min. 500 min. 400	500 400
Pinhole Defect Rate*	(AQL)	max. 2.5	1.5

* Pinhole Defect Rate is FDA minimum requirement.



RECOMMENDED INDUSTRIES

EMS HEALTHCARE IND. SAFETY LABORATORY

® and ™ are trademarks owned by Ansell Limited or one of its affiliates. © 2017 All Rights Reserved. COLL-SPEC-N29. v2

