(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier : WC-EEND Nr. 1 Ontkalker toiletreiniger

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Washing and cleaning products (including solvent based products)

Uses advised against : None known.

1.3 Details of the supplier of the :

safety data sheet

SC Johnson Benelux bvba Groot Mijdrechtstraat 81

3641 RV Mijdrecht

Telephone : +31297292501

E-mail address : infoNL@scj.com

1.4 Emergency telephone

number

Nederlandse Nationale Vergiftingen Informatie Centrum (NVIC):

030 274 8888

Uitsluitend bestemd om artsen te informeren bij accidentele vergiftingen.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard classification	Hazard category	Hazards identification
Skin corrosion	Category 1	Causes severe skin burns and eye
		damage.

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

Serious eye damage	Category 1	Causes serious eye damage.	
Short-term (acute) aquatic hazard	Category 1	Very toxic to aquatic life.	
Long-term (chronic) aquatic hazard	Category 2	Toxic to aquatic life with long lasting effects.	
Corrosive to metals	Category 1	May be corrosive to metals.	

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard symbols





Signal word

Danger

Contains

hydrogen chloride 2,2'-(octadec-9-enylimino)bisethanol Alcohols, C13-15-branched and linear, ethoxylated EO=8

Hazard statements

(H290) May be corrosive to metals.

(H314) Causes severe skin burns and eye damage.

(H410) Very toxic to aquatic life with long lasting effects.

Precautionary statements

(P101) If medical advice is needed, have product container or label at hand.

(P102) Keep out of reach of children.

(P310) Immediately call a POISON CENTER/doctor.

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 3000000000000017761.001

(P303 + P361 + P353) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P301 + P330 + P331) IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P304 + P340) IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(P405) Store locked up.

(P501) Dispose of contents /container in accordance with local regulations.

(P260) Do not breathe fume.

(P264) Wash hands thoroughly after handling.

(P280) Wear protective gloves / eye protection.

Additional Labelling

For use only in toilet bowls.

Do not mix with bleach or any other household cleaners.

Detergents regulations : Contains

< = 5% non-ionic surfactants, perfume

2.3 Other hazards : None identified

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical name	CAS-No./EC No	3		Weight percent
hydrogen chloride	7647-01-0	01-2119484862-27	Gases under pressure	>= 5.00 - <

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

	231-595-7		H280 Specific target organ toxicity - single exposure Category 3 H335 Skin corrosion Category 1B H314	10.00
2,2'-(octadec-9- enylimino)bisethanol	25307-17-9 246-807-3	01-2119510876-35	Acute toxicity Category 4 H302 Skin corrosion/irritation Category 1B H314 Short-term (acute) aquatic hazard Category 1 H400 Long-term (chronic) aquatic hazard	>= 1.00 - < 5.00

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

Alcohols, C13-15-branched and linear, ethoxylated EO=8	157627-86-6	Not required	Category 1 H410 Short-term (acute) aquatic hazard Category 1 H400 M-Factor Acute - 10 M-Factor Chronic - 1 Long-term (chronic) aquatic hazard Category 3 H412 Serious eye damage Category 1 H318 Acute toxicity Category 4 H302	>= 1.00 - < 5.00
Alcohols, C16-18 and C18- unsatd., ethoxylated EO = < 5	68920-66-1	01-2119489407-26	Skin corrosion/irritation Category 2	>= 0.50 - < 1.00

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

	H315	
	Long-term (chronic)	
	aquatic hazard	
	Category 2	
	H411	
	Short-term (acute) aquatic	
	hazard	
	Category 1	
	H400	
	M-Factor Acute - 1	

Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation : Move to fresh air.

Get medical attention immediately.

Skin contact : Take off all contaminated clothing immediately.

Immediately flush skin with large amounts of water. Get medical attention if irritation develops and persists.

Wash contaminated clothing before re-use.

Eye contact : Remove contact lenses.

6/22

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 3000000000000017761.001

Protect unharmed eye.

Keep eye wide open while rinsing.

Flush immediately with plenty of water for at least 15 to 20 minutes.

Get medical attention immediately.

Ingestion : Do NOT induce vomiting.

Rinse mouth with water.

Get medical attention immediately.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Eyes : Causes serious eye damage.

No adverse effects expected when used as directed.

Skin effect : Causes severe skin burns.

No adverse effects expected when used as directed.

Inhalation : May cause respiratory tract irritation.

No adverse effects expected when used as directed. Do not mix with bleach or any other household cleaners.

Ingestion : Causes digestive tract burns.

4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 3000000000000017761.001

Suitable : Use extinguishing measures that are appropriate to local circumstances

and the surrounding environment.

Unsuitable : None identified

5.2 Special hazards arising from

the substance or mixture

In case of fire and/or explosion do not breathe fumes.

Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters : In the event of fire, wear self-contained breathing apparatus.

Wear suitable protective clothing and gloves.

Refer to current EN or National standard as appropriate.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

6.2 Environmental precautions : Outside of normal use, avoid release to the environment.

Prevent large amounts of product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective

authorities.

Use appropriate containment to avoid environmental contamination.

6.3 Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Clean residue from spill site.

Keep in suitable, closed containers for disposal.

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

6.4 Reference to other sections : For personal protection see section 8.

For disposal considerations see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling : For personal protection see section 8.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the application area.

Wear personal protective equipment.

Normal measures for preventive fire protection.

7.2 Conditions for safe storage,

including any incompatibilities

Do not freeze.

Keep out of the reach of children.

Store away from food, beverages and pet food. No decomposition if stored and applied as directed.

7.3 Specific end use(s) : Consumer uses: Private households (= general public = consumers)

Washing and cleaning products (including solvent based products)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limit Values

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
hydrogen chloride	7647-01-0	15 mg/m3			NL_STELS
		8 mg/m3			NL_TWAS

Refer to current EN or National standard as appropriate.

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

8.2 Exposure controls

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection : Wear suitable gloves.

Nitrile gloves – Thickness 0.12mm; Breakthrough time >2 hours.

The selected protective gloves have to satisfy the specifications of Regulation

(EU) 2016/425 and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

Eye/face protection : Safety glasses

Skin and body protection : Wash contaminated clothing before re-use.

Other information : Wash hands before breaks and at the end of workday.

Environmental Exposure Controls : Refer to section 6.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : green

Odour : green

Odour Threshold : Test not applicable for this product type

pH : <1

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

Melting point/freezing point : Test not applicable for this product type

Initial boiling point and boiling range : 100 °C

Flash point : > 100 °C

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : Does not sustain combustion.

Upper/lower flammability or

explosive limits

: Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 1.03 - 1.05 g/cm3

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : Test not applicable for this product type

Decomposition temperature : Test not applicable for this product type

Viscosity, dynamic : 500 - 800 mPa.s

at 25 °C

Viscosity, kinematic : Test not applicable for this product type

Explosive properties : Test not applicable for this product type

11/22

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

Oxidizing properties : Test not applicable for this product type

9.2 Other information

Other information : None identified :

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity : Do not mix with bleach or any other household cleaners.

10.2 Chemical stability : Stable under recommended storage conditions.

10.3 Possibility of hazardous

reactions

: Do not mix with bleach or any other household cleaners.

10.4 Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials : Do not mix with bleach or any other household cleaners.

10.6 Hazardous decomposition

products

: No decomposition if stored and applied as directed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity

Name	Method	Species	Dose
Product	LD50		> 2,000 mg/kg
	estimated		

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

Calculation method	
04.04.4.0	

Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Product	LC50 (vapour) Calculated		> 20 mg/l	

Acute dermal toxicity

Name	Method	Species	Dose
Product	LD50		> 2,000 mg/kg
	Calculated		

Acute oral toxicity

Name	Method	Species	Dose
hydrogen chloride	LD50	Rat	238 mg/kg
2,2'-(octadec-9- enylimino)bisethanol	LD50	Rat	1,260 mg/kg
Alcohols, C13-15-branched and linear, ethoxylated EO=8	LD50	Rat	1,100 mg/kg
Alcohols, C16-18 and C18-unsatd., ethoxylated EO = < 5	LD50	Rat	> 2,000 mg/kg

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
hydrogen chloride	LC50 (vapour) Measured	Rat	4.2 - 4.7 mg/l	1 h
2,2'-(octadec-9- enylimino)bisethanol	No data available			
Alcohols, C13-15-branched and linear, ethoxylated EO=8	No data available			
Alcohols, C16-18 and C18- unsatd., ethoxylated EO = < 5	No data available			

Acute dermal toxicity

Name	Method	Species	Dose
hydrogen chloride	No data available		
2,2'-(octadec-9- enylimino)bisethanol	No data available		
Alcohols, C13-15-branched and linear, ethoxylated EO=8	LD50	Rat	> 2,000 mg/kg
Alcohols, C16-18 and C18- unsatd., ethoxylated EO = < 5	LD50	Rabbit	2,000 mg/kg

Skin corrosion/irritation : Causes severe skin burns.

Serious eye damage/eye

irritation

: Causes serious eye damage.

Skin sensitisation : Based on available data, the classification criteria are not met.

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxicity for reproduction : Based on available data, the classification criteria are not met.

STOT - single exposure : Based on available data, the classification criteria are not met.

STOT - repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

12.1 Toxicity

Toxicity to fish

Components	End point	Species	Value	Exposure time
hydrogen chloride	LC50 semi-static test	Lepomis macrochirus (Bluegill sunfish)	3.25 - 3.5 mg/l	96 h
2,2'-(octadec-9- enylimino)bisethanol	LC50 Read-across (Analogy)	Danio rerio (zebra fish)	0.1 mg/l	96 h
Alcohols, C13-15-branched and linear, ethoxylated EO=8	LC50	Oncorhynchus mykiss (rainbow trout)	> 1 - < 10 mg/l	48 h

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

Alcohols, C16-18 and C18-unsatd., ethoxylated EO = < 5	LC50 semi-static test	Danio rerio (zebra fish)	108 mg/l	96 h
	NOEC	Lepomis macrochirus (Bluegill sunfish)	0.16 mg/l	10 d

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
hydrogen chloride	EC50 static test	Daphnia magna (Water flea)	4.92 mg/l	48 h
2,2'-(octadec-9- enylimino)bisethanol	EC50 Measured	Daphnia magna (Water flea)	0.043 mg/l	48 h
	EC10	Daphnia magna (Water flea)	0.0107 mg/l	21 d
Alcohols, C13-15-branched and linear, ethoxylated EO=8	EC50	Daphnia magna (Water flea)	> 1 - < 10 mg/l	48 h
Alcohols, C16-18 and C18-unsatd., ethoxylated EO = < 5	No data available			

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

hydrogen chloride	EC50 static test	Chlorella vulgaris (Fresh water algae)	4.7 mg/l	72 h
2,2'-(octadec-9-enylimino)bisethanol	EC50 Growth inhibition	Pseudokirchneriella subcapitata (green algae)	0.0867 mg/l	72 h
Alcohols, C13-15-branched and linear, ethoxylated EO=8	EC50	Desmodesmus subspicatus (green algae)	> 1 - < 10 mg/l	72 h
Alcohols, C16-18 and C18-unsatd., ethoxylated EO = < 5	No data available			

12.2 Persistence and degradability

Component	Biodegradation	Exposure time	Summary
hydrogen chloride	No data available		
2,2'-(octadec-9-enylimino)bisethanol	74 %	28 d	Readily biodegradable.
Alcohols, C13-15-branched and linear, ethoxylated EO=8	60 %	28 d	Readily biodegradable.
Alcohols, C16-18 and C18-unsatd., ethoxylated EO = < 5	99 %	28 d	Readily biodegradable.

12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
hydrogen chloride	No data available	0.25

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

2,2'-(octadec-9-enylimino)bisethanol	No data available	3.4 Calculated
Alcohols, C13-15-branched and linear, ethoxylated EO=8	No data available	No data available
Alcohols, C16-18 and C18-unsatd., ethoxylated EO = < 5	387.5	4.6

12.4 Mobility in soil

Component	End point	Value
hydrogen chloride	No data available	
2,2'-(octadec-9-enylimino)bisethanol	No data available	
Alcohols, C13-15-branched and linear, ethoxylated EO=8	No data available	
Alcohols, C16-18 and C18-unsatd., ethoxylated EO = < 5	log Koc	4.5

12.5 Results of PBT and vPvB assessment

Component	Results
hydrogen chloride	Not fulfilling PBT and vPvB criteria
2,2'-(octadec-9-enylimino)bisethanol	Not fulfilling PBT and vPvB criteria
Alcohols, C13-15-branched and linear, ethoxylated EO=8	Not fulfilling PBT and vPvB criteria
Alcohols, C16-18 and C18-unsatd., ethoxylated EO = < 5	Not fulfilling PBT and vPvB criteria

12.6 Other adverse effects : None known.

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 3000000000000017761.001

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Disposal should be in accordance with local, state or

national legislation.

Please recycle empty packaging.

Packaging : Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

	Land transport	Sea transport	Air transport
14.1 UN number	3264	3264	3264
14.2 UN proper shipping	UN3264, Corrosive liquid,	UN3264, Corrosive liquid,	UN3264, Corrosive liquid,
name	acidic, inorganic, n.o.s.	acidic, inorganic, n.o.s.	acidic, inorganic, n.o.s.
	(Hydrochloric acid), 8, II,	(Hydrochloric acid), 8, II,	(Hydrochloric acid), 8, II,
	Ltd. Qty.	Ltd. Qty.	Ltd. Qty.
14.3 Transport hazard	8	8	8
class(es)			
14.4 Packing group	II	II	II
14.5 Environmental			
hazards			
14.6 Special precautions	Limited quantities	Limited quantities	Limited quantities
for user	derogation may be	derogation may be	derogation may be
	applicable to this product,	applicable to this product,	applicable to this product,
	please check transport	please check transport	please check transport
	documents.	documents.	documents.
14.7 Transport in bulk	Product not transported as	Product not transported as	Product not transported as

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

according to Annex II of	bulk.	bulk.	bulk.
MARPOL 73/78 and the			
IBC Code			

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of:

Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 (CLP) as amended (not applicable to

cosmetics)

Regulation (EC) No. 528/2012 as amended (applicable to biocidal products)

Directive (EEC) No. 75/324 as amended (applicable to aerosols)

Regulation (EC) No. 1223/2009 amended (applicable to cosmetic products)

Regulation (EC) No. 684/2001 The surfactants contained in this preparation comply with the biodegradability criteria laid down in Regulation (EC) No.648/2004 for detergents (applicable to detergents).

Directive (EC) No. 2001/95/EC - General Product Safety Directive

European Agreement concerning the International Carriage of Dangerous

Goods by Road (ADR)

Directive 2012/18/EU Seveso

Regulation 850/2004 on persistent organic pollutants and amending

Directive 79/117/EEC

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

SZW list of carcinogenic, mutagenic and reproductively toxic substances

15.2 Chemical safety assessment : Not required for consumer products.

SECTION 16: OTHER INFORMATION

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

Key abbreviations or acronyms used

EC - European Community

EEC – European Economic Community

CLP - Classification Labelling & Packaging

EN – European Standard or European Norm

PBT – Persistent, Bioaccumulative & Toxic

vPvB – very persistent, very bioaccumulative

UN – United Nations

Evaluation methods

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

Full text of H-Statements

H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.

(according to Regulation (EC) No. 2015/830)



WC-EEND Nr. 1 Ontkalker toiletreiniger

Version 2.2 Revision Date 26.05.2020 Print Date 15.02.2021 Specification Number: 350000025059 SITE FORM Number: 30000000000000017761.001

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.