

# Jersette 301

## DESCRIPTION AND GENERAL PROPERTIES

- **Material** Natural latex
- **Length (cm)** 29-33
- **Thickness (mm)** 1.15
- **Wrist** Scalloped cuff
- **Colour/Color** Blue
- **Interior finish** Textile support
- **Exterior finish** Pebbled
- **Size / EAN** 5 6 7 8 9 10
- **Packaging** 1 pair/bag - 5 pairs/bag - 50 pairs/carton
- **Complementary information** Guaranteed without silicone



## PERFORMANCE RESULTS

### Certification category 2



X1XXXX



3141

### Legends

#### EN 388 MECHANICAL HAZARDS



PERFORMANCE LEVELS

0-4	0-5	0-4	0-4	A-F (P)
Abrasion resistance		Tear resistance		Impact protection
Blade cut resistance		Puncture resistance		Cut resistance according to ISO 13997

#### EN 407 THERMAL RISKS heat and fire



PERFORMANCE LEVELS

0-4	0-4	0-4	0-4	0-4	0-4
Contact heat resistance		Convective heat resistance		Radiant heat resistant	
Burning behaviour		Resistance to small drops of molten metal		Resistance to large quantities of molten metal	

#### CHEMICAL RISKS

##### EN ISO 374-1 Type A



U V W X Y Z

**A** Methanol  
**B** Acetone  
**C** Acetonitrile  
**D** Dichloromethane  
**E** Carbon Disulfide  
**F** Toluene  
**G** Diethylamine  
**H** Tetrahydrofurane  
**I** Ethyl acetate

##### EN ISO 374-1 Type B



X Y Z

**J** n-Heptane  
**K** Sodium hydroxide 40%  
**L** Sulphuric acid 96%  
**M** Nitric acid 65%  
**N** Acetic acid 99%  
**O** Ammonia 25%  
**P** Hydrogen peroxide 30%  
**S** Hydrofluoric acid 40%  
**T** Formaldehyde 37%

##### EN ISO 374-1 Type C



##### EN 421



**RADIOACTIVE  
CONTAMINATION**

#### MICRO-ORGANISMS

##### EN ISO 374-5



**Potention against bacteria,  
fungi**

##### EN ISO 374-5



**Potention against bacteria,  
fungi, virus**

**VIRUS**

##### EN 511



**COLD HAZARDS**

##### PERFORMANCE LEVELS

0-4	0-4	0 or 1
Contact cold resistance		Water permeability
Convective cold resistance		

For more details: [www.mapa-pro.com](http://www.mapa-pro.com)

## DESCRIPTION AND GENERAL PROPERTIES

- Freedom of movement, due to the anatomical shape and excellent comfort from the seamless textile support
- Good tear-resistance
- Good resistance to many diluted acids and bases

## MAIN FIELDS OF USE

### Construction Industry (Masons / Plasterers)

- Preparing and pouring mortar and cement

### Aeronautics industry

- Work with composite materials (resins)

### Local Authorities (Cleaning)

- Handling household detergents

## INSTRUCTIONS FOR USE

### Instructions for use

- It is recommended to check that the gloves are suitable for the intended use, because the conditions of use at the workplace may differ from the «CE»-type tests.
- It is not recommended for persons sensitized to natural latex, dithiocarbamates and thiazoles to use these gloves.
- Put the gloves on dry, clean hands.
- Do not use the gloves in contact with a chemical for a duration in excess of the measured breakthrough time. Refer to the website [www.mapa-pro.com](http://www.mapa-pro.com) or contact the Technical Customer Service - MAPA PROFESSIONNEL ([stc.mapaspontex@mapaspontex.fr](mailto:stc.mapaspontex@mapaspontex.fr)) in order to know this breakthrough time. Use 2 pairs alternatively when in long duration contact with a solvent.
- Turn the cuff end down in order to prevent a hazardous chemical from dripping onto the arm.
- Inspect the gloves for cracks or snags before reusing them.

### Storage conditions

Store the gloves in their original packaging protected from direct sunlight, far from heat sources or electric equipment.

### Laundering conditions

Before taking off the gloves, clean them as appropriate :

- in use with a solvent (alcohol, etc...) : rub over with a dry cloth
- in use with detergents, acids or alkalies : thoroughly rinse the gloves under running water, and rub over with a dry cloth

Caution : inappropriate usage of the gloves or submitting them to a cleaning or laundering process which is not specifically recommended, can alter their performance levels.

### Drying conditions

Ensure the inside of the gloves is dry before putting them on again.

## LEGISLATION

This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council. This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).

- CE-Type Examination Certificate

0072/014/162/09/94/001 EX 01/09/94

- Issued by the notified body nr

0072

I.F.T.H. – Av. Guy de Collongue F-69134 ECULLY CEDEX