



**CRF**<sup>®</sup>

SIZE	ART. NO.	EAN NO.
6	43001-6	
7	43001-7	
8	43001-8	
9	43001-9	
10	43001-10	
11	43001-11	

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA<sup>®</sup> 43001

Cut resistant glove, PU, palm-dipped, CRF<sup>®</sup> Technology, Lycra<sup>®</sup>, nylon, 13 gg, smooth finish, cut resistance level 3, Cat. II, grey, white, breathable back, water and oil repellent palm, bulk pack, for fine assembly work

### PROPERTIES

Flexible, good grip, comfortable

### SPECIFICATION

TYPE OF GLOVE Cut resistant gloves

CATEGORY Cat. II

CUT RESISTANCE (COUP) Cut resistance level 3

CUT RESISTANCE (EN ISO 13997) Cut resistance level B

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 5,8

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11

LINER MATERIAL CRF<sup>®</sup> Technology, Lycra<sup>®</sup>, nylon, 13 gg

DIPPING Palm-dipped

DIPPING MATERIAL PU

DEXTERITY 5

GRIP PATTERN Smooth finish

CUFF STYLE Knitwrist cuff

CUFF MATERIAL Textile

LENGTH RANGE 220-270 mm

COLOUR Grey, white

PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bulk pack

MATERIAL SPECIFICATION Polyurethane 30%, HPPE 60%, nylon 10%



## TEGERA® 43001

### FEATURES

Cut resistant according to 388:2003 level 3, cut resistant according to 388:2016 level B

### PRIMARY PROTECTION

Cut injuries, scratches, lacerations

### PRIMARY ENVIRONMENTS OF USE

Cut risk environments, dirty environments

### PRIMARY AREAS OF USE

Fine assembly, assembly, inspection work, machine operating, building and construction, carpentry, painting, installation work, engineering, transport work, warehouse work, airport work


### PRIMARY INDUSTRIES OF USE

Metal fabrication, machinery and equipment, MRO, automotive

### TYPE OF WORK

Light weight

CE Cat. II



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2017-04-25

2(3)

**ejendals**  
PROTECTING HANDS AND FEET

### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

## TEGERA® 43001

### EC TYPE EXAMINATION

Notified Body: 0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07 France

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EN 388:2003 Protective gloves against mechanical risks


Property	Level Achieved	(Maximum Performance)
A) Resistance to abrasion (No. of revolutions)	4	(4)
B) Resistance to cutting (Index)	3	(5)
C) Tear resistance (Newton)	4	(4)
D) Puncturing resistance (Newton)	2	(4)

EN 388 - Testing (specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
A) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
B) Resistance to cutting (Index)	1,2	2,5	5,0	10,0	20,0
C) Tear resistance (Newton)	10	25	50	75	
D) Puncturing resistance (Newton)	20	60	100	150	



CE Cat. II



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2017-04-25

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com