

### Commercial Identity...

Brand	
Commercial Gencod	3 7000 922 7165 0
Designation	Aluminium stepladder with closing tool holdes - 5 slip-resistant steps - safety rail
Custom Nomenclature	73269030
Warranty (years) :	2



### Consumer Unit ...

Height (mm)	1 740.000	Weight (g)	4 540.000
Lenght (mm)	945.000		
Depth (mm)	450.000		

Colors:

Presentation of C.U.:

Certification(s) du produit :

### Technical Comment

### Product ...

Folded...		Unfolded...	
Tot. Leng.(mm)	<input type="text"/>	Tot.Lenght (mm)	<input type="text"/>
Tot.Width (mm)	<input type="text"/>	Tot.Width (mm)	<input type="text"/>
Tot.Depth (mm)	<input type="text"/>	Tot.Depth (mm)	<input type="text"/>
Diameter (mm)	<input type="text"/>	Unfolded Diam.(m)	<input type="text"/>
Weight (g)	<input type="text"/>		
Strenght (g)	<input type="text"/>		
Load (kg)	<input type="text"/>		

Origin

- Recyclable     Instructions supplied  
 Perishable     Assorted colours upon availability

### Heated & Electrical Devices ...

Tension (V)	<input type="text"/>	# Conductors	<input type="text"/>	Batteries supplie	<input type="checkbox"/>
Intensity (A)	<input type="text"/>	Ø Cond. (mm <sup>2</sup> )	<input type="text"/>	Adapt. supplied	<input type="checkbox"/>
Power (W)	<input type="text"/>			Cord supplied	<input type="checkbox"/>

### Cutting ...

Handles ...			
Ext. Height. (mm)	<input type="text"/>	Int. Height (mm)	<input type="text"/>
Ext. Width (mm)	<input type="text"/>	Int. Width (mm)	<input type="text"/>
Ext. Depth(mm)	<input type="text"/>	Int. Depth (mm)	<input type="text"/>
Cutting Lenght (mm)	<input type="text"/>	Material	<input type="text"/>

Screws ...			
Diameter (mm)	<input type="text"/>	Dist. Screw-Handles (mm)	<input type="text"/>
Material	<input type="text"/>	Dist. Screw-Point (mm)	<input type="text"/>

Blades ...			
Height (mm)	<input type="text"/>	Material	<input type="text"/>
Width (mm)	<input type="text"/>	HRC Handles	<input type="text"/>
Depth (mm)	<input type="text"/>	Shearing	<input type="text"/>
<input type="checkbox"/> Divisible blade		Nb. of divisible segments	<input type="text"/>

### Card & Blister ...

Height (mm)	<input type="text"/>
Widht (mm)	<input type="text"/>
Depth (mm)	<input type="text"/>
Thickness(mm)	<input type="text"/>
Weight (g)	<input type="text"/>
Lock	<input type="checkbox"/>
Material	<input type="text"/>

### SPCB ...

Lenght (mm)	<input type="text"/>
Width (mm)	450
Height (mm)	1 880
Thickness (mm)	<input type="text"/>
Packing	<input type="text" value="1"/>
Weight (g)	0
Net Weight (g)	4 540
Gross Weight (g)	4 540

### PCB ...

Lenght (mm)	<input type="text"/>
Width (mm)	450
Depth (mm)	1 880
Thickness (mm)	<input type="text"/>
Packing	<input type="text" value="1"/>
Weight (g)	10
Net Weight (g)	4 540
Gross Weight (g)	4 550

### Pallet ...

Lenght (mm)	<input type="text"/>
Width (mm)	<input type="text"/>
Height (mm)	<input type="text"/>
Type	<input type="text"/>
# packet/pallet	<input type="text"/>
# packet/layer	<input type="text"/>
# layer	<input type="text"/>
Weight (g)	0
Net Weight (g)	0
Gross Weight (g)	0