# DELL Portable Monitor C1422H 14"FHD 1920x1080 IPS Antiglare(DELL-C1422H) DELL Portable Monitor C1422H 14"FHD 1920x1080 IPS Antiglare



Take dual-screen productivity on the go. Experience dual-screen productivity anywhere with Dell's 14"FHD portable monitor.

## Verkaufsgründe

27"lifestyle-inspired QHD monitor with outstanding visuals for an amazing entertainment experience.

## Hauptmerkmale

Product Description	Dell C1422H - LED monitor - Full HD (1080p) - 14"
Device Type	LED-backlit LCD monitor - 14"
Energy Class	Class B
Power Consumption (On mode)	6 W
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.1611 mm
Brightness	300 cd/m <sup>2</sup>
Contrast Ratio	700:1
Response Time	6 ms
Colour Support	16.7 million colours
Colour Gamut	72% NTSC (CIE 1931)
Input Connectors	2xUSB-C
Display Position Adjustments	Tilt
Screen Coating	Anti-glare, hard coating
Dimensions (WxDxH) - with stand	32.237 cm x 1.43 cm x 20.269 cm
Weight	590 g
Environmental Standards	ENERGY STAR Qualified
Compliant Standards	RoHS, DisplayPort 1.2, BFR-free, HDCP 1.4, PVC-free
Bundled Services	3 years Advanced Exchange Service
Designed For	Latitude 3320,3420,3520,5320,5320 2-in-1,5420,5421,5520,5521,7320,7320 Detachable,7420,7520,9520,9520 2-in-1; Precision 3560,5560,5760,7560,7760; Vostro 13 5310,14 5410,5415; XPS 15 9510,17 9700

#### Erweiterte Spezifikationen

#### General

Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class B

Diagonal Size 14" Panel Type IPS Aspect Ratio 16:9 Native Resolution Full HD (1080p) 1920 x 1080 at 60 Hz Pixel Pitch 0.1611 mm Pixel Per Inch 158 300 cd/m<sup>2</sup> **Brightness** Contrast Ratio 700:1 Colour Support 16.7 million colours 72% NTSC (CIE 1931) Colour Gamut Response Time 6 ms 56 - 61 Hz Vertical Refresh Rate Horizontal Refresh Rate 30 - 80 kHz 178 Horizontal Viewing Angle Vertical Viewing Angle 178 Screen Coating Anti-glare, hard coating Backlight Technology LED backlight Features Mercury free, arsenic-free glass, Dell Comfort View Dimensions (WxDxH) 32.237 cm x 1.43 cm x 20.269 cm - with stand

Connectivity

Weight

Interfaces 2 x USB-C/DisplayPort 1.2 Alt Mode (HDCP 1.4 / power up to 65W)

Mechanical

Display Position Adjustments Tilt
Tilt Angle +10/+90

Miscellaneous

Features 65W power delivery (pass-through)

590 g

Included Accessories Sleeve

Cables Included 1 x USB-C to USB-C cable

Compliant Standards RoHS, DisplayPort 1.2, BFR-free, HDCP 1.4, PVC-free

Power

Power Consumption (On mode) 6 W

Power Consumption SDR (On

mode)

6 kWh/1000h

Power Consumption (Max) 7.5 Watt
Power Consumption Stand by 0.3 Watt
Power Consumption Sleep 0.3 Watt
Power Consumption (Off Mode) 0.3 Watt

Dimensions & Weight

Dimensions &Weight Details

With stand - width: 32.237 cm - depth: 1.43 cm - height: 20.269 cm - weight: 590 g
Without stand - width: 32.237 cm - depth: 0.495 cm - height: 20.269 cm

# Dimensions & Weight (Shipping)

Shipping Weight	1.12 kg
Environmental Standards	
ENERGY STAR Certified	Yes
Manufacturer Warranty	
Bundled Services	3 years Advanced Exchange Service
Environmental Parameters	
Min Operating Temperature	O °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)
Compatibility Information	

Detachable,7420,7520,9520,9520 2-in-1

Dell Vostro 13 5310,14 5410,5415

Dell XPS 15 9510,17 9700

Dell Precision 3560,5560,5760,7560,7760

Dell Latitude 3320,3420,3520,5320,5320 2-in-1,5420,5421,5520,5521,7320,7320

#### What's in the box

Designed For

Dell C1422H USB-C to USB-C cable Sleeve

<sup>\*</sup> Für Fehler im Datenblatt übernimmt Tech Data keine Haftung