

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version 1.24      Revision Date: 09.07.2024      SDS Number: 100000019446      Date of last issue: 18.04.2024  
Date of first issue: 01.02.2019

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : KLEENEX® Energy Fragrance Refill  
Product code : 6188  
UFI : GHUQ-W1K0-Q00E-Y6Q0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Air Freshener  
Recommended restrictions on use : For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier : Kimberly-Clark Europe Limited  
Address : Walton Oaks, Dorking Road  
Tadworth  
Surrey KT20 7NS  
United Kingdom  
Telephone : +44 1737 736000  
E-mail address of person responsible for the SDS : sdscontact@kcc.com

#### 1.4 Emergency telephone number

Emergency telephone number : +44 1235 239670 (24/7 Service)  
Poison Center Name : NHS 111  
Poison Center Telephone : 111

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2      H319: Causes serious eye irritation.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version 1.24      Revision Date: 09.07.2024      SDS Number: 100000019446      Date of last issue: 18.04.2024  
Date of first issue: 01.02.2019

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**  
P264 Wash hands thoroughly after handling.  
P280 Wear eye protection/ face protection.

**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Additional Labelling

EUH208 Contains 4-tert-butylcyclohexyl acetate, linalyl acetate. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
Butanol, 3-methoxy-3-methyl-	56539-66-3 260-252-4	Eye Irrit. 2; H319	>= 1 - < 10
propan-2-ol	67-63-0 200-661-7 603-117-00-0	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous	>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version 1.24      Revision Date: 09.07.2024      SDS Number: 100000019446      Date of last issue: 18.04.2024  
Date of first issue: 01.02.2019

4-tert-butylcyclohexyl acetate	32210-23-4 250-954-9	system) Skin Sens. 1B; H317	$\geq 0.1 - < 1$
linalyl acetate	115-95-7 204-116-4	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	$\geq 0.1 - < 1$

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Show this safety data sheet to the doctor in attendance.
- If inhaled : If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and plenty of water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
If eye irritation persists, consult a specialist.
- If swallowed : Not required under normal use.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version 1.24      Revision Date: 09.07.2024      SDS Number: 100000019446      Date of last issue: 18.04.2024  
Date of first issue: 01.02.2019

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.  
Remove all sources of ignition.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

#### 6.4 Reference to other sections

For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Keep away from fire, sparks and heated surfaces.  
Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.

Further information on storage stability : No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

Specific use(s) : No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m <sup>3</sup>	GB EH40
		STEL	500 ppm 1,250 mg/m <sup>3</sup>	GB EH40

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2024
1.24	09.07.2024	100000019446	Date of first issue: 01.02.2019

---

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection	:	Safety glasses
Hand protection	:	
Remarks	:	Gloves
Skin and body protection	:	Chemical resistant apron
Respiratory protection	:	No personal respiratory protective equipment normally required.
Protective measures	:	No special protective equipment required.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	clear
Odour	:	pleasant
Melting point/freezing point	:	0 °C
Boiling point/boiling range	:	100 °C
Flammability	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	12 %(V)
Lower explosion limit / Lower flammability limit	:	2 %(V)
Flash point	:	47 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	4.5 - 6.5
Solubility(ies)	:	No information available.
Water solubility	:	No information available.
Partition coefficient: n-octanol/water	:	No information available.
Vapour pressure	:	No information available.
Relative density	:	0.985
Relative vapour density	:	No information available.
Particle characteristics	:	No data available
Particle size	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2024
1.24	09.07.2024	100000019446	Date of first issue: 01.02.2019

---

### 9.2 Other information

Explosives	:	No data available
Flammability (liquids)	:	Does not sustain combustion., Will not burn
Evaporation rate	:	No data available
Conductivity	:	No information available.
Oxidizing potential	:	No information available.

#### 9.2.1 Information with Regard to Physical Hazard Classes

No data available/applicable

#### 9.2.2 Other Safety Characteristics

No data available/applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

Follow precautionary advice and avoid incompatible materials and conditions

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Hazardous polymerisation does not occur.
---------------------	---	--

### 10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks.
---------------------	---	--------------------------

### 10.5 Incompatible materials

Materials to avoid	:	Strong acids and oxidizing agents
--------------------	---	-----------------------------------

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2024
1.24	09.07.2024	100000019446	Date of first issue: 01.02.2019

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

##### Components:

##### **propan-2-ol:**

Acute oral toxicity : LD50 Oral (Rat): 5,840 mg/kg  
Method: OECD Test Guideline 401  
GLP: no  
Remarks: See User Free Text

LD50 Oral (Rat): 1,870 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 10000 ppm  
Exposure time: 6 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
GLP: yes

LC50 (Rat): 72,600 mg/m<sup>3</sup>  
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): 12,800 mg/kg  
Method: OECD Test Guideline 402  
GLP: no  
Remarks: See User Free Text

LD50 Dermal (Rabbit): 4,059 mg/kg

##### **linalyl acetate:**

Acute oral toxicity : LD50 Oral (Rat): 14,550 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg  
Remarks: no deaths occurred

##### **Skin corrosion/irritation**

##### Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

##### Components:

##### **propan-2-ol:**

Species : Rabbit  
Exposure time : 4 hrs  
Method : No information available.  
Result : No skin irritation  
GLP : no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version 1.24      Revision Date: 09.07.2024      SDS Number: 100000019446      Date of last issue: 18.04.2024  
Date of first issue: 01.02.2019

---

Remarks : See User Free Text

### **4-tert-butylcyclohexyl acetate:**

Species : human skin  
Result : No skin irritation

### **linalyl acetate:**

Species : Rabbit  
Exposure time : 4 h  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404  
GLP : No information available.

### **Serious eye damage/eye irritation**

#### **Product:**

Assessment : Irritating to eyes.  
Remarks : Contact with eyes may cause irritation.

#### **Components:**

##### **Butanol, 3-methoxy-3-methyl-:**

Assessment : Irritating to eyes.

##### **propan-2-ol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.  
GLP : no

##### **linalyl acetate:**

Species : Rabbit  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405  
GLP : no

### **Respiratory or skin sensitisation**

#### **Product:**

Remarks : No data available

#### **Components:**

##### **linalyl acetate:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : No information available.  
Result : Did not cause sensitisation on laboratory animals.  
GLP : no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version 1.24      Revision Date: 09.07.2024      SDS Number: 100000019446      Date of last issue: 18.04.2024  
Date of first issue: 01.02.2019

---

### Germ cell mutagenicity

**Product:**

Germ cell mutagenicity- Assessment : Contains no ingredient listed as a mutagen

### Carcinogenicity

**Product:**

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

### Reproductive toxicity

**Product:**

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

### STOT - single exposure

**Product:**

Remarks : No data available

### STOT - repeated exposure

**Product:**

Remarks : No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

**Product:**

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

**Product:**

Toxicity to fish : Remarks: No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version 1.24      Revision Date: 09.07.2024      SDS Number: 100000019446      Date of last issue: 18.04.2024  
Date of first issue: 01.02.2019

---

Toxicity to daphnia and other aquatic invertebrates : Remarks: No information available.

Toxicity to algae/aquatic plants : Remarks: No information available.

### Components:

#### **Butanol, 3-methoxy-3-methyl-:**

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test

#### **propan-2-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: no

LC50 (Pimephales promelas (fathead minnow)): 11,130 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9,714 mg/l  
Exposure time: 24 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: no

EC50 (Daphnia magna (Water flea)): 13,299 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Scenedesmus quadricauda (Green algae)): 1,800 mg/l  
End point: See User Free Text  
Exposure time: 168 h  
Test Type: static test  
Analytical monitoring: no  
Method: See User Free Text  
GLP: no

EC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l  
Exposure time: 96 h

EC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l  
Exposure time: 72 h

#### **linalyl acetate:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 11 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version 1.24      Revision Date: 09.07.2024      SDS Number: 100000019446      Date of last issue: 18.04.2024  
Date of first issue: 01.02.2019

---

Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 62 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 48 h

### 12.2 Persistence and degradability

#### **Product:**

Biodegradability : Remarks: No information available.

#### **Components:**

##### **propan-2-ol:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, adapted  
Biodegradation: 53 %  
Related to: Chemical oxygen demand  
Exposure time: 5 d  
Remarks: Readily biodegradable, according to appropriate OECD test.

##### **4-tert-butylcyclohexyl acetate:**

Biodegradability : Result: Readily biodegradable.

##### **linalyl acetate:**

Biodegradability : Result: Readily biodegradable.

### 12.3 Bioaccumulative potential

#### **Product:**

Bioaccumulation : Remarks: Does not bioaccumulate.

#### **Components:**

##### **propan-2-ol:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2024
1.24	09.07.2024	100000019446	Date of first issue: 01.02.2019

---

### **linalyl acetate:**

Partition coefficient: n-octanol/water : Pow: 3.93

### **12.4 Mobility in soil**

#### **Product:**

Mobility : Remarks: No information available.

#### **Components:**

##### **propan-2-ol:**

Stability in soil : Remarks: Adsorbs on soil.

### **12.5 Results of PBT and vPvB assessment**

#### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **Components:**

##### **propan-2-ol:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

### **12.6 Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **12.7 Other adverse effects**

#### **Product:**

Additional ecological information : There is no data available for this product.

---

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2024
1.24	09.07.2024	100000019446	Date of first issue: 01.02.2019

Product : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.  
Do not re-use empty containers.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 8.22 %

#### 15.2 Chemical safety assessment

No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2024
1.24	09.07.2024	100000019446	Date of first issue: 01.02.2019

### SECTION 16: Other information

#### Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H336	: May cause drowsiness or dizziness.

#### Full text of other abbreviations

Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KLEENEX® Energy Fragrance Refill

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2024
1.24	09.07.2024	100000019446	Date of first issue: 01.02.2019

---

**Classification of the mixture:**

Eye Irrit. 2

H319

**Classification procedure:**

Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN