

**greenly**

2025-09-17

Lyreco LCA

# Life Cycle Assessment

*The methodology in this report is based on ISO 14040*

3917612 (sold in CH)

# Summary



**01** | Methodology



**02** | Results

# 01

## Methodology

# Environmental Impact Assessment

<b>Functional unit</b>	<p>The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense).</p> <p>The functional unit of this analysis is "500 page(s) of A4 paper for writing".</p>
<b>Impact Indicator</b>	<p>The impact is measured through the "IPCC 2013 GWP 100a" method.</p>
<b>Electricity impact calculation method</b>	<p>Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.</p>
<b>Hypothesis</b>	

# Environmental Impact Assessment

## System Boundaries

The scope of this research includes the complete lifecycle of a piece of paper from raw material extraction to disposal options for each material, which is the cradle-to-grave perspective.

## Exclusions


The impact of secondary packaging impact and writing utensils are excluded from this assessment.

# 02

## Results

3917612 (sold in CH)


# Climate Change



Step	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
End-of-Life Treatment	2.84	49.92 %
Manufacturing	1.4	24.68 %
Raw Material Extraction and Processing	1.11	19.49 %
Transportation and Distribution	0.34	5.92 %
<b>TOTAL</b>	<b>5.68</b>	<b>100.00 %</b>

3917612 (sold in CH)


# Climate Change - Raw Material Extraction and Processing



Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Sourcing of raw material (bleached kraft paper recycled 100%)	1	7.38	1.11	100.00 %
TOTAL			1.11	100.00 %

3917612 (sold in CH)

# Climate Change - Manufacturing



Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Electricity usage during material transformation (bleached kraft paper recycled 100%)	2	2.61	1.15	81.90 %
Natural gas usage during material transformation (bleached kraft paper recycled 100%)	3	1.4	0.25	18.10 %
TOTAL			1.4	100.00 %

3917612 (sold in CH)


# Climate Change - Transportation and Distribution



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Freight	4	4.92	336.24	100.00 %
TOTAL			336.24	100.00 %

3917612 (sold in CH)

# Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
End of life (bleached kraft paper recycled 100%)	5	4.92	2.84	100.00 %
TOTAL			2.84	100.00 %

# Contact us

Alexis Normand CEO

[www.greenly.earth](http://www.greenly.earth)