

## Material Data Sheet

## ACRYL CONVEX NAME BADGE WITH MAGNET



Art.-No.: 812319  
 Colour: transparent  
 Unit: 25 per pack  
 Unit EAN: 4005546889290

- Moulded convex acrylic name badge
- Convex shape securely holds the badge insert in place
- Double magnet ensures secure positioning
- Please note people with heart pacemakers should not use this badge.

Size: 40x75 mm (WxH)

### material information

name badge	PC (Polycarbonate)	
metal plate	steel (m. no. 1.0300), zinc plated	5
magnet	ABS (Acrylonitrile butadiene styrene), steel zinc plated	5
magnet	NdFeB magnet (neodymium-iron-boron), nickel plated	6
inlay	paper (190 g/m <sup>2</sup> )	

6 Nickel information: The surface is nickel-plated.

5 Nickel information: Nickel is low part of the steel alloy.

#### Information about REACH / SVHC candidate list:

No one of the listed substances in the actual candidate-list is used by the production of the raw materials or is knowingly added on, by confirmation of the suppliers of our raw-materials.

If this does not apply to a product part, you will find the exact substance information in the section material information.

The presence of ubiquity appearances cannot expected completely.

Neither the raw-materials, nor the manufactured articles are specially analysed of the existence of the SVHC candidate list substances.

#### DURABLE

Hunke & Jochheim GmbH & Co. KG  
 Westfalenstraße 77-79  
 D - 58636 Iserlohn  
 Phone +49 (0)2371 662-0  
 Fax: +49 (0)2371 662-221  
 Web: www.durable.de  
 Mail: durable@ durable.de

The statements contained herein are for informational purposes only and are true and accurate to the best of our scientific and technical knowledge. This information does not constitute a guarantee or warranty, express or implied, nor does it establish a legally valid contractual relationship. It is the customer's responsibility to determine the suitability of this product for the customer's intended use. DURABLE does not assume any liability for the customer's use of this product or the information contained herein.

