

Product Datasheet model pheos guard 9192 180



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics	* functional expansion of the successful Pheos range * winning combination of pheos spectacles, extra frame and headband * comfortable frame creates a close seal to protect from particle ingress and splashes. * Top choice for working environments with dust exposure
Technical details Frame Material Colour Material Colour	Frame PBT+PC black Foam Carrier PUR black

Material	Temples
Colour	POM/TPE black-grey
Manufacturer's ID code	Marking W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Conformity symbol	CE
Lens	
Material	PC
Thickness	2,1 mm
Coating	supravision extreme
Colour	clear
Filter	Marking 2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Headband	
Material	synthetic headband
Features	adjustable
Colour	grey-black

Miscellaneous	
Weight	39 g
Packing	4 spectacles per box 128 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170