

Butoject® 897+



APPLICATION

- › printing industry
- › laboratories
- › manufacturing of paints and varnishes
- › chemical industry
- › metal and plastics processing
- › recycling and waste disposal
- › cleaning and maintenance
- › fire brigades and forces

QUALITIES AND ADVANTAGES

- › very good protection against extremely aggressive chemicals
- › excellent wearing comfort
- › very good temperature flexibility
- › good mechanical resistance
- › high tightness against gas

Article no.	897+
Name	Butoject® 897+
Material	butyl
Description	rolled edge roughened, powdered
Length (mm)	350-370
Total thickness (mm)	0,47 ± 0,05
Colour	black
Size	7, 8, 9, 10, 11
Classification	category III    2000 BCI



FEATURES

- › AQL < 0,65
- ›  fulfills the requirements of the draft standard for EN 16350:2014-07 for protective gloves against electrostatic hazards: volume resistance $1 \times 10^8 \Omega$; test atmosphere: air temperature $(23 \pm 1)^\circ\text{C}$, relative humidity $(25 \pm 5)\%$; tested by the KCL laborator
- › excellent low degradation
- › good grip by distinct roughened surface
- › offers protection even when sensitivity is needed

www.kcl.de
sales@kcl.de



by Honeywell

KCL GmbH

Industriepark Rhoen
 Am Kreuzacker 9
 36124 Eichenzell
 Germany
 Phone +49 6659 87-300
 Fax +49 6659 87-318