HyFlex® 11-616

TECHNICAL DATASHEET

Multi-purpose Print date 23-08-2017

Glove material

- Polyurethane (Coating material)
- Nylon (Liner material)

Possible Harmful ingredients

Sensitizers

Natural rubber proteins

Only a very small number of users may be sensitised to this ingredient in the glove and hence may develop irritant and/or allergic contact reactions.

Reach Regulation 1907/2006


For more information, please consult the REACH statement on the Ansell website

Properties

- Superior comfort due to the absence of seams in the inside of the gloves
- Extreme flexibility and finger dexterity

EN Test Data

EN388:2003



European conformity

Gloves conform to the requirements of the European Directive 89/686/EEC and to the European standards EN 420:2003 + A1:2009 and EN 388:2003

They are categorised in "Intermediate Design" (= Protection against intermediate risks).

EC-Type Examination Certificate for the final product by Centexbel

Technologiepark 7 B-9052 Zwijnaarde

Application - Limitations of use

Hand protection - light duty applications.

Do not use against flames or temperatures < - 25°C or > 100°C

Do not use against chemicals; the glove is not liquidproof

Do not use for heavy duty mechanical applications

Storage

Keep away from sources of ozone or ignition. Keep out of direct sunlight; store in a cool and dry place.

Constr Gauge uction	Liner material	Coating material	Finishing	Cuff style	Colour	EN Size	Length mm	Packaging
Knitte 18 d	Nylon	Polyurethane	Palm coated	Knitwrist	Black and green/blue	6, 7, 8, 9, 10, 11	195 - 245	12 pairs in a bag; 12 bags in a carton

The length of the gloves is below the EN requirements for total minimum glove length. Hence, the glove is called 'Fit for special purpose'

