# **SAFETY DATA SHEET**

Harpic Power Plus Original



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	1.1	Prod	luct i	dentifier
------------------------	-----	------	--------	-----------

Ρ

roduct name	1	Harpic Power Plus Original

SDS #	 D8273114
Formulation #	 FF8266377

- Formulation # ÷.
- Product type Liquid. ÷

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Toilet cleaners (powder, liquid, gel, tablet) for consumer use

### 1.3 Details of the supplier of the safety data sheet **Supplier**

To be filled by local business.

### **Manufacturer**

Reckitt Benckiser Production (Poland) Sp z o.o. uL Okunin 1 05-100 Nowy Dwor, Mazowiecki, Poland +48 22 775 2051

e-mail address of person To be filled by local business. responsible for this SDS

### 1.4 Emergency telephone number National advisory body/Poison Center Telephone number : To be filled by local business.

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Met. Corr. 1, H290 Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 16 for the full text of the H statements declared above.

Date of issue/Date of revision : 19/07/2023 Date of previous issue 1/14

# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

D8273114

# **SECTION 2: Hazards identification**

See Section 11 for more detailed information on health effects and symptoms.

ŝ

2.2	Label	elements



		•
Signal word	:	Danger
Hazard statements	:	May be corrosive to metals. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.
Precautionary statements		
General	1	Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	:	Keep only in original packaging. Wash hands thoroughly after handling.
Response		IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	4	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	1	HYDROCHLORIC ACID
Supplemental label elements	:	Ingredient declaration: Per 100 g Product: 9 g Hydrochloric acid Contains less than 5% non-ionic, cationic and amphoteric surfactants Disinfectant Perfum
Special packaging requirem	en	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Yes, applicable.
Tactile warning of danger	1	Yes, applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	:	None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

: Mixture

# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

D8273114

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
YDROCHLORIC ACID	REACH #: 01-2119484862-27 EC: 231-595-7 CAS: 7647-01-0 Index: 017-002-01-X	<10	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335	Skin Corr. 1B, H314: $C \ge 25\%$ Skin Irrit. 2, H315: 10% $\le C < 25\%$ Eye Dam. 1, H318: $C \ge 25\%$ Eye Irrit. 2, H319: 10% $\le C < 25\%$ STOT SE 3, H335: $C \ge 10\%$	[1] [2]
Ethanol, 2,2'-iminobis-, N- tallow alkyl derivs.	REACH #: 01-2119510877-33 EC: 263-177-5 CAS: 61791-44-4	≤1.9	Acute Tox. 4, H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 500 mg/kg M [Acute] = 10 M [Chronic] = 1	[1]
TALLOWTRIMONIUM CHLORIDE	REACH #: 01-2119970170-45 EC: 232-447-4 CAS: 8030-78-2	≤0.56	Acute Tox. 4, H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 See Section 16 for the full text of the H statements declared	ATE [Oral] = 500 mg/kg M [Acute] = 10 M [Chronic] = 1	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

# SECTION 4: First aid measures

Skin contact	: Get medical attention immediately. Call a poison center or physician. Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/ Eye contact	<ul> <li>Adverse symptoms may include the following: pain watering redness</li> </ul>
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed.
	The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

# SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the	: This material is harmful to aquatic life with long lasting effects. Fire water
substance or mixture	contaminated with this material must be contained and prevented from being
	discharged to any waterway, sewer or drain.

# SECTION 5: Firefighting measures

Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.		
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.		
6.3 Methods and materials for	r c	ontainment and cleaning up		
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.		
Large spill	:	Stop leak if without risk. Move containers from spill area. Absorb spillage to prevent material damage. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.		
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.		

# SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a corrosion resistant container with a resistant inner liner. Store locked up. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

: Toilet cleaners (powder, liquid, gel, tablet) for consumer use

Recommendations Industrial sector specific solutions

# SECTION 8: Exposure controls/personal protection

: Not available.

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

### Occupational exposure limits

Product/ingredient name	Exposure limit values
HYDROCHLORIC ACID	EU OEL (Europe, 10/2019). Notes: list of indicative occupational exposure limit values TWA: 5 ppm 8 hours. TWA: 8 mg/m <sup>3</sup> 8 hours. STEL: 10 ppm 15 minutes. STEL: 15 mg/m <sup>3</sup> 15 minutes.
procedures European Stand assessment of values and mea atmospheres - of exposure to o (Workplace atm for the measure	uld be made to monitoring standards, such as the following: dard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit asurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 nospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be
DNELs/DMELs	

# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

D8273114

# **SECTION 8: Exposure controls/personal protection**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
HYDROCHLORIC ACID	DNEL	Long term Inhalation	8 mg/m³	General population	Local
	DNEL	Long term Inhalation	8 mg/m³	Workers	Local
	DNEL	Short term Inhalation	15 mg/m³	General population	Local
	DNEL	Short term Inhalation	15 mg/m³	Workers	Local

### **PNECs**

Product/ingredient name	Compartment Detail	Value	Method Detail
	Marine water	0.199 μg/l 0.02 μg/l 47.69 μg/kg wwt	Assessment Factors Assessment Factors Equilibrium Partitioning

### 8.2 Exposure controls

Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker
controis	exposure to airborne contaminants below any recommended or statutory limits.
Individual protection meas	<u>ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection	
Hand protection	<ul> <li>EN 16523-1:2015         Tested for protection against chemical permeation.         Low chemical resistant or waterproof gloves.         (EN 16523-1:2015 supersedes EN 374-3:2003)         EN 374-2:2003     </li> </ul>
	Tested for protection against liquid penetration and micro-organisms. EN 388:2003
	Tested for protection against mechanical risks (abrasion, blade cut resistance, tear resistance and puncture resistance).
	ISO 374-1:2016/Type A Protective glove with permeation resistance of at least 30 minutes each for at least 6 test chemicals.
	ISO 374-1:2016/Type B Protective glove with permeation resistance of at least 30 minutes each for at least 3 test chemicals. ISO 374-1:2016/Type C
	Protective glove with permeation resistance of at least 10 minutes for at least 1 test chemical. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted
	that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Date of issue/Date of revision	: 19/07/2023 Date of previous issue : 16/12/2022 Version : 2 7/14

## **SECTION 8: Exposure controls/personal protection**

Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

# 9.1 Information on basic physical and chemical properties <u>Appearance</u>

: Liquid. [Viscous]
: Blue. [Dark]
: Floral.
: Not relevant/applicable due to nature of the product.
: Not relevant/applicable due to nature of the product.
: Not relevant/applicable due to nature of the product.
: Not relevant/applicable due to nature of the product.
: Closed cup: >93.3°C (>199.9°F)
: Not relevant/applicable due to nature of the product.
: Not relevant/applicable due to nature of the product.
: 1.5 to 1.9 [Conc. (% w/w): 100%]
: Dynamic: 150 to 650 mPa⋅s
4 (A)
Result
Easily soluble

	INIEUIA	Result
	cold water	Easily soluble
	hot water	Easily soluble
Ρ	artition coefficient: n-octanol/ : I	Not relevant/applicable due to nature of the product.

water	
Vapor pressure	: Not determined
Density	: 1.03 to 1.05 g/cm³ [20°C (68°F)]
Vapor density	: Not relevant/applicable due to nature of the product.
Corrosivity	: >6.25 [aluminum]
Particle characteristics	
Median particle size	: Not relevant/applicable due to nature of the product.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
Conditions of instability	;	Do not use with any bleaches or other cleaning products.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	No specific data.
10.5 Incompatible materials	:	Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis metals
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
HYDROCHLORIC ACID	LC50 Inhalation Dusts and mists	Rabbit	46.5 mg/l	30 minutes

: Based on available data, the classification criteria are not met. **Conclusion/Summary** 

### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Harpic Power Plus Original_FF8266377 (D8273114) EU_GS99	40983.6	N/A	N/A	N/A	N/A
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. TALLOWTRIMONIUM CHLORIDE	500 500	N/A N/A	N/A N/A	N/A N/A	N/A N/A

### Irritation/Corrosion

Intration/Corrosion					
Product/ingredient name	Result	Species	Score	Exposure	Observation
HYDROCHLORIC ACID	Eyes - Mild irritant	Rabbit	-	0.5 minutes 5 mg	-
	Skin - Mild irritant	Human	-	24 hours 4 %	-
Conclusion/Summary	·				•
Skin	: Causes burns. Calculation method				
Eyes	: Calculation method Causes serious eye damage.				
Respiratory	: Calculation method May cause respiratory irritation.				
Sensitization					
Conclusion/Summary					
Skin	: Based on available data, the	classification c	riteria are	not met.	
Respiratory	: Based on available data, the	classification c	riteria are	e not met.	

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

Date of issue/Date of revision

**Mutagenicity** 

: 16/12/2022

# **SECTION 11: Toxicological information**

### **Carcinogenicity**

**Conclusion/Summary** : Based on available data, the classification criteria are not met. **Reproductive toxicity Conclusion/Summary** : Based on available data, the classification criteria are not met. **Teratogenicity Conclusion/Summary** : Based on available data, the classification criteria are not met. Specific target organ toxicity (single exposure) Т . -Cat .... . -

Product/ingredient name	Category	Route of exposure	Target organs
HYDROCHLORIC ACID	Category 3	-	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

### Information on the likely : Not available. routes of exposure

### Potential acute health effects

Eye contact	: Causes serious eye damage.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Causes severe burns.
Ingestion	: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

### Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
<u>Long term exposure</u>			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
Potential chronic health eff	ect	<u>s</u>	
Not available.			
Conclusion/Summary	:	Based on available data, the classification criteria are not met.	
Date of issue/Date of revision		: 19/07/2023 Date of previous issue : 16/12/2022	Versior

# **SECTION 11: Toxicological information**

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

### 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

**11.2.2 Other information** 

Not available.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
HYDROCHLORIC ACID	Acute LC50 240000 µg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
TALLOWTRIMONIUM CHLORIDE	Acute LC50 282 ppm Fresh water Acute LC50 80 μg/l Fresh water	Fish - Gambusia affinis - Adult Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours 96 hours

### 12.2 Persistence and degradability

Conclusion/Summary

: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### **12.3 Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
HYDROCHLORIC ACID	0.25	-	low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Not available.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### **13.1 Waste treatment methods**

Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.

### European waste catalogue (EWC)

Waste code	Waste designation
20 01 29*	detergents containing hazardous substances
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

For long distance transport of bulk material or shrunk pallet take into consideration sections 7 and 10.

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	UN1760	UN1760	UN1760	UN1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID, Ethanol, 2,2'- iminobis-, N-tallow alkyl derivs.)	CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID, Ethanol, 2,2'- iminobis-, N-tallow alkyl derivs.)	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid, Ethanol, 2,2'- iminobis-, N-tallow alkyl derivs.)	Corrosive liquid, n.o.s. (Hydrochloric acid, Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.)
14.3 Transport hazard class(es)	8	8	8	8
14.4 Packing group	11	11	11	11
14.5 Environmental hazards	No.	Yes.	No.	No.

Additional information

**ADR/RID** 

: <u>Hazard identification number</u> 80 <u>Limited quantity</u> 1 L <u>Special provisions</u> 274 <u>Tunnel code</u> (E)

# **SECTION 14: Transport information**

ADN	:	The product is only regulated as an environmentally hazardous substance when transported in tank vessels. <b>Special provisions</b> 274
IMDG	:	<u>Emergency schedules</u> F-A, S-B <u>Special provisions</u> 274
ΙΑΤΑ	:	<b>Quantity limitation</b> Passenger and Cargo Aircraft: 1 L. Packaging instructions: 851. Cargo Aircraft Only: 30 L. Packaging instructions: 855. Limited Quantities - Passenger Aircraft: 0.5 L. Packaging instructions: Y840. <b>Special provisions</b> A3
14.6 Special precautions for user	:	<b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
14.7 Maritime transport in bulk according to IMO instruments	:	Not available.

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

### **Annex XIV**

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : None. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

### **Other EU regulations**

Industrial emissions : Listed (integrated pollution prevention and control) -Air

Ozone depleting substances (1005/2009/EU)

Not listed.

### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

#### Persistent Organic Pollutants Not listed.

### **Seveso Directive**

This product is not controlled under the Seveso Directive.

# **15.2 Chemical Safety**

: No Chemical Safety Assessment has been carried out.

Assessment

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Met. Corr. 1, H290	On basis of test data.
Skin Corr. 1, H314	On basis of test data.
Eye Dam. 1, H318	On basis of test data.
Aquatic Chronic 3, H412	Calculation method

### Full text of abbreviated H statements

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Full text of classifications [CLP/GHS]

Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 1	AQUATIC HAZARD (LONG-TERM) - Category 1
Aquatic Chronic 3	AQUATIC HAZARD (LONG-TERM) - Category 3
Eye Dam. 1	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Met. Corr. 1	CORROSIVE TO METALS - Category 1
Skin Corr. 1	SKIN CORROSION/IRRITATION - Category 1
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) -
	Category 3
Date of printing :	19/07/2023

Date of printing	. 19/07/2023
Date of issue/ Date of revision	: 19/07/2023
Date of previous issue	: 16/12/2022
Version	: 2
Notice to reader	

### To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.