

**greenly**

2025-09-17

Lyreco LCA

# Life Cycle Assessment

*The methodology in this report is based on ISO 14040*

15536979 (sold in WI)

# Summary



**01** | Methodology



**02** | Results

# 01

## Methodology

# Environmental Impact Assessment

<p><b>Functional unit</b></p>	<p>The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). The functional unit of this analysis is "12 set(s) of bound pages of paper for the purpose of writing".</p>
<p><b>Impact Indicator</b></p>	<p>The impact is measured through the "IPCC 2013 GWP 100a" method.</p>
<p><b>Electricity impact calculation method</b></p>	<p>Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.</p>
<p><b>Hypothesis</b></p>	

# Environmental Impact Assessment

## System Boundaries

The scope of this research includes the complete lifecycle of a notebook from raw material extraction to disposal options for each material, which is the cradle-to-grave perspective.

## Exclusions


The impact of secondary packaging and writing utensils are excluded from this assessment.

# 02

## Results

15536979 (sold in WI)

# Climate Change



Step	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Raw Material Extraction and Processing	0.97	58.25 %
End-of-Life Treatment	0.33	19.75 %
Manufacturing	0.25	15.07 %
Transportation and Distribution	0.12	6.94 %
<b>TOTAL</b>	<b>1.66</b>	<b>100.00 %</b>

15536979 (sold in WI)

# Climate Change - Raw Material Extraction and Processing



● Sourcing of raw material (adhesive) ● Sourcing of raw material (coloured kraft paper)

Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Sourcing of raw material (coloured kraft paper)	2	0.84	935.55	96.52 %
Sourcing of raw material (adhesive)	1	6.18 · 10 <sup>-3</sup>	33.72	3.48 %


--	--	--	--	--

--	--	--	--	--

TOTAL			969.27	100.00 %
-------	--	--	--------	----------

15536979 (sold in WI)

# Climate Change - Manufacturing




Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Electricity usage during material transformation (coloured kraft paper)	4	0.3	213.66	85.23 %
Natural gas usage during material transformation (coloured kraft paper)	3	0.16	28.73	11.46 %
Electricity usage during material transformation (adhesive)	4	0.01	8.3	3.31 %
TOTAL			250.7	100.00 %



15536979 (sold in WI)

# Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
End of life (coloured kraft paper)	7	0.56	321.01	97.68 %
End of life (adhesive)	6	5.62 · 10 <sup>-3</sup>	7.61	2.32 %
TOTAL			328.62	100.00 %

# Contact us

Alexis Normand CEO

[www.greenly.earth](http://www.greenly.earth)