

**greenly**

2025-09-17

Lyreco LCA

# Life Cycle Assessment

*The methodology in this report is based on ISO 14040*

10059853 (sold in WI)

# Summary



**01** | Methodology



**02** | Results

# 01

## Methodology

# Environmental Impact Assessment

<p><b>Functional unit</b></p>	<p>The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). The functional unit of this analysis is "1 set(s) of bound pages of paper for the purpose of writing".</p>
<p><b>Impact Indicator</b></p>	<p>The impact is measured through the "IPCC 2013 GWP 100a" method.</p>
<p><b>Electricity impact calculation method</b></p>	<p>Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.</p>
<p><b>Hypothesis</b></p>	

# Environmental Impact Assessment

## System Boundaries

The scope of this research includes the complete lifecycle of a notebook from raw material extraction to disposal options for each material, which is the cradle-to-grave perspective.

## Exclusions


The impact of secondary packaging and writing utensils are excluded from this assessment.

# 02

## Results

10059853 (sold in WI)


# Climate Change



Step	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Raw Material Extraction and Processing	196.99	42.37 %
End-of-Life Treatment	144.01	30.98 %
Manufacturing	72.03	15.49 %
Transportation and Distribution	51.87	11.16 %
<b>TOTAL</b>	<b>464.9</b>	<b>100.00 %</b>

10059853 (sold in WI)

# Climate Change - Raw Material Extraction and Processing



● Sourcing of raw material (adhesive) ● Sourcing of raw material (bleached kraft paper)

Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Sourcing of raw material (bleached kraft paper)	1	0.37	182.22	92.50 %
Sourcing of raw material (adhesive)	2	2.71 · 10 <sup>-3</sup>	14.77	7.50 %

--	--	--	--	--

--	--	--	--	--

TOTAL			196.99	100.00 %
-------	--	--	--------	----------

10059853 (sold in WI)

# Climate Change - Manufacturing



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Electricity usage during material transformation (bleached kraft paper)	3	0.13	57.22	79.44 %
Natural gas usage during material transformation (bleached kraft paper)	4	0.07	12.59	17.48 %
Electricity usage during material transformation (adhesive)	3	5.03 · 10 <sup>-3</sup>	2.22	3.09 %
TOTAL			72.03	100.00 %

10059853 (sold in WI)


# Climate Change - Transportation and Distribution



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Freight	5	0.25	51.87	100.00 %
TOTAL			51.87	100.00 %

10059853 (sold in WI)

# Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
End of life (bleached kraft paper)	7	0.24	140.67	97.68 %
End of life (adhesive)	6	2.46 · 10 <sup>-3</sup>	3.33	2.32 %
TOTAL			144.01	100.00 %

# Contact us

Alexis Normand CEO

[www.greenly.earth](http://www.greenly.earth)