

LV-X320

Bright, compact and lightweight XGA projector designed for education and business.

The XGA portable projector that delivers bright images from a conveniently small and lightweight device. Reliable operation and easy maintenance make this a high-quality choice for budget-conscious buyers.



- Project sharp, high-quality images in classic XGA resolution (1024 x 768 pixels)
- Enjoy bright colours and deep blacks with 3,200 lumens and a 10,000:1 contrast ratio
- Experience sharp, detailed images thanks to the DLP™ panel
- Light and compact at just 2.5 kg for easy transport
- 1.1x manual zoom lens for flexible placement
- RJ-45 and MHL-compatible HDMI™ ports; support for 3D content via the DLP-Link system
- Vertical and horizontal keystone correction (+/-30°) keeps images true
- 6-axis colour adjustment and Screen Colour feature adapts to your environment
- Up to 6,000 hour lamp life plus 3-year replacement lamp warranty*
- Built-in 10W speaker and audio line out plus quiet operation at just 29dB

Product Range



LV-WX300



LV-X320




LV-X300

LV-WX320
LV-WX300
LV-X320
LV-X300
LV-WX300ST
LV-X300ST
LV-S300

*Varies by country. Product needs to be registered within 60 days.

Technical Specifications

PANEL		PORTS AND CONNECTORS	
Type	1-Chip DLP	Digital RGB / Digital Video / MHL	HDMI™ V1.3 (with Deep Colour), MHL Input
Size and Number	0.55" diagonal x 1	Analogue RGB Input 1	Mini D-Sub 15-pin
Aspect Ratio	4:3	Analogue RGB Input 2	Mini D-Sub 15-pin
Native Resolution	1024 x 768 (XGA), 786,432 pixels	S Video input	Mini-Din4
OPTICS		Audio Input 1	3.5 mm stereo mini-jack
Lamp Type	210W Super High Pressure Mercury Lamp	Audio Output	3.5 mm stereo mini-jack (variable level)
Lens F Number and Focal Length	F2.56 – F2.68; f=22 – 24.1 mm	USB Port	Service port USB Type B
Zoom Magnification and Control	1.1x Manual	Projector Control	RS-232C Mini D-Sub 9-pin
Focus Control	Manual	LAN Network Port	RJ-45 (100BASE-TX / 10BASE-T)
Lens Shift	Vertical: 60%, Fixed	MECHANISMS	
Lamp Life	4000 (Normal), 6000 (Eco)	Elevation Mechanism	One front, one rear rotary foot, 6° maximum image elevation
IMAGE AND AUDIO		RATINGS	
Brightness	3200 lumens / 2550 lumens	Dimensions (W x H x D)	282 mm x 114.5 mm x 232 mm (Including protrusions)
Brightness Uniformity	80%	Weight	2.5 kg (5.5 lbs)
Contrast Ratio	10,000:1 (full on / full off)	Power Source	100V - 240V AC, 50/60Hz
Projection Distance Coverage	2.38 m – 7.87 m	Power Consumption	Normal Mode: 350W / Eco Mode: 240W / Standby: 3W / Standby (LAN off): 0.5W
Screen Size	60" - 180" (122 cm x 91 cm - 366 cm x 274 cm)	Noise Level	Normal Mode: 36dBA / Eco Mode: 29dBA
Projection Ratio	1.96 - 2.15:1	Operating Environment	0°C to +40°C
Digital Zoom Magnification	2x	Storage Environment	-10°C to +60°C
Keystone Correction Range	Vertical: +/-30° Horizontal: +/-30°	Warranty	3 years
Digital RGB Compatibility	UXGA / WXGA+ / SXGA+ / FWXGA / WXGA / SXGA / XGA / SVGA / VGA	All data is based on Canon standard testing methods except where indicated. Subject to change without notice.	
Analogue RGB Compatibility	UXGA / SXGA+ / WXGA+ / FWXGA / WXGA / SXGA / XGA / SVGA / VGA / MAC		
Digital Video Scan Systems	1080p / 1080i / 720p / 576p / 480p		
MHL Input	1080p / 1080i / 720p / 576p / 576i / 480p / 480i		
Component Video Scan Systems	1080p / 1080i / 720p / 576p / 576i / 480p / 480i		
Video / S-Video Colour Systems	PAL / PAL-M / PAL-N / NTSC / NTSC4.43 / SECAM / Pal-60		
3D content	HDMI using DLP-Link: Frame Sequential / Frame Packing / Top-Bottom / Side-By-Side		
Built-in Speaker	10W RMS, Monaural		



- 1 USB type B: Service port
- 2 RJ-45: Network connection (100BASE-TX / 10BASE-T)
- 3 HDMI: HDMI input
- 4 Mini Dsub 15 x2: Analog PC input / Component video input
- 5 Dsub9: RS232C connection
- 6 RCA: Video input
- 7 Mini DIN4: S-video input
- 8 Mini jack x2: Audio input x1, Audio output x1

LV-X320

Bright, compact and lightweight XGA projector designed for education and business.

The XGA portable projector that delivers bright images from a conveniently small and lightweight device. Reliable operation and easy maintenance make this a high-quality choice for budget-conscious buyers.



Sales Start Date: October 2015


Product Details:

Product Name	Mercury Code	EAN Code
Multimedia Projector LV-X320	0910C003AA	4549292047448

Optional Accessories:

Product Name	Mercury Code	EAN Code
Remote Controller LV-RC08	0029C001AA	4549292024203
Projector Lamp LV-LP38	0031C001AA	4549292024234

Image Size (4:3)	Diagonal (inches)	60	70	80	90	100	120	150	180
	Width (m)		1.22	1.42	1.63	1.83	2.03	2.44	3.05
	Height (m)		0.91	1.07	1.22	1.37	1.52	1.83	2.29
Projection Distance	Wide (m)		2.4	2.8	3.2	3.6	4	4.8	6
	Telephoto (m)		2.6	3.1	3.5	3.9	4.4	5.2	6.6



LV-X320

Bright, compact and lightweight XGA projector designed for education and business.

The XGA portable projector that delivers bright images from a conveniently small and lightweight device. Reliable operation and easy maintenance make this a high-quality choice for budget-conscious buyers.



Measurement / Logistic Information:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Net Weight (kg)	Gross Weight (kg)
Multimedia Projector LV-X320	0910C003AA	EA	Each	1	232	282	115	2.4	
		CT	Carton	1	377	185	345		3.4
		EP	Euro Pallet						

What's in the box?

- Multimedia Projector LV-X320
- Remote Control
- Battery
- AC Mains Power Cable
- Computer Connection Cable
- Instruction Manual on CD-ROM
- Important Information and Quick Start Document
- European Warranty Document