A4 COLOUR MULTI-FUNCTION PRINTERS IDEAL FOR SMALL AND MEDIUM SIZED OFFICES

i-SENSYS MF640 series Multi-function colour printers that are durable, reliable and fast. Extensive mobile connectivity options maximise productivity















Mobile connectivity

The Canon i-SENSYS MF640 Series is optimised to make printing simple and efficient no matter where the user is. The Canon PRINT Business app enables users to print wirelessly from smartphones and tablets while compatibility with Apple AirPrint and Mopria for Android means fast access without the need to download any additional apps.

Security and control

The printers' Universal Login Manager (MF645Cx only) allows the owner or administrator to control access to the printer through user authentication, enabling staff to ensure the privacy of documents. It manages permissions too so they can track who prints what and when, saving money by reducing unnecessary printing. The Secure PIN function restricts people from viewing or printing sensitive documents.

Customisation

The Canon i-SENSYS MF640 range features an Application Library designed to further increase efficiency. On-screen buttons automate and speed up everyday tasks like printing stored forms, scanning to email and copying documents with a single tap of a button. Application Library allows for the standby display to be customised and has been upgraded on the MF640 Series to include five useful new application functions.

Workflow efficiency

Ambitious businesses demand products that are not just robust and reliable but are also fast, easy to operate and highly productive. The Canon i-SENSYS MF640 Series has efficiency at its core, delivering up to 21 printed pages in A4 (MF645Cx and MF643Cdw). The easy-to-use large colour screen makes operations simple, while single pass double-sided scanning saves time scanning both sides simultaneously (MF645Cx only).



RANGE FEATURE STEP UP CHART







MF641Cw

MF643Cdw

MF645Cx

Fax			•
A4 print speed	18ppm	21ppm	21ppm
Display	12.7cm colour touch screen	12.7cm colour touch screen	12.7cm colour touch screen
Secure PIN print	•	•	•
Automatic duplex printing		•	•
Universal Login Manager/uniFLOW compatibility			•
Application Library	•	•	•
Single pass duplex scan			•

OPTIONAL ACCESSORIES

Telephone 6 Kit

- (Available on MF645Cx)
 - Optional telephone hand set for fax function

Barcode Printing Kit-E1E (available on MF645Cx)

 Installs bar code fonts for bar code printing. This kit, which is delivered electronically, includes a license access certificate for activation

Send PDF Security Feature Set-E1 (Available on MF645Cx)

 Send encrypted PDF and add digital device signature to PDF files. This kit, which is delivered electronically, includes a license access certificate for activation.



TECHNICAL SPECIFICATIONS

i-SENSYS MF640 Series

Machine type Colour Laser All-In-One Media sizes Cassette :
A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, Available functions MF641Cw/MF643Cdw: Print, Copy and Scan M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COM10, DL C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 216 x 355.6 mm. MF645Cx: Print, Copy, Scan and Fa PRINTER Print speed MF641Cw: Single sided:Up to 18 ppm (A4),Up to 38 ppm (A5-Landscape) MF643Cdw/MF645Cx: Single sided :Up to 21 ppm (A4), Up to 38 ppm(A5-Landscape) A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COMIO, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 216 x 355.6 mm. ADF (MF643Cd/W/MF645Cx only):

44, A5, B5, Legal, Letter, Statement, Custom sizes: Min. 128 x 139.7 mm Max 215.9 x Double sided: Up to 12.7 ipm (A4)
Colour laser beam printing
600 x 600 dpi
Up to 1200 x 1200 dpi Printing method Print resolution Print quality with Image Refinement 355.6 mm Cassette: 60 to 163 g/m² (Up to 200 g/m² with Glossy paper) Technology Warm-up time First Print Out Time Media weights Approx. 13 seconds or less from power on Colour approx.: 10.5 seconds or less Cassette: 60 to 163 g/m* (up to 200 g/m* witt Multi-purpose tray: 60 to 163 g/m² (Up to 200 g/m² with Glossy paper)

ADF: 50 to 105 g/m² (MF643Cdw/MF645Cx)
MF643Cdw/MF645Cx: Colour approx.: 10.5 seconds or less
MF641Cw: UFRII
MF645Cdw: UFRII, PCL 5c!, PCL6
MF645Cdw: UFRII, PCL 5c!, PCL6, Adobe* PostScript
MF645Cdw: JFRII, PCL 5c!, PCL6, Adobe* PostScript
MF645Cdw: 45 PCL fonts
MF645Cdw: 35 PCL fonts
136 PostScript fonts
5 mm-top, bottom, left and right
10 mm-top, bottom, left and right (Envelope)
Yes Printer languages Double sided printing Automatic Cassette:
A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K
Custom size - Min. 182 x 257 mm Max. 215.9 x 355.6 mm
60 to 200 g/m² Fonts Print margins USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T,
Wireless B02.1lb/g/n, Wireless Direct Connection
Windows* 10.7 Windows* 3.1 / Windows* 7.7 Server* 2016 /
Server* 201827 / Server* 2012 / Server* 2008R2 / Server* 2016 /
Server* 201827 / Server* 2012 / Server* 2008R2 / Server* 2018 /
Mac OS X version 10.9.5 & up / Mac OS 10.14 & up Linux*
Print: LPD, RAW, WSD-Print (IPV-II)PV6, IPP, IPPS
Scan: Email, SMB, WSD-Scan(IPV4, IPV6), FTP-Scan, IFAX
TCP/IP Application Services:
Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPV4,IPV6)
DHCP, ARP+PING, Auto IP, WINS (IPV4)
DHCPV6 (IPV6)
Management:SMNPV1, SNMPV3 (IPV4,IPV6)
Security (wired):
IP/Mac address filtering, IEEE802.1X, SNMPV3, SSL (HTTPS, IPPS)
Security (wireless):
Infrastructure Mode:
WEPC64/128 bity, WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES)
Access Point Mode: INTERFACE & SOFTWARE Toner saver mode Advanced printing features Yes MF641Cw/MF643Cdw: MF64ICW/MF64S.COW:
Secure Print, Print from USB memory key (JPEG/TIFF/PDF)
Google Cloud Print Ready
iOS: AirPrint, Canon PRINT Business app Operating System compatibility Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app MF645Cx: Secure Print, Print from USB memory key (JPEG/TIFF/PDF) Barcode Print', Google Cloud Print Ready IOS: AliPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app COPIER MF641Cw: Single sided (A4): Up to 18 ppm MF643Cdw/MF645Cx: Single sided (A4): Up to 21 ppm Double sided (A4): Up to 12.7 ppm Copy speed Double sided (A4): Up to 12.7 ppm
MF641Cw:
Platen (A4):
Colour Approx. 13.4 seconds or less, Mono Approx. 11.4 seconds or less
MF643Cdw/MF645Cx:
ADF (A4):
Colour Approx. 13.4 seconds or less, Mono Approx. 11.4 seconds or less
Platen (A4):
Colour Approx. 14.5 seconds or less, Mono Approx. 12.3 seconds or less
Colour Approx. 14.5 seconds or less, Mono Approx. 12.3 seconds or less First Copy Output Time (FCOT) Software and printer management MF Scan Utility,
Remote User Interface (RUI),
Department ID Management,
Toner Status Tool,
IW Management Console: Server-based software for centralised management of a fleet
of devices Platen (A4):
Colour Approx. 14.5 seconds or less, Mono Approx. 12.3 seconds or less
Up to 600 x 600 dpi
Text/Photo/Map (Default),Text/Photo/Map (quality),
Printed Image, Text
MF643Cdw: r-sided to 2-sided (Automatic), MF645Cx: 2-sided to 2-sided (Automatic) of devices
eMaintenance: embedded RDS allows remote eMaintenance services such as meter
capture, automatic consumables management and remote diagnostics.
Application Library
MF645Cx:
MF Scan Utility,
Remote User Interface (RUI),
Department ID Management,
Toner Status Tool, Copy resolution Copy modes Double sided copying Multiple copy Reduction / Enlargement Up to 999 copies 25-400% in 1% increments Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy Other features Department to management.
Toner Status Tool,
IW Management Console: Server-based software for centralised management of a fleet SCANNER Type Scan resolution Scan speed lour tical: Up to 600 x 600 dpi , Enhanced: Up to 9600 x 9600 dpi or devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Universal Log-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW Mono: 27ipm (300x600dpi), Colour: 14ipm (300x600dpi) MF643Cdw Single sided mono: 27ipm (300x600dpi), Single sided colour: 14ipm (300x600dpi) MF645Cx: Compatibility Application Library Rindedux: Single sided mono: 27ipm (300x600dpi), Single sided colour: 14ipm (300x600dpi) Double sided mono: 47ipm (300x600dpi), Double sided colour: 27ipm (300x600dpi) 24 bit/24 bit (input/output) 256 levels TWAIN, WIA, ICA GENERAL FEATURES
Recommended Monthly Print Volume 250 - 2,500 pages per month Max. 30,000 pages per month? 800MHz × 2 1GB 12,7 cm LCD Colour Touch Screen MF641Cw: 451 mm x 460 mm x 360 mm Colour scanning depth Greyscales Compatibility Recommended Monthly Duty cycle Processor Speed Memory Control panel Dimensions with trays Max. scan width Scan to E-mail 216mm MF641Cw/MF643Cdw: TIFF/JPEG/PDF/Compact PDF/ 12.7 cm LCD Colour Touch Screen
MF641Cw: 451 mm x 460 mm x 350 mm
MF643Cdw:/MF645Cx: 451 mm x 460 mm x 413 mm
MF643Cdw:/MF645Cx: 451 mm x 1,210 mm x 789 mm
MF643Cdw:/MF645Cx: 651 mm x 1,210 mm x 789 mm
MF643Cdw:/MF645Cx: 651 mm x 1,210 mm x 789 mm
MF641Cw: Approx. 18,9 kg
MF643Cdw:/MF645Cx: Approx. 2,2.6 kg
Temperature: 10 to 30°C 650 to 86°F)
Humidity: 20 to 80% RH (no condensation)
220-240Vci(19%) 50/66Dt 2;42
Maximum: Approx. 850 W
Active printing: Approx. 370W
Standby: Approx. 11.0 W
Sleep mode: Approx. 0.8 W
Typical Electricity Consumption (TEC):
i=SENSYS MF643Cdw = 0.5 kWh/week¹⁸
i=SENSYS MF643Cdw = 0.5 kWh/week¹⁸
i=SENSYS MF643Cdw | MF645Cx = 0.6 kWh/week¹⁸ Dimensio... (W x D x H) Installation space Searchable PDF
MF645Cx: TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF³/PDF (Digital signature)¹
MF641CW/MF643Cdw. TIFF/JPEG/PDF/Compact PDF/
Searchable PDF
MF645Cx: TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF¹/PDF Scan to PC (W x D x H) Operating environment (Digital signature)³ MF641Cw/MF643Cdw: TIFF/JPEG/PDF/Compact PDF/ Scan to USB memory key Power Source Power Consumption Searchable PDF ME645Cx: TIEE/JPEG/PDE/Compact PDE/Searchable PDE/Encrypted PDE³/PDE (Digital signature)³ MF641Cw/MF643Cdw: TIFF/JPEG/PDF/Compact PDF/ Scan to FTP Searchable PDF MF645Cx: TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF³/PDF (Digital signature)³ TIFF/JPEG/PDF/PNG⁴ MF645Cx: ITU-T.37 i-SENSYS MF643Cdw / MF645Cx = 0.6 kWh/week*
For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx
MF64ICw:
Sound Pressure*:
Active: 49 dB, Standby: Inaudible
Sound Power*:
Active: 64dB or less, Standby: Inaudible
MF643Cdw/MF645Cx:
Sound Pressure*:
Active: Simplex 51 dB / Duplex 50 dB, Standby: Inaudible
Sound Pressure*:
Active: Simplex 51 dB / Duplex 50 dB, Standby: Inaudible
Sound Power*: Scan to Cloud MF64SCX:110-1.37

MF64SCX:0NLY

33.6 Kbps (Up to 3 seconds/page*)
Fax only, Fax/Fel Auto Switch, Answer Mode, Manual
Standard: 200 x 100 dp, Fine: 200 x 200 dpi
Super fine: 200 x 400 dpi, Ultra fine: 400 x 400 dpi
Up to 512 pages*
Up to 281 dials
Max. 299 dials / Max. 299 destinations
Max. 310 destinations
Permanent fax memory backup (Backup with flash memory)
Yes (Transmit and Receive)
Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto
Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management
Reports FAX Modem speed Receive mode Fax resolution Noise Levels FAX memory Speed dials Group dials/destinations Sequential broadcast Memory backup Double sided faxing Other features CONSUMABLES Cartridge 054 Black (1.500 pages 9)10 Cartridge 054 H Black (3,100 pa MEDIA HANDLING Cartridge 054 P Gartridge 054 Cyan (1,200 pages °)¹⁰ Cartridge 054 H Cyan (2,300 pages °)¹⁰ Cartridge 054 Magenta (1,200 pages °)¹⁰ MF641Cw: Platen MF643Cdw: Platen, ADF MF645Cx: Platen, 2-sided ADF (single pass) MF641Cw: 250-sheet cassette Cartridge 054 H Magenta (2,300 pages 9)1 Paper input (Standard) Cartridge 054 Yellow (1,200 pages ⁹)¹⁰ Cartridge 054 H Yellow (2,300 pages ⁹)¹⁰ 1-sheet manual feed slot

Paper input (Option)

ME643Cdw/ME645Cv: 250-shoot cassotte

100-sheet Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Glossy paper Label, Post card, Envelope

ACCESSORIES/OPTIONS

MF645Cx: TEL 6 Kit Long Cord (Telephone handset)

Barcode Printing Kit-E1E MiCard Attachment Kit-B1 Send PDF Security Feature Set-E1

Send PDF Security Feature Set-E1

Commands supported only. Third party driver or direct printing from application required.
Accessory - Barcode Printing Kit-E1E - is required
Accessory - Send PDF Security Feature Set-E1 is required
Accessory - Send PDF Security Feature Set-E1 is required
Scan by MF Scan Utility or Canon PRINT Business
Based on ITU-T Standard Chart No. 1

Web distribution only. Linux support printing only.
Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
duty cycle may decrease the life of the produce with ISO 9296
Based on ISO/IEC 1979 accordance with ISO 9296
Printer ships with Black 1.500 pages, C/M/Y: 680 pages starter cartridges
As per US ENERGY STAR* version 2.0.

Canon

COLOUR MULTI-FUNCTION PRINTERS IDEAL FOR SMALL AND MEDIUM SIZED OFFICES

Multi-function colour printers that are durable, reliable and fast. Extensive mobile connectivity options maximise productivity



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF641Cw	3102C037AA	8714574661988
i-SENSYS MF643Cdw	3102C035AA	8714574661964
i-SENSYS MF645Cx	3102C026AA	8714574661872

ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
MiCard Attachment kit-B1	5146B002AA	4549292027235
Barcode Printing Kit-E1E	5143B002AA	N/A (e-delivery)
Send PDF Security Feature Set-E1	9594B002AA	N/A (e-delivery)
Telephone 6 Kit EU (CW)	0752A054AA	4960999453910
Telephone 6 Kit UK (CW)	0752A053AA	4960999453897
Telephone 6 Kit SA (CW)	O752AO55AA	4960999453927

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 054 Black	3024C002AA	4549292124453
Cartridge 054 H Black	3028C002AA	4549292124576
Cartridge 054 Yellow	3021C002AA	4549292124361
Cartridge 054 H Yellow	3025C002AA	4549292124484
Cartridge 054 Magenta	3022C002AA	4549292124392
Cartridge 054 H Magenta	3026C002AA	4549292124514
Cartridge 054 Cyan	3023C002AA	4549292124422
Cartridge 054 H Cyan	3027C002AA	4549292124545

Canon Ireland 3006 Lake Drive Citywest, Saggart Co. Dublin, Ireland Telephone No: 01 2052400

Facsimile No: 01 2052525

canon.ie

Canon (UK) Ltd

Woodhatch Reigate Surrey RH2 8BF Telephone No: 01737 220000

Facsimile No: 01737 220022

canon.co.uk

Canon Inc. canon.com Canon Europe canon-europe.com

English edition © Canon Europa N.V.,2019

