

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date: 4/24/2019 Revision date: 8/31/2020 Supersedes version of: 4/15/2020 Version: 12.3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : TIPP-EX® RAPID  
UFI : WCMR-FK0Q-000T-Y67M  
Product code : WQ-7

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Use of the substance/mixture : Correction fluid

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

SOCIETE BIC  
14, Rue Jeanne d'Asnières  
92611 CLICHY Cédex  
T +33 01 45 19 52 00 - F +33 01 45 19 52 99  
[Bic.Contact@bicworld.com](mailto:Bic.Contact@bicworld.com)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225  
Skin Irrit. 2 H315  
Skin Sens. 1 H317  
STOT SE 3 H336  
Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Vapours may cause drowsiness and dizziness.  
Toxic to aquatic life with long lasting effects.

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Contains

Hazard statements (CLP)

Precautionary statements (CLP)

Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP)



Signal word (CLP)

Hazardous ingredients

Hazard statements (CLP)

Precautionary statements (CLP)

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium dioxide substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (REACH-no) 01-2119489379-17	< 50	Not classified
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	(EC-No.) 927-510-4 (REACH-no) 01-2119475133-43	30 - 40	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hydrocarbons, C7-C9, isoalkanes	(EC-No.) 921-728-3 (REACH-no) 01-2119471305-42	5 – 10	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Fatty acids, C18-unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine	(CAS-No.) 162627-17-0 (EC-No.) 605-296-0 (REACH-no) 01-2119970640-38	0,5 - 1	Skin Sens. 1A, H317
1-methoxy-2-propanol substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB, IE, MT)	(CAS-No.) 107-98-2 (EC-No.) 203-539-1 (EC Index-No.) 603-064-00-3 (REACH-no) 01-2119457435-35	< 0,5	Flam. Liq. 3, H226 STOT SE 3, H336
Stoddard solvent (Note P)	(CAS-No.) 8052-41-3 (EC-No.) 232-489-3 (EC Index-No.) 649-345-00-4	< 0,5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
2-butanone oxime substance with national workplace exposure limit(s) (IE)	(CAS-No.) 96-29-7 (EC-No.) 202-496-6 (EC Index-No.) 616-014-00-0	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 1, H370 STOT SE 3, H336 STOT RE 2, H373
carbon black substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 1333-86-4 (EC-No.) 215-609-9 (REACH-no) 01-2119384822-32	< 0,1	Not classified
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) substance with a Community workplace exposure limit	(EC-No.) 919-446-0 (REACH-no) 01-2119458049	< 0,01	Flam. Liq. 3, H226 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Note P : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If the person feels unwell : Call a POISON CENTER/doctor.
First-aid measures after skin contact	: Take off contaminated clothing and wash it before reuse. Wash immediately with plenty of soap and water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. If irritation persists, consult an eye specialist.
First-aid measures after ingestion	: Do not induce vomiting. Seek medical advice (show the label where possible).

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Drowsiness. Giddiness.
Symptoms/effects after skin contact	: Irritation. Redness. Pain. May cause an allergic skin reaction.

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Powder. Carbon dioxide (CO<sub>2</sub>).

### 5.2. Special hazards arising from the substance or mixture

Explosion hazard : The vapours are denser than air and may travel along the ground. Distance ignition possible.

Hazardous decomposition products in case of fire : On heating or during combustion : Toxic vapours may be released. Carbon oxides (CO, CO<sub>2</sub>). Various hydrocarbon fragments.

### 5.3. Advice for firefighters

Precautionary measures fire : Evacuate the danger area. Cool down the containers exposed to heat with a water spray. Contain the extinguishing fluids by bunding (the product is hazardous for the environment).

Protection of fire-fighters : Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes. Do not breathe smoke. No flames, no sparks. Eliminate all sources of ignition. Do not smoke. In case of important spillage : Mark out the contaminated area with signs and prevent access to unauthorized personnel. Prevent the product from entering drains or confined areas. Ventilate spillage area. Stop leak if safe to do so. Use only non-sparking tools.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Contain the spilled material by bunding (product is hazardous for the environment). Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spillage with: inert absorbent material. Sand/earth.

Methods for cleaning up : Sweep up or vacuum up the product.

Other information : Dispose of contaminated materials in accordance with current regulations.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Vapour exhaust preferably at emission point. Use explosion-proof equipment. Use non-sparking tools. Avoid contact with skin and eyes. Do not breathe smoke. No flames, no sparks. Eliminate all sources of ignition. Smoking is forbidden. Take precautionary measures against static discharges. Do not overheat the product.

Hygiene measures : Do not drink, eat or smoke in the workplace. Always wash hands after handling the product.

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: The floor of the depot must be impermeable, non-combustible and designed to form a basin, in order that stored flammable liquids should not, under any circumstances, be released outside. Ground/bond container and receiving equipment.
Storage conditions	: Store in a cool, well-ventilated place. Keep container tightly closed. Avoid ignition sources. Keep away from naked flames/heat.
Incompatible materials	: Strong oxidizing agents. Oxidizing materials.
Packaging materials	: Store in original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Titanium dioxide (13463-67-7)

##### Ireland - Occupational Exposure Limits

Local name	Titanium dioxide
OEL (8 hours ref) (mg/m³)	10 mg/m³ total inhalable dust 4 mg/m³ respirable dust
Regulatory reference	Chemical Agents Code of Practice 2020

##### United Kingdom - Occupational Exposure Limits

Local name	Titanium dioxide
WEL TWA (mg/m³)	4 mg/m³ respirable 10 mg/m³ total inhalable
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 2-butanone oxime (96-29-7)

##### Ireland - Occupational Exposure Limits

Local name	Methyl ethyl ketoxime
OEL (8 hours ref) (mg/m³)	10 mg/m³
OEL (8 hours ref) (ppm)	3 ppm
OEL (15 min ref) (mg/m³)	33 mg/m³
OEL (15 min ref) (ppm)	10 ppm
Notes (IE)	Sens. (In the workplace respiratory or dermal exposures to sensitising agents may occur. Sensitizers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The notation does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitizers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE))
Regulatory reference	Chemical Agents Code of Practice 2020

#### Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

##### EU - Occupational Exposure Limits

Local name	White spirit Type 1
IOELV TWA (mg/m³)	116 mg/m³

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

IOELV TWA (ppm)	20 ppm
IOELV STEL (mg/m³)	290 mg/m³
IOELV STEL (ppm)	50 ppm
Notes	Skin. (Year of adoption 2007)
Regulatory reference	SCOEL Recommendations

### carbon black (1333-86-4)

#### Ireland - Occupational Exposure Limits

Local name	Carbon black
OEL (8 hours ref) (mg/m³)	3 mg/m³ I (Inhalable Fraction)
OEL (15 min ref) (mg/m³)	7 mg/m³
Regulatory reference	Chemical Agents Code of Practice 2020

#### United Kingdom - Occupational Exposure Limits

Local name	Carbon black
WEL TWA (mg/m³)	3.5 mg/m³
WEL STEL (mg/m³)	7 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 1-methoxy-2-propanol (107-98-2)

#### EU - Occupational Exposure Limits

Local name	1-Methoxypropanol-2
IOELV TWA (mg/m³)	375 mg/m³
IOELV TWA (ppm)	100 ppm
IOELV STEL (mg/m³)	568 mg/m³
IOELV STEL (ppm)	150 ppm
Notes	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

#### Ireland - Occupational Exposure Limits

Local name	Propylene glycol monomethyl ether [1-Methoxypropan-2-ol]
OEL (8 hours ref) (mg/m³)	375 mg/m³
OEL (8 hours ref) (ppm)	100 ppm
OEL (15 min ref) (mg/m³)	568 mg/m³
OEL (15 min ref) (ppm)	150 ppm
Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2020

#### Malta - Occupational Exposure Limits

Local name	1-Methoxypropanol-2
OEL TWA (mg/m³)	375 mg/m³
OEL TWA (ppm)	100 ppm
OEL STEL (mg/m³)	568 mg/m³
OEL STEL (ppm)	150 ppm

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 1-methoxy-2-propanol (107-98-2)

Remark (MT)	Skin # Gilda
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.57 of 2018)
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	1-Methoxypropan-2-ol
WEL TWA (mg/m³)	375 mg/m³
WEL TWA (ppm)	100 ppm
WEL STEL (mg/m³)	560 mg/m³
WEL STEL (ppm)	150 ppm
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Extraction to remove vapours at their source.

#### Hand protection:

Nitrile-rubber protective gloves. Protective gloves made of PVA. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. Breakthrough time : refer to the recommendations of the supplier

#### Eye protection:

Safety glasses

#### Respiratory protection:

If vapour is released : Aerosol filter type A

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white.
Odour	: Solvent.
Odour threshold	: No data available
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 94 – 98 °C (Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)
Flash point	: < 0 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.16 g/cm³
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 189.3 mm²/s
Viscosity, dynamic	: 220 cP (NF EN ISO 2884-2)

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive properties	: No data available
Oxidising properties	: Non oxidizing.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable liquid and vapour.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

Flammable or explosive vapour/air mixtures may be formed.

### 10.4. Conditions to avoid

Heat. Sparks. Open flame. Ignition sources.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong reducing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

#### Hydrocarbons, C7-C9, isoalkanes

LD50 oral rat	> 7000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (ppm)	> 5.04 ppm/4h

#### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	3160 mg/kg
LC50 inhalation rat (mg/l)	> 12 mg/l/6h

#### Titanium dioxide (13463-67-7)

LD50 oral rat	> 5000 mg/kg (OECD 425 method)
LD50 dermal rabbit	> 10000 mg/kg
LC50 inhalation rat (mg/l)	> 3.56 mg/l/4h



# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 1-methoxy-2-propanol (107-98-2)

LD50 oral rat	3503 – 4915 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (ppm)	> 7000 ppm (6 Hours)

Skin corrosion/irritation	: Causes skin irritation. pH: Not applicable
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified. (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified. (Based on available data, the classification criteria are not met)
Additional information	: Titanium dioxide (powder) is listed as being potentially carcinogenic (group 2B) by the IARC, based on studies on animals However, studies on human epidemiology do not suggest links between the occupational exposure to titanium dioxide and the risk of cancer
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

### TIPP-EX® RAPID

Viscosity, kinematic	189.3 mm²/s
----------------------	-------------

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Not rapidly degradable	

### Hydrocarbons, C7-C9, isoalkanes

LC50 fish 1	8.3 mg/l/96h (Pimephales promelas)
-------------	------------------------------------

### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

EC50 Daphnia	2.6 mg/l
--------------	----------

### 1-methoxy-2-propanol (107-98-2)

LC50 fish 1	≥ 1000 mg/l/96h (Oncorhynchus mykiss)
ErC50 (algae)	> 1000 mg/l (7 days) (Pseudokirchneriella subcapitata)

### 12.2. Persistence and degradability

### TIPP-EX® RAPID

Persistence and degradability	Mixture based on substances which are not readily biodegradable.
-------------------------------	--

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 1-methoxy-2-propanol (107-98-2)

Persistence and degradability	96 % biodegradation (28 days). Readily biodegradable.
-------------------------------	---

### 12.3. Bioaccumulative potential

#### 1-methoxy-2-propanol (107-98-2)

Partition coefficient n-octanol/water (Log Pow)	< 1
Bioaccumulative potential	Not potentially bioaccumulable.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Component

Hydrocarbons, C7-C9, isoalkanes ()	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
Titanium dioxide (13463-67-7)	PBT: not relevant – no registration required vPvB: not relevant – no registration required Not applicable.
Stoddard solvent (8052-41-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics ()	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
Fatty acids, C18-unsatd., dimers, reaction products with N.N-dimethyl-1,3-propanediamine and 1,3-propanediamine (162627-17-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1-methoxy-2-propanol (107-98-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations. Destroy at an authorised site.

Additional information : The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

## SECTION 14: Transport information

In accordance with ADR / IATA / IMDG

ADR	IMDG	IATA
<b>14.1. UN number</b>		
UN 1139	UN 1139	UN 1139
<b>14.2. UN proper shipping name</b>		
COATING SOLUTION	COATING SOLUTION (Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)	Coating solution
<b>14.3. Transport hazard class(es)</b>		
3	3	3

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

--	--	--

### 14.4. Packing group

II	II	II
----	----	----

### 14.5. Environmental hazards

Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
-------------------------------------	---	-------------------------------------

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 640D
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP8
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: •3YE

#### Transport by sea

Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP8
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Miscibility with water depends upon the composition.
MFAG-No	: 127;128

#### Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

#### Indication of changes:

This sheet was updated (refer to the date at the top of this page). (see section(s) : 8).

#### Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
LC50	Median lethal concentration
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative

Data sources : SDS of suppliers. ECHA (European Chemicals Agency).

Other information : Safety data sheet established by : LISAM TELEGIS  
17 rue de la Couture F-60400 Passel  
www.lisam-telegis.com.

#### Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3

# TIPP-EX® RAPID

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	On basis of test data
Skin Irrit. 2	H315	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Chronic 2	H411	Calculation method

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.