



1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifier | Medisanitize Alcohol Wipes |
|-----|--|---|
| 1.2 | Relevant identified uses of the substan Uses: | nce or mixture and uses advised against Disinfection of hands and hard surfaces |
| 1.3 | Details of the supplier of the Safety Data Sheet | |
| | Company name Address | Extergeo industries Itd B5 Buckshaw link Buckshaw village Chorley PR7 7EL UK |
| | Telephone | +44(0)1772347771 |
| | Email | info@medisanitize.co.uk |
| | Website | medisanitize.co.uk |
| 1.4 | Emergency Telephone Number | 01772347771 |

2: Hazards identification

2.1 Classification of the substance or mixture

| 2.1.1 | Regulation (EC) No 1272/2008 (CLP) | H225: Highly flammable liquid and vapour H319: Causes serious eye irritation H336: May cause drowsiness or dizziness H318: Causes serious eye damage |
|---------------------|---|---|
| 2.1.2 | Directive 67/548/EEC & Directive 1999/45/EC | R11: Highly flammable R37: Irritant R67: Vapours may cause drowsiness and dizziness |
| 2.2 2.2.1 | Label elements Label elements GHS Product Identifier Hazard pictograms | According to Regulation (EC) No. 1272/2008 (CLP) Medisanitize Alcohol Wipes |
| | Signal word(s) | Danger |
| | Hazard statement(s) | H225: Highly flammable liquid and vapour H319: Causes serious eye irritation H336: May cause drowsiness or dizziness |

H318: Causes serious eye damage





| Precautionary statement Prevention | P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261: Avoid breathing vapours. P264: Wash hands thoroughly after handling. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P403+P235: Store in a well-ventilated place. Keep cool P233: Keep container tightly closed. P273: Avoid release to the environment P501 Dispose of contents/container in accordance with national regulations. |
|---------------------------------------|--|
| Other hezerde | Not classified as DPT or vDvP |

2.3 Other hazards Not classified as PBT or vPvB.

3: Composition/Information on ingredients

3.1 Substances

| Chemical Name | Proportion | CAS No. | EC Classification (1272/2008) | EC Classification (67/548/EEC) |
|---------------|------------|---------|----------------------------------|-----------------------------------|
| | | | H225 | F; R11 |
| Propan-2-ol | 68-72% | 67-63-0 | H319 | Xi; R36 |
| | | | H336 | R67 |

4: First-aid measures

4.1 Description of first aid measures

| Inhalation | Move affected person to fresh air at once. When breathing is difficult, trained personnel may assist affected person by administering oxygen. Get medical attention. |
|--------------|---|
| Eye contact | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues. |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues. Wash contaminated clothing before reuse. |
| Ingestion | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately. |

4.2 Most important symptoms and effects, both acute and delayed May cause irritation.

5: Fire-fighting measures





| 5.1 5.2 5.3 | Extinguishing media Special hazards arising from the substance or mixture Advice for firefighters | Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. The product is highly flammable. Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |
|-------------------|--|--|
| 6: Acc | cidental release measures | |
| 6.1 6.2 | Personal precautions, protective equipment and emergency procedures Environmental precautions | Use personal protective equipment as required. Provide adequate ventilation to avoid build-up of vapours. Keep away from heat and sources of ignition. Avoid contact with eyes. Do not breathe mist/vapours/spray. Small spillages: No special measures are required. Large spillages: Do not discharge waste and/or cleaning water via public sewer |
| 6.3 | Methods and material for containment and cleaning up | system. Avoid release to the environment. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Allow small spillages to evaporate provided there is adequate ventilation. Contain and adsorb large spillages onto an inert, non-flammable adsorbent carrier. Transfer to suitable, labelled containers for disposal. |
| 6.4 | Reference to other sections | For recommended personal protective equipment see Section 8. For disposal see Section 13. |

7: Handling and storage

| 7.1 | Precautions for safe handling | Avoid contact with eyes. Adopt best manual handling considerations when handling, carrying and dispensing. Ensure adequate ventilation |
|------------|---|---|
| 7.2 7.3 | Conditions for safe storage, including any incompatibilities Specific end use | Keep out of the reach of children. Keep in a cool, dry, well ventilated area. Keep containers tightly closed. No relevant information available. |

8: Exposure controls/personal protection

8.1 Control parameters

Exposure limit

| Substance | 8-hour exposure limit | 15-minute exposure limit | Source, Type |
|-------------|-----------------------|-----------------------------|--------------|
| Isopropanol | 400 ppm (999 mg/m3) | 500 ppm (1250 mg/m3) | EH40 2011 |

DNELS

| | Worker | General population |
|------------------|-----------------|--------------------|
| | Chronic effects | Chronic effects |
| Human oral | - | 26 mg/kg |
| Human dermal | 888 mg/kg/day | 319 mg/kg/day |
| Human inhalation | 500 mg/m3 | 89 mg/m3 |

PNECS



| PNEC aqua (freshwater): | 140.9 mg/l |
|---------------------------|------------|
| PNEC aqua (marine water): | 140.9 mg/l |
| PNEC sediment: | 552 mg/kg |
| PNEC soil: | 28 mg/kg |

8.2 Exposure controls

| Engineering controls | Normal room ventilation is expected to be adequate. If large numbers of wipes are being used in an enclosed space, then additional local exhaust ventilation may be required. |
|---------------------------------|---|
| Respiratory protection | None normally required |
| Individual protection measures | None normally required |
| Environmental exposure controls | Do not discharge waste and/or cleaning water via public sewer system. Avoid release to the environment. |

9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance | White nonwoven fabric pre-saturated with a colourless solution |
|----------------------------------|--|
| Odour | Alcohol-like |
| рН | No information available |
| Melting point | -88°C (propan-2-ol) |
| Boiling point: | 82°C (propan-2-ol) |
| Flashpoint: | Approx. 18 - 20°C (70% propan-2-ol) |
| Evaporation rate: | No information available |
| Flammability: | Flammable |
| Upper/lower flammability limits: | Lower flammable/explosive limit: 2.0 % Upper |
| | flammable/explosive limit: 12 - 13 % (propan-2-ol) |
| Vapour pressure: | 6020 Pa (propan-2-ol) |
| Vapour density: | 2 @ 20°C (propan-2-ol) |
| Relative density: | 0.78-0.79 @ 20°C (propan-2-ol) |
| Partition coefficient: | log Pow: 0.05 OECD 107 (propan-2-ol) |
| Autoignition temperature: | 425°C (propan-2-ol) |
| Decomposition temperature: | No information available |
| Viscosity: | 2.5 mPa s @ 20°C (propan-2-ol) |
| Explosive properties: | No information available |
| Oxidising properties: | No information available |

9.2 Other information None

10: Stability and reactivity

| 10.1 10.2 | Reactivity Chemical Stability | Stable under normal conditions of storage/use. Stable under recommended storage and handling conditions. |
|----------------------|--|---|
| 10.3 | Possibility of hazardous reactions | None expected |
| 10.4 10.5 10.6 | Conditions to avoid Incompatible materials Hazardous decomposition products | Avoid excessive heat. Do not allow to freeze. Strong oxidising agents. None known |

11: Toxicological information



This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its components Propan-2-ol

Propan-2-ol

| | · · · · · · · · · · · · · · · · · · · | |
|-----|---------------------------------------|--|
| (a) | Acute toxicity | Not expected to present an acute toxicity hazard. |
| (b) | Skin corrosion/irritation | Not expected to be irritating to skin. Prolonged and frequent exposure may dry the skin. |
| (c) | Serious eye damage/irritation | If liquid from the wipe gets into the eye it may cause irritation. |
| (d) | Respiratory/skin sensitization | Not sensitising. |
| (e) | Germ cell mutagenicity | Not mutagenic. |
| (f) | Carcinogenicity | Not carcinogenic. |
| (g) | Reproductive toxicity | No information available. |
| (h) | STOT-single exposure | No information available. |
| (i) | STOT-repeated exposure | No information available. |
| (j) | Aspiration hazard | No information available. |
| | | |

12: Ecological information

This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its main components Propan-2-ol

Propan-2-ol

| (a) | Toxicity | No data available. |
|-----|------------------------------------|---|
| (b) | Persistence and degradability | No data available. |
| (c) | Bioaccumulative potential | No data available. |
| (d) | Mobility in soil | No data available. |
| (e) | Results of PBT and vPvB assessment | not classified as PBT or vPvB according to current EU criteria. |
| (f) | Other adverse effects | No data available. |

13: Disposal considerations

13.1 Waste treatment methods Dispose of as special waste in compliance with local, state, or national regulations. Empty containers can be sent to landfill after cleaning, if in compliance with local, state or national regulations.

14: Transport information

| Transport hazard class(es) | | |
|---------------------------------|---------------------|--|
| UN number | 3175 | |
| Hazard Class for Transportation | Class 4.1 | |
| Packing Group | II | |
| Environmental hazard | Refer to section 12 | |

This product does not need to be transported as dangerous goods, in accordance with UN 3175 Special Provision 216 (ADR/RID/IMDG) and Special Provision A46 (IATA).



15: Regulatory information

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

All components are listed as existing substances in Europe

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product. A Chemical Safety Assessment has been carried out for the active ingredients

16: Other information

Revision information:

Reviewed - no changes

List of Abbreviations used in this SDS:

| CAS | Chemical Abstracts Service |
|-------|---|
| CLP | Classification, Labelling and Packaging Regulation (EC) no 1272/2008 |
| DSD | Dangerous Substances Directive 67/548/EEC |
| DPD | Dangerous Preparations Directive 1999/45/EC |
| EC | European Community/Commission |
| PBT | Persistent, Bioaccumulative and Toxic |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) no 1907/2006 |
| vPvB | very Persistent, very Bioaccumulative |

References

CLP Regulation 1272/2008 ECHA Chem database of registered substances Suppliers' SDS

R Phrases and H Statements used in Section 3

- R11 Highly flammable.
- R36 Irritating to eyes.
- R67 Vapours may cause drowsiness and dizziness.
- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness
- H410 Very toxic to aquatic life with long lasting effects

Training requirements for workers

No specific training required for workers

This Safety Data Sheet contains information concerning the potential risks to those involved in handling, transporting, and working with the material, as well as describing potential risks to the consumer and the environment. This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties. This Safety Data Sheet is prepared in accordance with formatting described in the REACH Regulation (EC) No 1907/2006 and described in CLP Regulation (EC) No 1272/2008.