



**PRODUCT NUMBER: 1032856**  
**Miller H-Design® Duraflex™ 1**  
**pt harness Mating - size 2**

Miller H-Design® Duraflex™ 1 point harness with Stretched shoulder straps and mating buckles -Size 2.



**Overview**

**Reference Number**

1032856

**Product Type**

Fall Protection

**Range**

Harness

**Brand**

Miller by Honeywell

**Industry**

- Building and Construction
- General Industry
- Telecoms
- Utilities

**Product Use**

The Miller H-Design® harnesses are the new generation of harnesses dedicated to construction and general industry sectors providing more comfort, freedom of movements and safety to workers.

**Features & Benefits**

**Feature**

Shoulder Straps : Duraflex Stretch 44,5 mm webbing PES with PTFE treatment (water repellent / anti stain) Colour : green with a black drawing Breaking strength :-> 2200 daN

**Feature**

Other Straps : Standard black webbing 44 mm PES with PTFE treatment (water repellent / anti stain) Breaking strength :-> 2700 daN

**Feature**

Back Anchorage D-ring : Material : steel Finish : Zinc plated Silver Breaking strength :-> 2300 daN

**Feature**

Mating buckles : Material : steel Finish : Zinc plated Silver Breaking strength :-> 900 daN

**Feature**

Weights : 1 Kg Breaking strength: > 15 KN Temperature: -30°C to +50°C EN 361 Full Body Harness

### Feature

Certified for maximum load of 140 Kgs.

## Certifications

 E.C. Declaration of Conformity

### EC Category PPE

3

### Quality Assurance

ISO 9001 / 2000

### EC Attestation

 EC Type examination certificate 1032854 - 1032855 - 1032856 - 1032857

### EC Attestation Number

0082/490/160/05/14/0141

### Certifications

- EN 361

## Literature & Documents

1032854-1032855-1032856-1032857 Data Sheet EN

[http://www.honeywellsafety.com/supplementary/documents\\_and\\_downloads/fall\\_protection/full\\_body\\_harness/4294983954/1033.aspx](http://www.honeywellsafety.com/supplementary/documents_and_downloads/fall_protection/full_body_harness/4294983954/1033.aspx)

## Additional Information

### User Manual

NT90023600 IND B

## Maintenance

### Life Cycle

Life expectancy of our harnesses is 10 years from the date of manufacture.

### Storage Information

Some factors can contribute to reduce the performance or life expectancy of the product:

- Incorrect stocking
- Incorrect use
- Stopping a fall
- Mechanical deformation or cut
- Contact with chemical products (an acid or a base)
- Exposure to extreme heat sources > 60°C
- Exposure to UV rays

### Care Instructions

Please remember that:

- the product must be checked at least once a year by a qualified person. This inspection must be registered.
- before each use, the product must be visually inspected by the user.

The compulsory annual inspection will be the deciding factor as to whether your PPE should be put back into service or not.

## Packaging

**EAN Code**

63079098

**Country of Origin**

France