

# SAFETY DATA SHEET

1. Identification

**Product identifier** HP LaserJet Q5942A-X-XC-YC-XD Print Cartridge

Other means of identification Not available.

**Recommended use**This product is a toner preparation that is used in HP LaserJet 4240/4250/4350 series printers.

**Recommended restrictions** None known.

**Company identification** HP

1501 Page Mill Road Palo Alto, CA 94304-1112

**United States** 

Telephone 650-857-5020

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

### 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

**Label elements** 

Hazard symbol None.
Signal word None.

**Hazard statement** Not available.

**Precautionary statement** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Hazard(s) not otherwise

classified (HNOC)

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH,

EU, IARC, MAK, NTP or OSHA.

**Supplemental information** This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Iron oxide	Iron oxide	1317-61-9	<50
Polyester resin	Polyester resin	Trade Secret	<50
Amorphous silica	Amorphous silica	7631-86-9	<3

#### 4. First-aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Material name: Q5942A-X-XC-YC-XD SDS US

9544 Version #: 03 Revision date: 25-Sep-2015 Issue date: 16-Apr-2015

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion

Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

Most important

symptoms/effects, acute and

delayed

Not available.

# 5. Fire-fighting measures

Suitable extinguishing media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable.

**Special protective equipment** 

and precautions for firefighters

Not available.

Fire-fighting

**Specific methods** 

If fire occurs in the printer, treat as an electrical fire.

equipment/instructions

None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation.

Methods and materials for containment and cleaning up Not available.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

# 7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage,

including any incompatibilities Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

# 8. Exposure controls/personal protection

**Occupational exposure limits** 

**US. NIOSH: Pocket Guide to Chemical Hazards** Components **Type** 

Amorphous silica (CAS **TWA** 6 mg/m3

7631-86-9)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction) **Exposure guidelines** 

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

Value

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

**Appropriate engineering** 

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

Material name: Q5942A-X-XC-YC-XD

Not available. **Hand protection** 

Not available. Other Respiratory protection Not available. Thermal hazards Not available.

# 9. Physical and chemical properties

Fine powder **Appearance** 

**Physical state** Solid. Color Black.

Odor Slight plastic odor **Odor threshold** Not available. Not applicable рH Melting point/freezing point Not available. Initial boiling point and Not applicable

boiling range

Flash point Not applicable Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Not applicable Vapor pressure

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

**Partition coefficient** 

(n-octanol/water)

Not available.

**Auto-ignition temperature** No data available **Decomposition temperature** > 392 °F (> 200 °C)

**Viscosity** Not applicable

Other information

**Percent volatile** 0 % estimated

Softening point 212 - 302 °F (100 - 150 °C)

1.4 - 1.8 Specific gravity

### 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under normal storage conditions.

**Possibility of hazardous** 

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

**Incompatible materials** Strong oxidizers

**Hazardous decomposition** Carbon monoxide and carbon dioxide.

products

### 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

### Information on toxicological effects

Material name: Q5942A-X-XC-YC-XD 9544 Version #: 03 Revision date: 25-Sep-2015 Issue date: 16-Apr-2015

**Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

> Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity

- single exposure

Reproductive toxicity

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

**Aspiration hazard** Based on available data, the classification criteria are not met. Further information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

**Test Results** Components Species

Amorphous silica (CAS 7631-86-9)

Acute Oral

LD50 Mouse > 15000 mg/kg

Rat > 22500 mg/kg

# 12. Ecological information

#### **Ecotoxicity**

**Product Test Results Species** 

Q5942A-X-XC-YC-XD

**Aquatic** 

Fish **LL50** Rainbow Trout > 1000 mg/l, 96 Hours

Persistence and degradability Not available. **Bioaccumulative potential** Not available. Not available. Mobility in soil Other adverse effects Not available.

#### 13. Disposal considerations

**Disposal instructions** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state,

and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

**UN** number UN2807

**UN proper shipping name** Magnetized Material

Transport hazard class(es)

Class Not available.

**Subsidiary risk** 

Material name: Q5942A-X-XC-YC-XD 9544 Version #: 03 Revision date: 25-Sep-2015 Issue date: 16-Apr-2015 Packing group Not applicable.

**Environmental hazards** 

Special precautions for

user

Not available.

No.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

**Further information** 

14 or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material. These requirements do not apply to single or dual pack cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air.

## 15. Regulatory information

**US federal regulations** US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** 

Not listed.

**SARA 311/312** No

**Hazardous chemical** 

Other federal regulations

**Safe Drinking Water Act** Not regulated.

(SDWA)

**US state regulations** 

**US. Massachusetts RTK - Substance List** 

**US. New Jersey Worker and Community Right-to-Know Act** 

**US. Pennsylvania Worker and Community Right-to-Know Law** 

Not listed.

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

Not Listed.

**Regulatory information** 

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015 **Revision date** 25-Sep-2015

Material name: Q5942A-X-XC-YC-XD

Version # 03

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

**Revision Information** Other information, including date of preparation or last revision: Disclaimer

**Manufacturer information** HF

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: Q5942A-X-XC-YC-XD SDS US