

**greenly**

2025-09-17


Lyreco LCA

# Life Cycle Assessment

*The methodology in this report is based on ISO 14040*

2618964 (sold in FI)

# Summary



**01** | Methodology



**02** | Results

# 01

## Methodology

# Environmental Impact Assessment

<p><b>Functional unit</b></p>	<p>The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). The functional unit of this analysis is "1 set(s) of bound pages of paper for the purpose of writing".</p>
<p><b>Impact Indicator</b></p>	<p>The impact is measured through the "IPCC 2013 GWP 100a" method.</p>
<p><b>Electricity impact calculation method</b></p>	<p>Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.</p>
<p><b>Hypothesis</b></p>	

# Environmental Impact Assessment

## System Boundaries

The scope of this research includes the complete lifecycle of a notebook from raw material extraction to disposal options for each material, which is the cradle-to-grave perspective.

## Exclusions


The impact of secondary packaging and writing utensils are excluded from this assessment.

# 02

## Results

2618964 (sold in FI)


# Climate Change



Step	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Raw Material Extraction and Processing	216.98	45.44 %
End-of-Life Treatment	144.3	30.22 %
Transportation and Distribution	80.69	16.90 %
Manufacturing	35.48	7.43 %
TOTAL	477.46	100.00 %

2618964 (sold in FI)

# Climate Change - Raw Material Extraction and Processing



● Sourcing of raw material (bleached kraft paper) ● Sourcing of raw material (steel)

Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Sourcing of raw material (bleached kraft paper)	1	0.37	185.85	85.65 %
Sourcing of raw material (steel)	2	0.01	31.13	14.35 %


--	--	--	--	--

--	--	--	--	--

TOTAL			216.98	100.00 %
-------	--	--	--------	----------

2618964 (sold in FI)

# Climate Change - Manufacturing



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Natural gas usage during material transformation (bleached kraft paper)	4	0.07	12.84	36.19 %
Electricity usage during material transformation (bleached kraft paper)	3	0.13	12.32	34.73 %
Electricity usage during material transformation (steel)	3	0.11	10.32	29.09 %
TOTAL			35.48	100.00 %

2618964 (sold in FI)


# Climate Change - Transportation and Distribution



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Freight	5	0.26	80.69	100.00 %
TOTAL			80.69	100.00 %

2618964 (sold in FI)

# Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
End of life (bleached kraft paper)	7	0.25	143.48	99.43 %
End of life (steel)	6	0.01	0.83	0.57 %
TOTAL			144.3	100.00 %

# Contact us

Alexis Normand CEO

[www.greenly.earth](http://www.greenly.earth)