

# SAFETY DATA SHEET

1. Identification

**Product identifier** HP LaserJet CF237A-X-Y-YC Print Cartridge

Other means of identification

Recommended use This product is a toner preparation that is used in HP LaserJet Enterprise M607, HP LaserJet

Enterprise M608, HP LaserJet Enterprise M609, HP LaserJet Enterprise M631, HP LaserJet Enterprise M632, HP LaserJet Enterprise M633, HP LaserJet Managed E60055, HP LaserJet

Managed E60065, HP LaserJet Managed E60075 series printers.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

HP Inc.

1501 Page Mill Road Palo Alto, CA 94304-1112

**United States** 

650-857-5020 Telephone

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 1-208-323-2551 (Direct)

Email: hpcustomer.inquiries@hp.com

## 2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** None. Signal word

Not available. **Hazard statement** 

**Precautionary statement** 

Not available. Prevention Response Not available. Storage Not available. **Disposal** Not available.

Hazard(s) not otherwise

classified (HNOC) ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

None of the other ingredients in this preparation are classified as carcinogens according to

## 3. Composition/information on ingredients

## **Mixtures**

Chemical name	Common name and synonyms	CAS number	<u></u>
Polyester resin	Polyester resin	Trade Secret	<65
Iron oxide	Iron oxide	1317-61-9	<40
Amorphous silica	Amorphous silica	7631-86-9	<2

Material name: CF237A-X-Y-YC SDS US 4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

CO2, water, or dry chemical

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eve contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

Most important

symptoms/effects, acute and

delayed

Not available.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

None known.

Special protective equipment and precautions for firefighters Not available.

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation.

Methods and materials for containment and cleaning up

Not available.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

## 7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

# 8. Exposure controls/personal protection

This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit. Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

Components Value Type Amorphous silica (CAS **TWA** 6 mg/m3

7631-86-9) **Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Material name: CF237A-X-Y-YC SDS US Skin protection

Hand protectionNot available.OtherNot available.Respiratory protectionNot available.Thermal hazardsNot available.

# 9. Physical and chemical properties

**Appearance** Fine powder

Physical stateSolid.FormsolidColorBlack.

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

(%)

Not available.

Not flammable

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable

Vapor density Not applicable

Relative density 1.4 - 1.8 g/cm3

Solubility(ies)

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

(n-octanol/water)

Not available.

**Auto-ignition temperature** No data available **Decomposition temperature** >= 392 °F (>= 200 °C)

Viscosity Not applicable

Other information

Oxidizing properties No information available.

Percent volatile Negligible

**Softening point** 212 - 302 °F (100 - 150 °C)

Specific gravity 1.4 - 1.8

VOC Not applicable

## 10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

**Hazardous decomposition** Carbon monoxide and carbon dioxide.

products

14247 Version #: 01 Issue date: 17-Aug-2017

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation. Eye contact Ingestion is not a likely route of exposure. Ingestion

Not available.

Symptoms related to the physical, chemical and toxicological characteristics

#### Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Based on available data, the classification criteria are not met. Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

## US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Based on available data, the classification criteria are not met. Reproductive toxicity Specific target organ toxicity -Based on available data, the classification criteria are not met.

single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard** 

**Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

## 12. Ecological information

LL50: > 1000 mg/l, Fish, 96.00 Hours **Ecotoxicity** 

Product		Species	Test Results
CF237A-X-Y-YC			
Aquatic			
Algae	ErL50	Algae	> 1000 mg/l, 72 Hours
Crustacea	EL50	Crustacea	> 1000 mg/l, 48 Hours
Fish	LL50	Fish	> 1000 mg/l, 96 Hours
ersistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
lobility in soil	Not available.		
Other adverse effects	Not available.		

Material name: CF237A-X-Y-YC SDS US

## 13. Disposal considerations

#### Disposal instructions

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

**Further information** 

None known.

# 15. Regulatory information

US federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

## 16. Other information, including date of preparation or last revision

Issue date 17-Aug-2017

Version # 01

Material name: CF237A-X-Y-YC SDS US

14247 Version #: 01 Issue date: 17-Aug-2017

Other information This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF237A-X-Y-YC