acc. to OSHA HCS



1 Identification

· Product identifier

- Trade name: Mach Red Ink
- · Article number: 100000015202 LY-1.484.612, LY-5.366.201
- Relevant identified uses of the substance or mixture and uses advised against Currently no such applications are identified
- Application of the substance / the mixture Ball Pen Ink
- Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SUHAN CORPORATION

#43-5, Mookke-ri, Hoeng seong-eup, Hoeng seong-gun, Kang won-do, 225-802, Korea Phone +82-33-342-0601 Facsimile +82-33-342-0020

· Information department:

Regulation Management, Koh, Hyunjung (Manager) (Ms.) Phone +82-33-342-0601 Facsimile +82-33-342-0020 E-Mail: hjkoh@suhancorp.co.kr

• Emergency telephone number: 24-hour-Emergency- Telephone-Number (GBK Contract ID: 94050): (001) 352 323 3500

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



3 Composition/information on ingredients

· Chemical characterization: Mixtures

Mixture of the following substances, containing non-hazardous substances and colouring agents.

acc. to OSHA HCS



Page 3 / 10

Printing Date Oct. 17, 15 Reviewed on Oct. 17, 15

· Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:			
122-99-6	2-Phenoxyethanol	25-50%	
1261971-57-6	C.I. Solvent Red 252	10-25%	
110-63-4	butane-1,4-diol	10-25%	
Additional informations. For the wording of the listed viel, absence refer to continue 10			

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- **Protective equipment:** No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

acc. to OSHA HCS



Page 4 / 10

Printing Date Oct. 17, 15 Reviewed on Oct. 17, 15

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles



Page 5 / 10

Printing Date Oct. 17, 15 Reviewed on Oct. 17, 15

9 Physical and chemical properties

· Information on basic physical and chemical p	ronerties
· General Information	
· Appearance:	
Form:	Fluid
Color:	According to product specification
· Odor:	Product specific
· Odour threshold:	Not determined.
 Important information on protection of 	
health and environment, and on safety.	-
· pH-value at 20 °C (68 °F):	8
· Change in condition	
Melting point/Melting range:	n.d. °C
Boiling point/Boiling range:	185 °C (365 °F)
· Flash point:	101 °C (214 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	370 °C (698 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits:	
Lower:	2.6 Vol %
Upper:	12.6 Vol %
 Vapor pressure at 20 °C (68 °F): 	0.1 hPa
 Density at 20 °C (68 °F): 	1.12 g/cm ³ (9.346 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
 Solubility in / Miscibility with 	
Water:	Not miscible or difficult to mix.
 Partition coefficient (n-octanol/water): 	Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	8500 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	56.6 %
Solids content:	36.9 %
· Other information	No further relevant information
	available.

10 Stability and reactivity

· Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

• Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

acc. to OSHA HCS



Printing Date Oct. 17, 15 Reviewed on Oct. 17, 15

11 Toxicological information

[•] Information on toxicological effects

Acute toxicity:

· LD/LC50 values that are relevant for classification:

122-99-6 2-Phenoxyethanol

Oral LD50 2740 mg/kg (rat)

 1261971-57-6 C.I. Solvent Red 252

 Oral
 LD50
 > 2000 mg/kg (rat)

 Dermal
 LD50
 > 2000 mg/kg (rat)

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity · Aquatic toxicity: 1261971-57-6 C.I. Solvent Red 252 EC50 / 48h 0.03 mg/l (Daphnie) EC50 / 72h 0.14 mg/l (Pseudokirchneriella subcapitata) LC50 / 96h 12.18 mg/l (Fish)

• Persistence and degradability No further relevant information available.

Behavior in environmental systems:

- **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Toxic for fish
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

acc. to OSHA HCS



13 Disposal considerations

Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADR, IMDG, IATA UN3082	
n.o.s. (xa	entally hazardous substances, liquid, intene-diazo dye, red) ironmentally hazardous substances,
• IMDG liquid, n. • IMDG ENVIRON SUBSTAN	o.s. (xantene-diazo dye, red) IMENTALLY HAZARDOUS ICE, LIQUID, N.O.S. (xantene-diazo , MARINE POLLUTANT
• IATA ENVIRON SUBSTAN dye, red)	MENTALLY HAZARDOUS ICE, LIQUID, N.O.S. (xantene-diazo
 Transport hazard class(es) 	
· DOT, IMDG, IATA	
• Class 9 Miscella articles	aneous dangerous substances and
· Label 9	
· ADR	
• ADR • Class • Class • State • Class • Class • State • Class • Class • Class • Class • Class	iscellaneous dangerous substances es
ADR ADR Class 9 (M6) M and articl 9	
ADR ADR Class 9 (M6) M and articl 9 Packing group	
ADR ADR O Second state Second state	es
ADR ADR Class 9 (M6) M and articl 9 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Product of	es contains environmentally hazardous
ADR ADR O	es
ADR ADR O	es contains environmentally hazardous

acc. to OSHA HCS



Page 8 / 10

Printing Date Oct. 17, 15 Reviewed on Oct. 17, 15

	Reviewed on Oct. 17, 15
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances
	and articles
Danger code (Kemler):	90
· EMS Number:	F-A,S-F
• Transport in bulk according to Annex II	
of MARPOL73/78 and the IBC Code	Not applicable.
 Transport/Additional information: DOT 	
 Quantity limitations 	On passenger aircraft/rail: No limit
	On cargo aircraft only: No limit
· Remarks:	Special marking with the symbol (fish and
	tree).
· ADR	
 Excepted quantities (EQ) 	Code: E1
	Maximum net quantity per inner packaging: 30
	ml
	Maximum net quantity per outer packaging:
	1000 ml
·IMDG	
· Limited quantities (LQ)	5L
 Excepted quantities (EQ) 	Code: E1
	Maximum net quantity per inner packaging: 30
	ml
	Maximum net quantity per outer packaging:
	1000 ml
· UN "Model Regulation":	UN3082, Environmentally hazardous
	substances, liquid, n.o.s. (xantene-diazo dye,
	red), 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

Sara		
 Section 355 (extremely hazardous substances): 		
None of the ingredient is listed.		
 Section 313 (Specific toxic chemical listings): 		
None of the ingredients is listed.		
• TSCA (Toxic Substances Control Act):		
All ingredients are listed.		
· Proposition 65		
· Chemicals known to cause cancer:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients is listed.		
· Chemicals known to cause developmental toxicity:		
None of the ingredients is listed.		
• DSL/NDSL (Canada) All ingredients are listed		
Cancerogenity categories		
· EPA (Environmental Protection Agency)		

acc. to OSHA HCS



Page 9 / 10

Printing Date Oct. 17, 15 Reviewed on Oct. 17, 15

- TLV (Threshold Limit Value established by ACGIH)
- None of the ingredients is listed.
- · MAK (German Maximum Workplace Concentration)
- None of the ingredients is listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: C.I. Solvent Red 252

Hazard statements

Causes serious eye damage. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Wear eye protection / face protection.

Avoid release to the environment.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

- If on skin: Wash with plenty of water.
- Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- Technical instructions (air):

Class	Share in %
NK	50-100

• Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Date of preparation / last revision 05/26/2015 / 14





Page 10 / 10

Printing Date Oct. 17, 15 Reviewed on Oct. 17, 15

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

* * Data compared to the previous version altered.