

Commercial Identity...

Brand	SAFETOOL	
Commercial Gencod	3 7000 922 4676 4	
Designation	Foldable Hand truck - Charge up to : 90 kgs - Aluminium body - 2 rubber wheels diameter 19 mm	
Custom Nomenclature	87168000	
Warranty (years) :	0	

Consumer Unit ...

Height (mm)	815.000	Weight (g)	4 800.000
Lenght (mm)	480.000		
Depth (mm)	70.000		
Colors:	<input type="text"/>		
Presentation of C.U.:	Carton Filmé		
Certification(s) du produit :	<input type="text"/>		



Technical Comment

aluminium et plastique
Dimensions de la bavette : 355 X 320 mm

Product ...

Folded...		Unfolded...	
Tot. Leng.(mm)	<input type="text"/>	Tot.Lenght (mm)	1080
Tot.Width (mm)	<input type="text"/>	Tot.Width (mm)	520
Tot.Depth (mm)	<input type="text"/>	Tot.Depth (mm)	485
Diameter (mm)	<input type="text"/>	Unfolded Diam.(m)	<input type="text"/>
Weight (g)	<input type="text"/>		
Strenght (g)	<input type="text"/>		
Load (kg)	<input type="text"/>		
Origin	CHINE		
<input type="checkbox"/> Recyclable	<input type="checkbox"/> Instructions supplied		
<input type="checkbox"/> Perishable	<input type="checkbox"/> Assorted colours upon availability		

Cutting ...

Handles ...			
Ext. Height. (mm)	<input type="text"/>	Int. Height (mm)	<input type="text"/>
Ext. Width (mm)	<input type="text"/>	Int. Width (mm)	<input type="text"/>
Ext. Depth(mm)	<input type="text"/>	Int. Depth (mm)	<input type="text"/>
Cutting Lenght (mm)	<input type="text"/>	Material	<input type="text"/>

Screws ...

Diameter (mm)	<input type="text"/>	Dist. Screw-Handles (mm)	<input type="text"/>
Material	<input type="text"/>	Dist. Screw-Point (mm)	<input type="text"/>

Blades ...

Height (mm)	<input type="text"/>	Material	<input type="text"/>
Width (mm)	<input type="text"/>	HRC Handles	<input type="text"/>
Depth (mm)	<input type="text"/>	Shearing	<input type="text"/>
<input type="checkbox"/> Divisible blade	Nb. of divisible segments	<input type="text"/>	

Heated & Electrical Devices ...

Tension (V)	<input type="text"/>	# Conductors	<input type="text"/>	Batteries supplie	<input type="checkbox"/>
Intensity (A)	<input type="text"/>	Ø Cond. (mm ²)	<input type="text"/>	Adapt. supplied	<input type="checkbox"/>
Power (W)	<input type="text"/>			Cord supplied	<input type="checkbox"/>

Card & Blister ...

Height (mm)	<input type="text"/>
Width (mm)	<input type="text"/>
Depth (mm)	<input type="text"/>
Thickness(mm)	<input type="text"/>
Weight (g)	<input type="text"/>
Lock	<input type="checkbox"/>
Material	<input type="text"/>

SPCB ...

Lenght (mm)	<input type="text"/>
Width (mm)	<input type="text"/>
Height (mm)	<input type="text"/>
Thickness (mm)	<input type="text"/>
Packing	<input type="text" value="1"/>
Weight (g)	<input type="text" value="0"/>
Net Weight (g)	<input type="text" value="4 800"/>
Gross Weight (g)	<input type="text" value="4 800"/>

PCB ...

Lenght (mm)	<input type="text" value="840"/>
Width (mm)	<input type="text" value="500"/>
Depth (mm)	<input type="text" value="220"/>
Thickness (mm)	<input type="text" value="5.000"/>
Packing	<input type="text" value="4"/>
Weight (g)	<input type="text" value="2 000"/>
Net Weight (g)	<input type="text" value="19 200"/>
Gross Weight (g)	<input type="text" value="21 200"/>

Pallet ...

Lenght (mm)	<input type="text"/>
Width (mm)	<input type="text"/>
Height (mm)	<input type="text"/>
Type	<input type="text"/>
# packet/pallet	<input type="text" value="12"/>
# packet/layer	<input type="text" value="4"/>
# layer	<input type="text" value="3"/>
Weight (g)	<input type="text" value="0"/>
Net Weight (g)	<input type="text" value="230 400"/>
Gross Weight (g)	<input type="text" value="254 400"/>