

# 316262 Lyreco Highlighter Ink/ YELLOW

Lyreco

Chemwatch Hazard Alert Code: 2

Issue Date: 11/09/2016

Chemwatch: **70-5951** Version No: **2.1.1.1** 

Safety Data Sheet (Conforms to Regulation (EU) No 2015/830)

Print Date: 02/15/2017 S.REACH.GBR.EN

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

## 1.1. Product Identifier

Product name	316262 Lyreco Highlighter Ink/ YELLOW
Synonyms	Not Available
Other means of identification	Not Available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

	_
Relevant identified uses	Highlighter ink.
Uses advised against	Not Applicable

## 1.3. Details of the supplier of the safety data sheet

Registered company name	Lyreco
Address	Deer Park Court, Donnington Wood Telford, TF2 7NB United Kingdom
Telephone	01952 286130
Fax	Not Available
Website	www.lyreco.co.uk
Email	steve.weston@lyreco.com

## 1.4. Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	Not Available
Other emergency telephone numbers	Not Available

## **SECTION 2 HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

Considered a hazardous mixture according to Reg. (EC) No 1272/2008 and their amendments. Not classified as Dangerous Goods for transport purposes.

## CHEMWATCH HAZARD RATINGS

	Min	Max	
Flammability	0		
Toxicity	0		0 = Minimum
Body Contact	2		1 = Low 2 = Moderate
Reactivity	0		3 = High
Chronic	Λ		4 = Extreme

Classification according to regulation (EC) No 1272/2008 [CLP] [1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)
Legend:	Classified by Chemwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

## 2.2. Label elements

CLP label elements



SIGNAL WORD

WARNING

Chemwatch: 70-5951 Page 2 of 10 Issue Date: 11/09/2016 Version No: 2.1.1.1 Print Date: 02/15/2017

## 316262 Lyreco Highlighter Ink/ YELLOW

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

#### Supplementary statement(s)

Not Applicable

## Precautionary statement(s) Prevention

P101

If medical advice is needed, have product container or label at hand.

## Precautionary statement(s) Response

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Precautionary statement(s) Storage

P405

Store locked up.

#### Precautionary statement(s) Disposal

P501

Dispose of contents/container in accordance with local regulations.

#### 2.3. Other hazards

Cumulative effects may result following exposure\*.

Possible skin sensitizer\*.

REACh - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

## **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

#### 3.2.Mixtures

1.CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP]
1.56-81-5 2.200-289-5 3.Not Available 4.01-2119471987-18-XXXX	20-30	glycerol	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation); H315, H319, H335 [1]
1.107-21-1 2.203-473-3 3.603-027-00-1 4.01-2119456816-28-XXXX	5-10	ethylene glycol	Acute Toxicity (Oral) Category 4; H302 [3]
Not Available     Not Available     Not Available     Not Available     Not Available	>60	Ingredients determined not to be hazardous	Not Applicable
Legend:	1. Classified by Chemwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex		

VI 4. Classification drawn from C&L

# **SECTION 4 FIRST AID MEASURES**

## 4.1. Description of first aid measures

If skin contact occurs:

- ► Immediately remove all contaminated clothing, including footwear.
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

If this product comes in contact with the eyes:

- ▶ Wash out immediately with fresh running water.
- ► Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- ► Seek medical attention without delay; if pain persists or recurs seek medical attention.
- ▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
- If fumes or combustion products are inhaled remove from contaminated area.
- General
- Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
  - Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if
  - Transport to hospital, or doctor, without delay.
  - wed do **NOT** induce vomiting
  - Fig. 16 If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
  - Observe the patient carefully.
  - Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
  - Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
  - ► Seek medical advice.

## 316262 Lyreco Highlighter Ink/ YELLOW

Eye Contact	If this product comes in contact with the eyes:  • Wash out immediately with fresh running water.  • Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  • Seek medical attention without delay; if pain persists or recurs seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> </ul>
Ingestion	<ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

## 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

To treat poisoning by the higher aliphatic alcohols (up to C7):

- ► Gastric lavage with copious amounts of wate
- ▶ It may be beneficial to instill 60 ml of mineral oil into the stomach.
- Oxygen and artificial respiration as needed.
- Electrolyte balance: it may be useful to start 500 ml. M/6 sodium bicarbonate intravenously but maintain a cautious and conservative attitude toward electrolyte replacement unless shock or severe acidosis threatens
- ▶ To protect the liver, maintain carbohydrate intake by intravenous infusions of glucose.
- ▶ Haemodialysis if coma is deep and persistent. [GOSSELIN, SMITH HODGE: Clinical Toxicology of Commercial Products, Ed 5)

#### BASIC TREATMENT

\_\_\_\_\_

- Establish a patent airway with suction where necessary.
- ▶ Watch for signs of respiratory insufficiency and assist ventilation as necessary.
- ▶ Administer oxygen by non-rebreather mask at 10 to 15 l/min.
- ${\color{red} \blacktriangleright} \ \ \mbox{Monitor and treat, where necessary, for shock.}$
- Monitor and treat, where necessary, for pulmonary oedema.
- $\,\blacktriangleright\,$  Anticipate and treat, where necessary, for seizures.
- ▶ DO NOT use emetics. Where ingestion is suspected rinse mouth and give up to 200 ml water (5 ml/kg recommended) for dilution where patient is able to swallow, has a strong gag reflex and does not drool.
- Give activated charcoal.

## ADVANCED TREATMENT

- ▶ Consider orotracheal or nasotracheal intubation for airway control in unconscious patient or where respiratory arrest has occurred.
- ▶ Positive-pressure ventilation using a bag-valve mask might be of use
- Monitor and treat, where necessary, for arrhythmias.
- ► Start an IV D5W TKO. If signs of hypovolaemia are present use lactated Ringers solution. Fluid overload might create complications.
- ▶ If the patient is hypoglycaemic (decreased or loss of consciousness, tachycardia, pallor, dilated pupils, diaphoresis and/or dextrose strip or glucometer readings below 50 mg), give 50% dextrose.
- Hypotension with signs of hypovolaemia requires the cautious administration of fluids. Fluid overload might create complications.
- ► Drug therapy should be considered for pulmonary oedema.
- Treat seizures with diazepam.
- ▶ Proparacaine hydrochloride should be used to assist eye irrigation.

## EMERGENCY DEPARTMENT

-----

- Laboratory analysis of complete blood count, serum electrolytes, BUN, creatinine, glucose, urinalysis, baseline for serum aminotransferases (ALT and AST), calcium, phosphorus and magnesium, may assist in establishing a treatment regime. Other useful analyses include anion and osmolar gaps, arterial blood gases (ABGs), chest radiographs and electrocardiograph.
- Positive end-expiratory pressure (PEEP)-assisted ventilation may be required for acute parenchymal injury or adult respiratory distress syndrome.
- Acidosis may respond to hyperventilation and bicarbonate therapy.
- ▶ Haemodialysis might be considered in patients with severe intoxication.
- Consult a toxicologist as necessary. BRONSTEIN, A.C. and CURRANCE, P.L. EMERGENCY CARE FOR HAZARDOUS MATERIALS EXPOSURE: 2nd Ed. 1994

For C8 alcohols and above.

Symptomatic and supportive therapy is advised in managing patients.

## **SECTION 5 FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used.

## 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility

None known

Chemwatch: 70-5951 Page 4 of 10 Issue Date: 11/09/2016 Version No: 2.1.1.1 Print Date: 02/15/2017

## 316262 Lyreco Highlighter Ink/ YELLOW

Fire Fighting ▶ Alert Fire Brigade and tell them location and nature of hazard. ▶ The material is not readily combustible under normal conditions. Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) Fire/Explosion Hazard acrolein

## **SECTION 6 ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

May emit poisonous fumes May emit corrosive fumes.

other pyrolysis products typical of burning organic material.

See section 8

## 6.2. Environmental precautions

See section 12

## 6.3. Methods and material for containment and cleaning up

Minor Spills	Slippery when spilt.  • Clean up all spills immediately.
Major Spills	Slippery when spilt. Moderate hazard.

## 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Safe handling	<ul> <li>▶ DO NOT allow clothing wet with material to stay in contact with skin</li> <li>▶ Avoid all personal contact, including inhalation.</li> </ul>
Fire and explosion protection	See section 5
Other information	► Store in original containers.

## 7.2. Conditions for safe storage, including any incompatibilities

Suitable container	▶ Polyethylene or polypropylene container.
Storage incompatibility	<ul> <li>Avoid reaction with oxidising agents</li> <li>Avoid strong acids, bases.</li> </ul>

# 7.3. Specific end use(s)

See section 1.2

## **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

# 8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

Not Available

PREDICTED NO EFFECT LEVEL (PNEC)

Not Available

## OCCUPATIONAL EXPOSURE LIMITS (OEL)

## INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
UK Workplace Exposure Limits (WELs)	glycerol	Glycerol, mist	10 mg/m3	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs)	ethylene glycol	Ethane-1,2-diol particulate / Ethane-1,2-diol vapour	10 mg/m3 / 52 mg/m3 / 20 ppm	10 mg/m3 / 4 mg/m3 / 40 ppm	Not Available	Sk
European Union (EU) First List of Indicative Occupational Exposure Limit Values (IOELVs) (English)	ethylene glycol	Ethylene glycol	52 mg/m3 / 20 ppm	104 mg/m3 / 40 ppm	Not Available	Skin
EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	ethylene glycol	Ethylene glycol	52 mg/m3 / 20 ppm	104 mg/m3 / 40 ppm	Not Available	Skin

Chemwatch: **70-5951** Page **5** of **10** Issue Date: **11/09/2016**Version No: **2.1.1.1** Print Date: **02/15/2017** 

## 316262 Lyreco Highlighter Ink/ YELLOW

Ingredient	Material name	TE	EL-1	TEEL-2	TEEL-3
glycerol	Glycerine (mist); (Glycerol; Glycerin)	erol; Glycerin) 45 mg/m3		860 mg/m3	2,500 mg/m3
ethylene glycol	Ethylene glycol	glycol 30 ppm		40 ppm	60 ppm
Ingredient	Original IDLH		Revised IDLH		
glycerol	Not Available		Not Available		
ethylene glycol	Not Available		Not Available		
Ingredients determined not to be hazardous	Not Available		Not Available		

#### 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
8.2.2. Personal protection	
Eye and face protection	► Safety glasses with side shields.
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>NOTE:</li> <li>The material may produce skin sensitisation in predisposed individuals.</li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer.</li> </ul>
Body protection	See Other protection below
Other protection	► Overalls.
Thermal hazards	Not Available

#### Recommended material(s)

#### GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the  $\ computer-$  generated selection:

316262 Lyreco Highlighter Ink/ YELLOW

Material	СРІ
BUTYL	С
NATURAL RUBBER	С
NATURAL+NEOPRENE	С
NEOPRENE	С
NEOPRENE/NATURAL	С
NITRILE	С
NITRILE+PVC	С
PE/EVAL/PE	С
PVA	С
PVC	С
TEFLON	С
VITON	С
##ethylene	glycol

<sup>\*</sup> CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation.

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

## 8.2.3. Environmental exposure controls

See section 12

## **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Appearance

Fluorescent yellow liquid with neutral odour; mixes with water.

### Respiratory protection

Type A-P Filter of sufficient capacity.

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required.

Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 5 x ES	A-AUS / Class 1 P2	-	A-PAPR-AUS / Class 1 P2
up to 25 x ES	Air-line*	A-2 P2	A-PAPR-2 P2
up to 50 x ES	-	A-3 P2	-
50+ x ES	-	Air-line**	-

## ^ - Full-face

 $A(All\ classes) = Organic\ vapours,\ B\ AUS\ or\ B1 = Acid\ gasses,\ B2 = Acid\ gas\ or\ hydrogen\ cyanide(HCN),\ E = Sulfur\ dioxide(SO2),\ G = Agricultural\ chemicals,\ K = Ammonia(NH3),\ Hg = Mercury,\ NO = Oxides\ of\ nitrogen,\ MB = Methyl\ bromide,\ AX = Low\ boiling\ point\ organic\ compounds(below\ 65\ degC)$ 

Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content. The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.

Chemwatch: **70-5951** Page **6** of **10** 

Version No: 2.1.1.1 316262 Lyreco

# 316262 Lyreco Highlighter Ink/ YELLOW

Issue Date: 11/09/2016 Print Date: 02/15/2017

Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	111

# 9.2. Other information

Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

10.1.Reactivity	See section 7.2
10.2. Chemical stability	► Unstable in the presence of incompatible materials.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

## **SECTION 11 TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons.  Aliphatic alcohols with more than 3-carbons cause headache, dizziness, drowsiness, muscle weakness and delirium, central depression, coma, seizures and behavioural changes.		
Ingestion	Overexposure to non-ring alcohols causes nervous system symptoms. for ethylene glycol: Ingestion symptoms include respiratory failure, central nervous depression, cardiovascular collapse, pulmonary oedema, acute kidney failure, and even brain damage.		
Skin Contact	The material may cause mild but significant inflammation of the skin either following direct contact or after a delay of some time.  The material may accentuate any pre-existing dermatitis condition  Most liquid alcohols appear to act as primary skin irritants in humans.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.		
Eye	Evidence exists, or practical experience predicts, that the material may cause e	ye irritation in a substantial number of individuals.	
Chronic	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.  There is limited evidence that, skin contact with this product is more likely to cause a sensitisation reaction in some persons compared to the general population.  Exposure to ethylene glycol over a period of several weeks may cause throat irritation, mild headache and low backache.  Sensitisation may result in allergic dermatitis responses including rash, itching, hives or swelling of extremities.		
316262 Lyreco Highlighter Ink/ YELLOW	TOXICITY  Not Available	IRRITATION  Not Available	
glycerol	TOXICITY  dermal (guinea pig) LD50: 54000 mg/kg <sup>[1]</sup> Oral (rat) LD50: >20-<39800 mg/kg> <sup>[1]</sup>	IRRITATION  Not Available	
ethylene glycol	TOXICITY  Dermal (rabbit) LD50: 9530 mg/kg <sup>[2]</sup> Inhalation (rat) LC50: 50.1 mg/L/8 hr <sup>[2]</sup>	IRRITATION  Eye (rabbit): 100 mg/1h - mild  Eye (rabbit): 12 mg/m3/3D	

Chemwatch: **70-5951** Page **7** of **10** 

Version No: 2.1.1.1

# 316262 Lyreco Highlighter Ink/ YELLOW

Issue Date: 11/09/2016 Print Date: 02/15/2017

	Oral (rat) LD50: 4700 mg/kg <sup>[2]</sup> Eye (rabbit): 1	1440mg/6h-moderate	
	Eye (rabbit): 5	500 mg/24h - mild	
	Skin (rabbit):	555 mg(open)-mild	
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained extracted from RTECS - Register of Toxic Effect of chemical Substances	d from manufacturer's SDS. Unless otherwise specified data	
211/2-2-21		700	
GLYCEROL	Asthma-like symptoms may continue for months or even years after exposure to the material cease At very high concentrations, evidence predicts that glycerol may cause tremor, irritation of the sk		
ETHYLENE GLYCOL		in, eyes, digestive tract and airway.	
	At very high concentrations, evidence predicts that glycerol may cause tremor, irritation of the sk  For ethylene glycol:  Ethylene glycol is quickly and extensively absorbed through the gastrointestinal tract.	in, eyes, digestive tract and airway.  ffector in rats (birth defects). Mutagenic to rat cells.	
ETHYLENE GLYCOL	At very high concentrations, evidence predicts that glycerol may cause tremor, irritation of the sk For ethylene glycol:  Ethylene glycol is quickly and extensively absorbed through the gastrointestinal tract.  [Estimated Lethal Dose (human) 100 ml; RTECS quoted by Orica] Substance is reproductive e	in, eyes, digestive tract and airway.  ffector in rats (birth defects). Mutagenic to rat cells.	
ETHYLENE GLYCOL  Acute Toxicity	At very high concentrations, evidence predicts that glycerol may cause tremor, irritation of the sk For ethylene glycol: Ethylene glycol is quickly and extensively absorbed through the gastrointestinal tract. [Estimated Lethal Dose (human) 100 ml; RTECS quoted by Orica] Substance is reproductive e	in, eyes, digestive tract and airway.  ffector in rats (birth defects). Mutagenic to rat cells.	
Acute Toxicity Skin Irritation/Corrosion Serious Eye	At very high concentrations, evidence predicts that glycerol may cause tremor, irritation of the sk  For ethylene glycol: Ethylene glycol is quickly and extensively absorbed through the gastrointestinal tract. [Estimated Lethal Dose (human) 100 ml; RTECS quoted by Orica] Substance is reproductive e  Carcinogenicity  Reproductivity	in, eyes, digestive tract and airway.  Iffector in rats (birth defects). Mutagenic to rat cells.	

Data available to make classification

Data Not Available to make classification

## **SECTION 12 ECOLOGICAL INFORMATION**

# 12.1. Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
glycerol	LC50	96	Fish	>11mg/L	2
glycerol	EC50	96	Algae or other aquatic plants	77712.039mg/L	3
glycerol	EC0	24	Crustacea	>500mg/L	1
ethylene glycol	LC50	96	Fish	2284.940mg/L	3
ethylene glycol	EC50	48	Crustacea	5046.29mg/L	5
ethylene glycol	EC50	96	Algae or other aquatic plants	6500-13000mg/L	1
ethylene glycol	EC50	Not Applicable	Crustacea	=10mg/L	1
ethylene glycol	NOEC	552	Crustacea	>=1000mg/L	2
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

DO NOT discharge into sewer or waterways.

## 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
glycerol	LOW	LOW
ethylene glycol	LOW (Half-life = 24 days)	LOW (Half-life = 3.46 days)

# 12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
glycerol	LOW (LogKOW = -1.76)
ethylene glycol	LOW (BCF = 200)

# 12.4. Mobility in soil

Ingredient	Mobility
glycerol	HIGH (KOC = 1)
ethylene glycol	HIGH (KOC = 1)

# 12.5. Results of PBT and vPvB assessment

	P	В	Т
Relevant available data	Not Available	Not Available	Not Available
PBT Criteria fulfilled?	Not Available	Not Available	Not Available

Page 8 of 10 Version No: 2.1.1.1

Issue Date: 11/09/2016 Print Date: 02/15/2017

No data available

# **SECTION 13 DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

Product / Packaging disposal	Legislation addressing waste disposal requirements may differ by country, state and/ or territory.  • DO NOT allow wash water from cleaning or process equipment to enter drains.  • Recycle wherever possible.
Waste treatment options	Not Available
Sewage disposal options	Not Available

316262 Lyreco Highlighter Ink/ YELLOW

# **SECTION 14 TRANSPORT INFORMATION**

## Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

# Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1.UN number	Not Applicable	
14.2.UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	Class Not Applicable Subrisk Not Applicable	
14.4.Packing group	Not Applicable	
14.5.Environmental hazard	Not Applicable	
14.6. Special precautions for user	Hazard identification (Kemler)  Classification code  Hazard Label  Special provisions  Limited quantity	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable

# Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	ICAO/IATA Class Not Applicable  ICAO / IATA Subrisk Not Applicable  ERG Code Not Applicable	
14.4. Packing group	Not Applicable	
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	Special provisions Cargo Only Packing Instructions Cargo Only Maximum Qty / Pack Passenger and Cargo Packing Instructions Passenger and Cargo Maximum Qty / Pack Passenger and Cargo Limited Quantity Packing Instructions Passenger and Cargo Limited Maximum Qty / Pack	Not Applicable

# Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable
14.2. UN proper shipping name	Not Applicable
14.3. Transport hazard class(es)	IMDG Class Not Applicable  IMDG Subrisk Not Applicable
14.4. Packing group	Not Applicable
14.5. Environmental hazard	Not Applicable
14.6. Special precautions for user	EMS Number Not Applicable Special provisions Not Applicable

Version No: 2.1.1.1

## 316262 Lyreco Highlighter Ink/ YELLOW

Issue Date: 11/09/2016 Print Date: 02/15/2017

Limited Quantities Not Applicable

## Inland waterways transport (ADN), NOT RECIII ATED FOR TRANSPORT OF DANGEROUS COORS

iniand waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS		
14.1. UN number	Not Applicable	
14.2. UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	Not Applicable Not Applicable	
14.4. Packing group	Not Applicable	
14.5. Environmental hazard	Not Applicable	
	Classification code Not Applicable	
	Special provisions Not Applicable	
14.6. Special precautions for user	Limited quantity Not Applicable	
	Equipment required Not Applicable	
	Fire cones number Not Applicable	
	l '	

### Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

# **SECTION 15 REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

## GLYCEROL(56-81-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

## ETHYLENE GLYCOL(107-21-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs) EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles European Customs Inventory of Chemical Substances ECICS (English)

European Trade Union Confederation (ETUC) Priority List for REACH Authorisation

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

European Union (EU) Annex I to Directive 67/548/EEC on Classification and Labelling of Dangerous Substances - updated by ATP: 31

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

GHS08, Wng, Dgr

UK Workplace Exposure Limits (WELs)

UK Workplace Exposure Limits (WELs)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments

## 15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

# **ECHA SUMMARY**

Ingredient	CAS number	Index No	ECHA Dossier	
glycerol	56-81-5	Not Available	01-2119471987-18-XXXX	
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)		Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Not Classified		Wng, GHS08, Dgr	H315, H319, H372, H335
2	Not Classified, Skin Irrit. 2, Eye Irrit. 2, STOT RE 2, STOT RE 1, STOT SE 3		Wng, GHS08, Dgr	H315, H319, H372, H335
Harmonisation Code 1 = The m	ost prevalent classification. Harmonisation Code	e 2 = The most severe classification.		·

Ingredient	CAS number	Index No	ECHA Dossier	
ethylene glycol	107-21-1	603-027-00-1	01-2119456816-28-XXXX	
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)		Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Acute Tox. 4		GHS07, Wng	H302

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Acute Tox. 4, STOT RE 2, STOT SE 3, STOT RE 1, Skin Irrit. 2, Not Classified,

Aquatic Chronic 3, Eye Irrit. 2, STOT SE 1, Muta. 1B, Repr. 1B, Org. Perox. G

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (glycerol; ethylene glycol)
China - IECSC	Υ

H336, H372, H319, H332, H370,

H335, H340, H360, H315, H301

 Chemwatch: 70-5951
 Page 10 of 10
 Issue Date: 11/09/2016

 Version No: 2.1.1.1
 216.262 Lyroop Highlighton Ink/ VELLOW
 Print Date: 02/15/2017

# 316262 Lyreco Highlighter Ink/ YELLOW

Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	Υ
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Υ
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

## **SECTION 16 OTHER INFORMATION**

#### Full text Risk and Hazard codes

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H340	May cause genetic defects.
H360	May damage fertility or the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.

## Other information

## Ingredients with multiple cas numbers

Name	CAS No
glycerol	56-81-5, 29796-42-7, 30049-52-6, 37228-54-9, 75398-78-6, 78630-16-7, 8013-25-0

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

## **Definitions and abbreviations**

 ${\sf PC-TWA: Permissible \ Concentration-Time \ Weighted \ Average}$ 

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit,

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.