HP PageWide Pro 477dw Multifunction Printer



Unbeatable value. Unparalleled speed.

Ultimate value and speed – HP PageWide Pro delivers the lowest total cost of ownership and fastest speeds in its class.^{1,2} Get quick two-sided scanning, plus best-in-class security features and energy efficiency.^{3,4}

Dynamic security: Cartridges with non-HP chips might not work today or in the future. Learn more at:

http://www.hp.com/go/learnaboutsupplies

Highlights

- Single-pass, two-sided printing
- Wi-Fi direct printing and NFC touch-to-print
- UPD PIN printing with on-board/off-board memory
- Customizable control panel





Professional colour, breakthrough total cost

- Results you expect and lasting value breakthrough total cost of ownership, the lowest in its class.²
- Print professional-quality colour on a variety of papers perfect for office use.
- Print more pages and replace cartridges less often, using Original HP PageWide high-yield cartridges.⁵
- Spend less time and budget on scheduled maintenance with streamlined HP PageWide Technology.⁶

The fastest MFP in its class¹

- Wait less, do more with unmatched speeds¹ up to 55 ppm and the fastest first-page printing in its class.⁷
- Get fast two-sided scanning directly to email and the cloud with this LDAP-enabled MFP.®
- Manage tasks from a 10.9 cm (4.3-inch) touchscreen. Print Microsoft® Word and PowerPoint® files from USB. $^{\circ}$
- Print from your mobile device with Wi-Fi Direct and NFC touch-to-print technology no network needed.^{10,11}

Proven technology. Superior energy efficiency.4

- Minimise downtime with HP PageWide Technology that delivers reliable performance businesses demand.
- Conserve with HP PageWide Technology designed to use less energy than any MFP in its class.4
- Get professional-quality colour documents and the performance you expect with Original HP PageWide cartridges.

Best-in-class security³ and management features

- Help protect your investment and extend capabilities as your needs grow, with a portfolio of solutions.¹²
- Help ensure the security of confidential information. Enter a PIN at the device to retrieve your print job.
- Regulate colour use and reduce printing costs with HP Colour Access Control.¹³
- Help keep your printer secure from boot up to shutdown with secure boot and secure code integrity validation.





2-sided scanning Color touchscreen





HP PageWide Technology HP Mobile Printing

Technical specifications

Functions	Print, copy, scan, fax
Print speed	Up to 40 ppm ISO black (A4); Up to 40 ppm ISO colour (A4); Up to 21 ipm duplex
	(A4) General Office (black) Up to 55 ppm; General Office (colour) Up to 55 ppm First page out: As fast as 6.5 sec black (A4, ready); As fast as 7 sec colour (A4,
	ready) Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on unspecified plain
Print resolution	paper, HP Premium Presentation Matte, and HP Brochure Matte) black; Up to 2400 x 1200 optimised dpi from 600 x 600 input dpi (on HP Advanced Photo Papers) colour
Print Area	Print margins: Top: 4.2 mm; Bottom: 4.2 mm; Left: 4.2 mm; Right: 4.2 mm
Print languages	HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation
Print capabilities	Borderless printing: No; Direct print supported: Storage devices not supported
Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Google Clou Print 2.0; Mobile Apps
Monthly duty cycle	Up to 50,000 pages (A4); Recommended monthly page volume: 750 to 4,500
Automatic paper sensor	Yes
Processor speed	1.2 GHz
Display	10.92 cm (4.3") CGD (Colour Graphic Display), IR touchscreen
Wireless capability	Yes, built-in Wi-Fi 802.11b/g/n Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100
Connectivity	Base-TX network; 2 RJ-11 modem port/phone line; 802.11 b/g/n Station; 802.11 b/g Access Point; Optional: Support the following external letdirect servers; Print only: HP Jetdirect en1700 External Print Server (J7988G). HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable Hi-Speed USB 2.0 & 3.0 Peripherals (J7942G). HP Jetdirect eva200 802.11 b/g wireless and Fast Ethernet external print server (USB 2.0, 10/100Base-TX, 802.11 b/g) (J7951G). HP Jetdirect ev2500 802.11 b/g Wireless Print Server (J8021A); Other supported accessories: Apple AirPort Express, Apple AirPort Extreme, Apple Airport TimeCapsule; Wi-Fi Direct
Memory	Standard: 768 MB; Maximum: 768 MB
Copier settings	ID copy, Resize; Quality, Lighter/Darker; Two-sided copying; Tray selection; Collate; Binding marging; Copy preview with crop and rezise; Enhancements; Enable/Disable copy; Enable/Disable copy colour; Colour Access Control; Native authorization & authentication; Set as new defaults; Maximum number of copies: Up to 99 copies: Copy resolution: Up to 600 dpi
Copy speed	Up to 40 cpm black ISO (A4), Up to 40 cpm colour ISO (A4)
Copier smart software features	Reduce/Enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, sharpness)
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to temail with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Sharepoint, Scan to computer with SW: Client applications: EWS, HP Scan App, compatible with HP Capture and Route; Twain version: Version 1.9; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 1200 dpi
Scan file format	Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), searchable PDF (.pdf), Text (.txt), TIFF (.tif)
Scan speed	Up to 25 ipm (monochrome & colour); Up to 26 ipm (monochrome & colour); duplex: Up to 26 ipm (monochrome & colour)
Scannable area	Maximum media size: 216 x 356 mm; Maximum media size: 216 x 356 mm ADF
Bit depth/ Greyscale levels Digital sending	24-bit (color); 8-bit (gray)/256 Standard: Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Fax Archive to Network Folder; Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication
Fax	Yes, colour, 33.6 kbps
Fax specifications	Fax memory: Up to 100 pages (black and white); Up to B pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 199 numbers
Fax smart software features	Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software
Memory card compatibility Printer smart software features	None HP ePrint; HP Mobile Apps; Google Cloud Print v2; Apple AirPrint [™] ; HP EasyColor; Print preview; Automatic two-sided printing; Print multiple pages per sheet (2, 4, 6 9, 16); Collation; Booklet Printing; Cover pages; Tray Selection; Scaling; Portrait/Landscape orientation; High Quality Greyscale and Black Ink only; General Office/Professional/Presentation/Maximum dpi print modes; Front USB port; Copy/Scan/Fax; Control Panel Shortcuts; HP UPD PIN Printing; HP Color Access Control; Optional. HP and third party extensibility Solutions; Wireless
Printer management	HP Web Jetadmin; Embedded Web Server; HP UPD Printer Administrator Resource Kit; HP Utility (Mac); HP JetAdvantage Security Manager
Security management	SL/TLS (HTTPS), LDAP authentication; Optional HP and 3rd party authentication solutions (e.g. badge readers) IPP over TLS; WPA2-Enterprise wired; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); Firewall, certificates configuration; Control panel lock; Passworr protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings, Native authentication and authorization access control, native colour access control; Configurable authentication time out; UPD PII printing; Mopy mode via UPD PIN printing; Compatible with optional HP JetAdvantage Security Manager

What's in the box	D3Q20B HP PageWide Pro 477dw Multifunction Printer; HP 913 Setup Black PageWide Cartridge (~3,000 pages); HP 913 Setup Cyan PageWide Cartridge, HP 913 Setup Magenta PageWide Cartridge, HP 913 Setup Yellow PageWide Cartridge composite yield (~1,500 pages); Power cord; Phone cord; Installation guide; CD-ROMs (for software, Windows and Mac printer drivers, and User's Guide)
Accessories	D3Q23A P PageWide Pro 500-sheet Paper Tray P0V04A P PageWide Pro 2x500-sheet Paper Tray and Stand *Only 1 additional paper handling option can be added: one additional 500-sheet tray or one 2x500-sheet tray and stand.
Supplies	LOSOTAE HP 973X High Yield Black Original PageWide Cartridge ~10,000 pages FGT81AE HP 973X High Yield Cyan Original PageWide Cartridge ~7,000 pages FGT82AE HP 973X High Yield Magenta Original PageWide Cartridge ~7,000 pages FGT83AE HP 973X High Yield Yellow Original PageWide Cartridge ~7,000 pages
Compatible operating systems	Windows 10, Windows 8, Windows 7; OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks Lion; Linux (http://www.hplip.net)
Minimum system requirements	Windows: Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8 Mac: Apple® OS X v10.11 EL Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; GB available hard disk space; Internet required; USB
Software included	Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Participation Study; IRIS OCR
Media types	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)
Media sizes	Tray 1: Oficio, A4, A5, A6, B5 (JIS), B6 (JIS), 10 × 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (JIS), envelopes (DL, B5, C5), Tray 3: A4, A5, B5 (JIS), Custom: Tray 1: 76 × 127 to 216 × 356 mm; Tray 2: 102 × 210 to 216 × 297 mm; Optional 500-sheet tray 3: 102 × 210 to 216 × 356 mm
Media Handling	Input standard: 500-sheet input tray, 50-sheet multi-purpose tray; Maximum cards: Up to 100 cards; Up to 25 sheets photo paper; Maximum envelopes: Up to 37 envelopes Output standard: 300-sheet face-down output bin; Maximum: Up to 300 sheets Duplex printing: Automatic (standard) ADP: Standard, 50 sheets
Media weight	Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 63 to 200 g/m² (mard), Tray 2: 60 to 120 g/m² (brochure), 163 to 200 g/m² (brochure), 122 to 180 g/m² (brochure), 163 to 200 g/m² (card), Tray 3: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (brochure), 163 to 200 g/m² (card), Tray 3: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (brochure), 163 to 200 g/m² (card), Tray 3: 60 to 120 g/m² (card), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card), 120 to 180 g/m² (brochure), 125 to 300 g/m² (photo), 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card), 120 to 180 g/m² (brochure), 135 to 200 g/m² (card), 120 to 180 g/m² (brochure); 163 to 200 g/m² (card), 120 to 180 g/m² (brochure); 163 to 200 g/m² (card), 120 to 180 g/m² (brochure); 163 to 200 g/m² (brochure); 163 to 200 g/m² (card), 120 to 180 g/m² (brochure); 163 to 200 g/m² (card), 120 to 180 g/m² (brochure); 163 to 200 g/m² (
Printer dimensions (W x D x H)	530 x 407 x 467 mm
Package dimensions (W x D x H)	600 x 495 x 594 mm
Printer Weight	22.15 kg
Package weight	26.39 Kg
Storage	Temperature: -40 to 60°C, Humidity: 5 to 90% RH
Acoustics	Acoustic power emissions: 6.9 B(A); Acoustic pressure emissions: 56 dB(A) (monochrome/clolur printing), 54 dB(A) (ADF monochrome copying), 54 dB(A) (ADI colour copying), 45 dB(A) (ADF colour scanning), 45 dB(A) (ADF monochrome scanning), inaudible (idle)
Power	Requirements: Input voltage: 100 to 240 VAC (+- 10%), 50/60 H2 (+- 3 H2) Consumption: 100 watts (maximum), 70 watts average (printing), 10 watts (ready) 4.8 watts (sleep), 0.2 watts (manual-off) Typical Electricity Consumption (TEC): 0.838 kWh/Week Power supply: Built-in power supply
Certifications	CISPR 22:2008-09/EN 55022:2010 (Class B); CISPR 24:2010/EN 55024:2010; EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EMC Directive 2004/108/EC with CE Marking (Europe); ENERGY STAR® qualified
Country of origin	Made in China
Warranty	One-year, on-site warranty, service and support; One-year technical phone support chat and email
Service and support	chat and email U82W7E HP 3 year Next business day PageWide Pro X477 Hardware Support U82W8E HP 4 year Next business day PageWide Pro X477 Hardware Support U82W9E HP 5 year Next business day PageWide Pro X477 Hardware Support U82Y9E HP 1 year Post Warranty Next business day PageWide Pro X477 Hardware Support U82YSPE HP 2 year Post Warranty Next business day PageWide Pro X477 Hardware Support U82X8E HP 3 year Next business day Onsite Exchange PageWide Pro X477 Service U82X9E HP 3 year Next business day Onsite Exchange PageWide Pro X477 Service U82YSPE HP 1 year Post Warranty Next business day Onsite Exchange PageWide Pro X477 Service U82YSPE HP 1 year Post Warranty Next business day Onsite Exchange PageWide Pro X477 Service U82YSPE HP 1 year Post Warranty Next business day Onsite Exchange PageWide Pro X477 Service U82YSPE HP 1 year Post Warranty Next business day Onsite Exchange PageWide Pro X477 Service U82YSPE HP 1 year Post Warranty Next business day Onsite Exchange PageWide Pro X477 Service

Footnotes

¹ Comparison based on manufacturers' published specifications of fastest available colour mode of all colour business printers €300–€800 and MFPs €400–€1,000 as of November 2015, excluding other HP PageWide products, with 1% or lower market share using market share as reported by IDC as of Q3 2015. HP PageWide products with 1% or lower market share using market share as reported by IDC as of Q3 2015. HP PageWide products with 1% or lower market share as reported by IDC as of Q3 2015. Actual prices may vary. Learn more at hp.com/go/pagewideclaims and hp.com/go/pagewideclaims and hp.com/go/pagewideclaims and hp.com/go/pagewideclaims. ³ Best-in-class security fleet management claim based on comparison of built-in features of all colour business printers €300–€800 and MFPs €400–€1,000 as of November 2015, excluding products with 1% or lower market share as reported by IDC as of Q3 2015. Actual prices may vary. Learn more at hp.com/go/pagewideclaims and hp.com/go/pagewideclaims. ³ Best-in-class security fleet management claim based on comparison of built-in features of all colour business printers €300–€800 and MFPs €400–€1,000 as of November 2015, excluding products with 1% or lower market share as reported by IDC as of Q3 2015. Learn more at hp.com/go/pagewideclaims. ⁵ HP 970X High Yield Original PageWide Cartridges are not included in printer purchase; purchase separately. Comparison based on 150,000 ages printers 4.000–€1,000 as of November 2015; market share as reported by IDC as of Q3 2015. Actual results may vary. Learn more at hp.com/go/pagewideclaims. ⁵ HP 970X High Yield Original PageWide Cartridges compated with HP 970 series High Yield Original PageWide Cartridges compated with WP PageWide Pro400 and 500 series MFPS and printers. Learn more at hp.com/go/pagewideclaims. ⁷ Comparison based on 150,000 ages perinterd. And UDI series Cartridges are not included in printer purchase parately. Com/go/pagewideclaims. ⁷ Comparison based on 150,000 ages perinted. And UDI series Cartridges compation t



http://www.hp.com/ul

The product could differ from the images shown. © Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein is been additional warranty.

