

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** P-Screen–Marine Musk P-SCRN MARINE-EU(Contains:4-tert-Butylcyclohexyl acetate, alpha-Pinene, beta-Pinene, d-Limonene)

**Other identifiers:** VA-22-116

**Unique Formula Identifier (UFI):** 14Q0-W0RW-V00Q-QJA3

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Urinal Screen,For Professional use only.

**Uses advised against:** Use only for intended applications

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** Vectair Systems Ltd

**Company address:** Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK

**Contact:** Product Development

**E-Mail address:** prod-dev@vectairsystems.com

**Company phone:** +44 (0) 1256 319500 (Office Hours 09:00 to 17:00)

#### 1.4 Emergency telephone number

**Emergency phone:** [UK]111;[IE]+353 (0)1 809 2166;[BE]+32 (0)70 245 245;[BG]+359 (0)2 9154 233;[CZ]+420 224 919 293/+420 224 915 402;[DK]+45 8212 1212;[AT]+43 (0)1 406 43 43;[GR]+30 210 779 3777;[ES]+34 91 562 04 20;[EE][LV][SI][SE]112;[FI]+358 (0)9 471 977;[FR]+33 (0)1 45 42 59 59;[HR]+385 (0)1 23-48-342;[HU]+36 (06) 80 201-199;[IS]+354 543 2222;[IT]0016506 68593726;[LT]+370 (8)5 236 20 52/+370 (8)6 875 33 78;[NL]+31 (0)30 274 8888;[NO]+47 22 59 13 00;[PT]800 250 250;[RO]+40 (0)21 318 36 06;[SK]+421(0)254774166

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Eye Damage / Irritation Category 2  
Sensitization - Skin Category 1  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.

#### 2.2 Label elements

##### **Classification under Regulation (EC) No 1272/2008**

**Signal word:** Warning

**Hazard statements:** H317, May cause an allergic skin reaction.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

H319, Causes serious eye irritation.

**Supplemental Information:**

EUH208, Contains 10-Undecenal, 2-Hexyl-(E)-cinnamaldehyde, 2-Methoxy-4-methylphenol, 2-Methyl-3-(p-isopropylphenyl)propionaldehyde, Acetyl cedrene, Benzyl salicylate, Citral, Coumarin, Linalool, Linalyl acetate, Neryl acetate, Phenylacetaldehyde, Terpinolene, alpha-Amylcinnamaldehyde, beta-Caryophyllene, dl-Citronellol, l-Carvone, omega-Pentadecalactone. May produce an allergic reaction.

**Precautionary statements:**

P261, Avoid breathing vapour or dust.  
P264, Wash hands and other contacted skin thoroughly after handling.  
P272, Contaminated work clothing should not be allowed out of the workplace.  
P280, Wear protective gloves/eye protection/face protection.  
P302/352, IF ON SKIN: Wash with plenty of soap and water.  
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333/313, If skin irritation or rash occurs: Get medical advice/attention.  
P337/313, If eye irritation persists: Get medical advice/attention.  
P363, Wash contaminated clothing before reuse.  
P404, Store in a closed container.  
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



### 2.3 Other hazards

**Other hazards:**

Sensitisers declared on a CLP Hazard Label: 10-Undecenal, 2-Hexyl-(E)-cinnamaldehyde, 2-Methoxy-4-methylphenol, 2-Methyl-3-(p-isopropylphenyl)propionaldehyde, Acetyl cedrene, Benzyl salicylate, Citral, Coumarin, Linalool, Linalyl acetate, Neryl acetate, Phenylacetaldehyde, Terpinolene, alpha-Amylcinnamaldehyde, beta-Caryophyllene, dl-Citronellol, l-Carvone, omega-Pentadecalactone

Hydrocarbon Concentration %: 4.3000%

### Section 3. Composition / information on ingredients

### 3.2 Mixtures

**Contains:**

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Benzyl benzoate	120-51-4	204-402-9		1-<5%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 2;H302-H400-H411,-	oral: ATE = 1160 mg/kg bw
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6		1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3; H226-H304-H315-H317-H400-H412,-	M = 1
Tricyclodeceny propionate	17511-60-3	241-514-7		1-<5%	Aquatic Chronic 2; H411,-	
alpha-Pinene	80-56-8, 7785-26-4	201-291-9		1-<5%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H302-H304-H315-H317-H410,-	M = 1-M = 1-oral: ATE = 500 mg/kg bw
beta-Pinene	127-91-3	204-872-5		1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H304-H315-H317-H410,-	M = 1-M = 1
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9		1-<5%	Skin Sens. 1B;H317,-	oral: ATE = 3370 mg/kg bw
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0		1-<5%	Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1;H302-H315-H318,-	
Citral	5392-40-5	226-394-6		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319,-	
Terpinolene	586-62-9	209-578-0		0.1-<1%	Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H304-H317-H410,-	M = 1-M = 1-oral: ATE = 3775 mg/kg bw
Linalyl acetate	115-95-7	204-116-4		0.1-<1%	Skin Irrit. 2-Skin Sens. 1B;H315-H317,-	
Linalool	78-70-6	201-134-4		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
alpha-Amylcinnamaldehyde	122-40-7	204-541-5		0.1-<1%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	oral: ATE = 3730 mg/kg bw
2-Hexyl-(E)-cinnamaldehyde	165184-98-5			0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H317-H400-H411,-	M = 1-oral: ATE = 3100 mg/kg bw
beta-Caryophyllene	87-44-5	201-746-1		0.1-<1%	Skin Sens. 1B-Asp. Tox 1;H304-H317,-	
Benzyl salicylate	118-58-1	204-262-9		0.1-<1%	Skin Sens. 1B-Aquatic Chronic 3;H317-H412,-	oral: ATE = 2227 mg/kg bw
2-Methyl-3-(p-isopropylphenyl) propionaldehyde	103-95-7	203-161-7		0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 3; H315-H317-H412,-	oral: ATE = 3810 mg/kg bw
Acetyl cedrene	32388-55-9	251-020-3		0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,-	M = 1-M = 1-oral: ATE = 4500 mg/kg bw
Coumarin	91-64-5	202-086-7		0.1-<1%	Acute Tox. 3-Skin Sens. 1B;H301-H317,-	oral: ATE = 290 mg/kg bw

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

omega-Pentadecalactone	106-02-5	203-354-6		0.1-<1%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	
Diphenyl ether	101-84-8	202-981-2		0.1-<1%	Eye Irrit. 2-Aquatic Acute 1-Aquatic Chronic 3;H319-H400-H412,-	M = 1-oral: ATE = 2830 mg/kg bw
l-Carvone	6485-40-1	229-352-5		0.1-<1%	Skin Sens. 1B;H317,-	dermal: ATE = 3800 mg/kg bw-oral: ATE = 2500 mg/kg bw
dl-Citronellol	106-22-9, 7540-51-4	203-375-0		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
16-Hydroxy-7-hexadecenoic acid lactone	123-69-3	204-644-5		0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1; H410,-	M = 10-M = 10
Neryl acetate	141-12-8	205-459-2		0.1-<1%	Skin Sens. 1B;H317,-	
10-Undecenal	112-45-8	203-973-1		0.1-<1%	Skin Sens. 1B-Aquatic Chronic 3;H317-H412,-	
2-Methoxy-4-methylphenol	93-51-6	202-252-9		0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H302-H315-H317-H319,-	oral: ATE = 630 mg/kg bw
Amyl salicylate	2050-08-0	218-080-2		0.1-<1%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H302-H410,-	M = 1-M = 1-oral: ATE = 2000 mg/kg bw
p-Methylanisole	104-93-8	203-253-7		0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Repr. 2;H302-H315-H361,-	oral: ATE = 1900 mg/kg bw
Phenylacetaldehyde	122-78-1	204-574-5		0.1-<1%	Acute Tox. 4-Skin Corr. 1B-Eye Dam. 1-Skin Sens. 1B-Aquatic Chronic 3;H302-H314-H317-H412,-	dermal: ATE = 2500 mg/kg bw-oral: ATE = 1550 mg/kg bw

### Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Citral	5392-40-5	226-394-6		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319,-	
Diphenyl ether	101-84-8	202-981-2		0.1-<1%	Eye Irrit. 2-Aquatic Acute 1-Aquatic Chronic 3;H319-H400-H412,-	M = 1-oral: ATE = 2830 mg/kg bw
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6		1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3; H226-H304-H315-H317-H400-H412,-	M = 1

**Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:**

Not Applicable

**Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:**

Not Applicable

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

### Section 4. First-aid measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.

**Ingestion:** Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Urinal Screen,For Professional use only.: Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
Citral	5392-40-5	226-394-6	Polish NDS mgm3	27 mg/m <sup>3</sup>
			Polish NDSC h mgm3	54 mg/m <sup>3</sup>
Diphenyl ether	101-84-8	202-981-2	UK WEL Long term ppm	1 ppm
			UK WEL Long term mgm3	7 mg/m <sup>3</sup>
			UK WEL Short term ppm	2 ppm
			UK WEL Short term mgm3	14 mg/m <sup>3</sup>
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6	German OEL Long term ppm	5 ppm
			German OEL Long term mgm3	28 mg/m <sup>3</sup>
			German OEL Short term mgm3	112 mg/m <sup>3</sup>

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<b>Physical State/Colour:</b>	Blue Solid
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined
<b>Melting point / freezing point:</b>	Not determined
<b>Boiling point or initial boiling point and boiling range:</b>	> 100 °C
<b>Flammability:</b>	Not determined
<b>Lower and upper explosion limit:</b>	Not determined
<b>Flash point:</b>	> 100 °C
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not relevant
<b>pH:</b>	Not determined
<b>Kinematic viscosity:</b>	Not determined
<b>Solubility:</b>	Not determined
<b>Partition coefficient: n-octanol/water (log value):</b>	Not determined
<b>Vapour pressure:</b>	Not determined
<b>Density and/or relative density:</b>	Not determined
<b>Relative vapour density:</b>	Not determined
<b>Particle characteristics:</b>	Not determined

**9.2 Other information:** None available

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

### Section 10. Stability and reactivity

#### **10.1 Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

#### **10.2 Chemical stability:**

Good stability under normal storage conditions.

#### **10.3 Possibility of hazardous reactions:**

Not expected under normal conditions of use.

#### **10.4 Conditions to avoid:**

Avoid extreme heat.

#### **10.5 Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

#### **10.6 Hazardous decomposition products:**

Not expected.

### Section 11. Toxicological information

#### **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

**Acute Toxicity:** Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal Not Applicable

Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:** Based on available data the classification criteria are not met.

**Serious eye damage/irritation:** Eye Damage / Irritation Category 2

**Respiratory or skin sensitisation:** Sensitization - Skin Category 1

**Germ cell mutagenicity:** Based on available data the classification criteria are not met.

**Carcinogenicity:** Based on available data the classification criteria are not met.

**Reproductive toxicity:** Based on available data the classification criteria are not met.

**STOT-single exposure:** Based on available data the classification criteria are not met.

**STOT-repeated exposure:** Based on available data the classification criteria are not met.

**Aspiration hazard:** Based on available data the classification criteria are not met.

#### **Information about hazardous ingredients in the mixture**

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0	500	Not available	Not available	Not available
Benzyl benzoate	120-51-4	204-402-9	1160	Not available	Not available	Not available



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU**Version:** 2

Coumarin	91-64-5	202-086-7	290	Not available	Not available	Not available
----------	---------	-----------	-----	---------------	---------------	---------------

Refer to Sections 2 and 3 for additional information.

### 11.2 Information on other hazards

Not Applicable

### Section 12. Ecological information

**12.1 Toxicity:** Not available**12.2 Persistence and degradability:** Not available**12.3 Bioaccumulative potential:** Not available**12.4 Mobility in soil:** Not available**12.5 Results of PBT and vPvB assessment:**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** Not Applicable**12.7 Other adverse effects:** Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	Not classified	-	-	-	-
IMDG	Not classified	-	-	-	-
ADR,RID,ADN	Not classified	-	-	-	-
ICAO TI	Not classified	-	-	-	-

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN Model Regulations.**14.6 Special precautions for user:** None additional**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not classified

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

### Section 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.: SDS\_1046

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

**Concentration % Limits:** EDI 2=90.91% SS 1=62.50% EH C2=48.08% EH C3=4.79%

**Total Fractional Values:** EDI 2=1.10 SS 1=1.60 EH C2=2.08 EH C3=20.86

#### Key to revisions:

Classification under Regulation (EC) No 1272/2008

Classification under Regulation (EC) No 1272/2008

Concentration % Limits

Information about hazardous ingredients in the mixture

Product identifier

SECTION 3: Composition/information on ingredients

Total Fractional Values

Workplace exposure limits

#### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity - Oral Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** P-Screen–Marine Musk P-SCRN MARINE-EU

**Version:** 2

Repr. 2	Toxic to Reproduction Category 2
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.