

Safety Data Sheet dated 11/3/2014, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Mixture identification Trade name: NATURE SUMMER
1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Air freshener for environments. Uses advised against: Do not use in combination with other products.
1.3. Details of the supplier of the safety data sheet

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number +39 0143 631.1

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture
Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:
Properties / Symbols:
This product is not a hazardous article and need not be labelled according to EC Directive
67/548, 99/45 as amended.
EC regulation criteria 1272/2008 (CLP)
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Adverse physicochemical, human health and environmental effects:
No other hazards

2.2. Label elements

Symbols:

None

Hazard statements:

None

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Special Provisions:

None Contents

BENZISOTHIAZOLINONE: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients 3.1. Substances 54227CLP/1 Page n. 1 of7



N.A.

3.2. Mixtures

- Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:
- >= 1% < 3% ETHANOL; ETHYL ALCOHOL
 - REACH No.: 01-2119457610-43, Index number: 603-002-00-5, CAS: 64-17-5, EC: 200-578-6
 - F; R11; substance with a Community workplace exposure limit
 - 2.6/2 Flam. Liq. 2 H225
 - 1.3/2 Eye Irrit. 2 H319

SECTION 4: First aid measures

- 4.1. Description of first aid measures
- In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.
 6.2. Environmental precautions Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
 - Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.

54227CLP/1

Page n. 2 of7



6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working. See also section 8 for recommended protective equipment.
 7.2. Conditions for safe storage, including any incompatibilities
- Store away from sunlight. Store in a cool and well ventilated place. Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

- ETHANOL; ETHYL ALCOHOL CAS: 64-17-5 EU - LTE(8h): 1920 mg/m3, 1000 ppm - Notes: WEL
 - TLV TWA 1000 ppm, A4 1884,25 mg/m3, A4
 - TLV STEL A4
- DNEL Exposure Limit Values
- ETHANOL; ETHYL ALCOHOL CAS: 64-17-5

Worker Industry: 1900 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects Worker Industry: 950 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term,

- Worker Industry: 950 mg/m3 Exposure: Human Inhalation Frequency: Long Term, systemic effects
- Worker Industry: 343 mg/kg Exposure: Human Dermal Frequency: Long Term, systemic effects Notes: bw/day
- **PNEC Exposure Limit Values**

N.Å.

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices. Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

Odour threshold:

None

pH:

SECTION 9: Physical and chemical properties

- 9.1. Information on basic physical and chemical properties Appearance and colour: Clear liquid, colorless Odour: Fruity
 - Fruity Evident 7,6 +/- 0,5



N.A.		~
•	>= 100 °	С
	ite	N.A.
•		п.л.
	°C	
N.A.	-	
N.A.		
0,997 g/r	ml	
Total		
Partial		
water):	< 1000	
N.A.		
N.A.		
< 10 cP		
N.A.		
N.A.		
N.A.		
N.A.		
N.A.		
operties	Not Rele	evant
	range: N.A. plosive lim N.A. 60 +/- 2 ' N.A. 0,997 g/r Total Partial water): N.A. N.A. N.A. N.A. N.A. N.A. N.A. N.A	range: >= 100 ° N.A. plosive limits: N.A. 60 +/- 2 ° C N.A. N.A. 0,997 g/ml Total Partial water): < 1000 N.A. N.A. N.A. N.A. N.A. N.A. N.A. N

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects
Toxicological information of the mixture:
N.A.

Toxicological information of the main substances found in the mixture:
ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5
a) acute toxicity:
Test: LD50 - Species: Rat = 6200 mg/kg
Test: LC50 - Route: Inhalation - Species: Rat > 50 mg/m3
ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5
LD50 (RABBIT) ORAL: 6300 MG/KG
LD50 (RAT) ORAL SINGLE DOSE: 7060 MG/KG

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

a) acute toxicity;

- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;

54227CLP/1

Page n. 4 of7



e) germ cell mutagenicity;f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. N.A.

12.2. Persistence and degradability

None

N.A.

12.3. Bioaccumulative potential

N.A.

- 12.4. Mobility in soil
- N.A. 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number	
ADR-UN number:	1993
IATA-Un number:	1993
IMDG-Un number:	1993
14.2. UN proper shipping name	
ADR-Shipping Name:	Flammable liquid, N.O.S. (Contains Ethyl alcohol)
14.3. Transport hazard class(es)	
ADR-Class:	3 F1
ADR-Label:	3
IATA-Class:	3
IATA-Label:	
IMDG-Class:	3
14.4. Packing group	
ADR-Packing Group:	
IMDG-Packing group:	
14.5. Environmental hazards	
Marine pollutant:	No
14.6. Special precautions for user	
Rail (RID):	3
IMDG-Page:	87
IMDG-EMS:	F-E, S-D
IMDG-MFAG:	Ed. 2000
14.7. Transport in bulk according to A N.A.	nnex II of MARPOL73/78 and the IBC Code
IN.A.	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)

54227CLP/1

Page n. 5 of7



Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations) Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

15.2. Chemical safety assessment No

SECTION 16: Other information

Full text of phrases referred to in Section 3: R11 Highly flammable.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: CLP:	Chemical Abstracts Service (division of the American Chemical Society). Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"

54227CLP/1

Page n. 6 of7



	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day.
	(ACGIH Standard).
WGK:	German Water Hazard Class.