

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

HP Color LaserJet CF380A-X-XC-XD Black Print Cartridge

of the mixture

Registration number -

Synonyms None.

Issue date 19-Nov-2014

Version number 10

Revision date 09-Jun-2021 Supersedes date 21-Dec-2020

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a black toner preparation that is used in HP Color LaserJet Pro MFP M476 series

printers.

Uses advised against None known.

### 1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West

300 Thames Valley Park Drive, Reading, RG6 1PT

**Telephone** +44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

**Email:** hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

# 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Carbon Black, Styrene acrylate copolymer, Wax

Hazard pictograms None.
Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None.

Material name: CF380A-X-XC-XD

#### 2.3. Other hazards

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Genera	ınta	rma	tion
Genera	ши	11110	LIVII

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification: -		-			
Carbon Black	<10	1333-86-4	01-2119384822-32-XXXX	-	
Classification: -		-			
Wax	<10	Trade Secret	-	-	
Classification: -		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

# **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

# **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting procedures

If fire occurs in the printer, treat as an electrical fire.

None established. Specific methods

13322 Version #: 10 Revision date: 09-Jun-2021 Issue date: 19-Nov-2014

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

Not available. For emergency responders

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

6.3. Methods and material for

containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

Not available. 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

# UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	
Black Pigment (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3.5 ma/m3	

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Recommended monitoring

procedures

Not available

#### Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
Carbon Black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term

### Predicted no effect concentrations (PNECs)

Components	Type	Route	Value	Form
Carbon Black (CAS 1333-86-4)	Not applicable	Freshwater	5 mg/l	
		Marine water	5 ma/l	

**Exposure guidelines** , 5 mg/m3 (Respirable Fraction), 3 mg/m3 (Respirable Particulate) Amorphous silica: USA OSHA

(TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3 TRGS 900

(Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion) UK WEL:

10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

# Individual protection measures, such as personal protective equipment

General information No personal respiratory protective equipment required under normal conditions of use.

Not available. Eye/face protection

Skin protection

Not available. - Hand protection Not available. - Other Not available. Respiratory protection Not available. Thermal hazards Hygiene measures Not available.

Material name: CF380A-X-XC-XD 13322 Version #: 10 Revision date: 09-Jun-2021 Issue date: 19-Nov-2014

SDS UK

controls

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Fine powder **Appearance** Solid. Physical state solid **Form** Color Black.

Odor Slight plastic odor Odor threshold Not available. Not applicable Not available. Melting point/freezing point Not applicable Initial boiling point and boiling

range

Not applicable Flash point **Evaporation rate** Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressure Not applicable Vapor density Not applicable

Solubility(ies)

Negligible in water. Partially soluble in toluene and xylene. Solubility (water)

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature** 

**Decomposition temperature** >= 392 °F (>= 200 °C)

**Viscosity** Not applicable Not available. **Explosive properties** 

No information available. Oxidizing properties

9.2. Other information

Concentration Not applicable

176 - 266 °F (80 - 130 °C) Softening point

Specific gravity 1 - 1.2 (H2O = 1)VOC Not applicable

# **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

Stable under normal storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

# **SECTION 11: Toxicological information**

**General information** Not available.

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Eye contact Contact with eyes may result in mild irritation. Ingestion Ingestion is not a likely route of exposure.

Material name: CF380A-X-XC-XD

Not available. **Symptoms** 

### 11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** 

Components **Species Test Results** 

Carbon Black (CAS 1333-86-4)

**Acute** Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

irritation

Respiratory sensitization Skin sensitization

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

single exposure

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

repeated exposure

Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Other information

**Aspiration hazard** 

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

# **SECTION 12: Ecological information**

LC50: > 100 mg/l, Fish, 96.00 Hours 12.1. Toxicity

12.1. TOXICILY	2000. 7 100 High, 1 Ish, 90.00 Hours			
Product		Species	Test Results	
CF380A-X-XC-XD				
Aquatic				
Algae	ErC50	Algae	> 100 mg/l, 72 Hours	
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours	
Fish	LC50	Fish	> 100 mg/l, 96 Hours	
12.2. Persistence and degradability	Not available	э.		
12.3. Bioaccumulative potential	Not available	e.		
Partition coefficient n-octanol/water (log Kow)	Not available	э.		
Bioconcentration factor (BCF)	Not available	€.		

Not available.

12.4. Mobility in soil 12.5. Results of PBT and vPvB

Not a PBT or vPvB substance or mixture.

assessment

12.6. Other adverse effects

Not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Residual waste Not available.

Material name: CF380A-X-XC-XD 13322 Version #: 10 Revision date: 09-Jun-2021 Issue date: 19-Nov-2014 Contaminated packaging Not available.

EU waste code Not available.

**Disposal methods/information** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

# **SECTION 14: Transport information**

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at

work, as amended

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

National regulations Not availab

**15.2. Chemical safety** See attached SUMI or GEIS document, if applicable.

assessment

#### **SECTION 16: Other information**

References Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Material name: CF380A-X-XC-XD

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

None

**Revision information** 

None.

**Training information** 

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

# **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer **IARC** 

National Institute for Occupational Safety and Health NIOSH

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

PFI Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

**TSCA** Toxic Substances Control Act Volatile Organic Compounds VOC

13322 Version #: 10 Revision date: 09-Jun-2021 Issue date: 19-Nov-2014