

Product data sheet cup shape mask FFP1 - uvex silv-Air 2110



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, 90766 Fürth, Germany

Product features	<ul style="list-style-type: none"> • Optimised shape • Soft material edges for high wearing comfort • Continuous head band for a comfortable and secure fit • Exhalation valve for reduced build-up of heat and moisture inside the mask • Flexible and adjustable nose piece • Mask fulfils the requirements of the dolomite dust test (D) • Compatible with uvex safety eyewear • The half sealing lip provides good fitting combined with high wearing comfort
Materials	Head band: elastic textile Nose piece: aluminum Headband clips: without Filter / mask: Melt Blown PP, Polyester Sealing lip: PVC foam Valve: ABS

Areas of use The respiratory protection mask can be used against solid, aqueous and non-volatile liquid aerosols up to 4 times the respective limit values.	Agriculture, food industry, quarries, cement plants, construction, softwood processing, dust and fumes of calcium carbonate, graphite, gypsum, chalk, cement, plaster, marble, zinc oxide, plant dust, cellulose, sulphur, cotton, ferrous metal respirable dust, coal dust with less than 10% free silicon oxide.
Weight	19g
Standard	EN 149:2001 + A1:2009

Varianten/Farbe:

Artikle-No.	Colour/Version	Retail unit
8732.110	cup shape mask FFP1, white with valve	15 pieces per box