

# SAFETY DATA SHEET

#### 1. Identification

Product identifierC9351 SeriesOther means of identificationNot available.Recommended useInkjet printingRecommended restrictionsNone known.

Company identification

1501 Page Mill Road Palo Alto, CA 94304-1112

**United States** 

Telephone 650-857-5020

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

**Label elements** 

Hazard symbol None.
Signal word None.

**Hazard statement** Not available.

**Precautionary statement** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Hazard(s) not otherwise classified (HNOC)

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present

this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

**Supplemental information** This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	75-85
2-pyrrolidone		616-45-5	<15

Material name: C9351 Series SDS US

Chemical name	Common name and synonyms	CAS number	%
Carbon black		1333-86-4	<5
Isopropyl alcohol		67-63-0	<2.5

Composition comments

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

Carbon black is present only in a bound form in this preparation.

4. First-aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

**Eye contact**Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

Contact with skin and eyes may result in irritation.

# 5. Fire-fighting measures

**Notes**No ignition, sustained combustion or flashing detected using the Sustained Combustibility Test

(method in US 49CFR173, Appendix H).

Suitable extinguishing media

**Unsuitable extinguishing** 

media

CO2, water, dry chemical, or foam None known.

Specific hazards arising from Not appli

the chemical

firefighters

Not applicable.

**Special protective equipment** 

and precautions for

•

None established.

**Specific methods** None established.

**General fire hazards** Contact with skin and eyes may result in irritation.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Slowly vacuum or sweep the

material into a bag or other sealed container.

Dispose of in compliance with federal, state, and local regulations.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

#### 7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage,

including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

# 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Isopropyl alcohol (CAS 67-63-0)	PEL	980 mg/m3	

Material name: C9351 Series sps us

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
		400 ppm	
US. ACGIH Threshold Limit Va Components	lues Type	Value	Form
	Туре		
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Isopropyl alcohol (CAS 67-63-0)	STEL	400 ppm	
,	TWA	200 ppm	
US. NIOSH: Pocket Guide to C	hemical Hazards		
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3	
Isopropyl alcohol (CAS 67-63-0)	STEL	1225 mg/m3	
	TWA	500 ppm 980 mg/m3 400 ppm	

#### **Biological limit values**

<b>ACGIH Biological</b>	<b>Exposure Indices</b>
-------------------------	-------------------------

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

**Exposure guidelines** Exposure limits have not been established for this product.

**Appropriate engineering** 

controls

Use in a well ventilated area.

# Individual protection measures, such as personal protective equipment

Liquid.

**Eye/face protection** Not available.

Skin protection

Not available. **Hand protection** Other Not available. **Respiratory protection** Not available. Thermal hazards Not available.

**General hygiene** considerations

**Physical state** 

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

## **Appearance**

Color Black. Odor Not available. **Odor threshold** Not available. 7.8 - 8.4Melting point/freezing point Not available.

Initial boiling point and

boiling range

200 °F (93.33 °C)

Flash point 131.0 - 136.0 °F (55.0 - 57.8 °C)

Not determined **Evaporation rate** Flammability (solid, gas) Not available.

Material name: C9351 Series

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure

Not determined

Solubility(ies)

Solubility (water) Soluble in water

Partition coefficient Not determined (n-octanol/water)

Auto-ignition temperature Decomposition temperature Not available. Not available.

Viscosity > 2 cp

Other information

**Specific gravity** 1 - 1.2

**Other information** For other VOC regulatory data/information see Section 15.

**VOC (Weight %)** < 116.6 g/l

# 10. Stability and reactivity

**Reactivity** Not available.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Not available.

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

# 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

#### Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Respiratory sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

Material name: C9351 Series SDS US
9235 Version #: 03 Revision date: 23-Aug-2015 Issue date: 14-Apr-2015 4 / 8

Specific target organ toxicity - single exposure
 Specific target organ toxicity
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

Aspiration hazardBased on available data, the classification criteria are not met.Further informationComplete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Components	Species	Test Results
2-pyrrolidone (CAS 616-45-	.5)	
Acute		
Oral		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg
Carbon black (CAS 1333-86	i-4)	
Acute		
Oral		
LD50	Rat	> 8000 mg/kg
sopropyl alcohol (CAS 67-6	53-0)	
Acute		
Dermal		
LD50	Rabbit	12800 mg/kg
Oral		
LD50	Dog	4797 mg/kg
	Mouse	3600 mg/kg
	Rabbit	5.03 g/kg
	Rat	4.7 g/kg
Other		
LD50	Mouse	1509 mg/kg
	Rat	1099 mg/kg

# 12. Ecological information

- repeated exposure

**Aquatic toxicity** Not expected to be harmful to aquatic organisms.

**Ecotoxicity** 

Product		Species	Test Results
C9351 Series (CAS Mix	xture)		
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 61	6-45-5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Isopropyl alcohol (CAS	6 67-63-0)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
Acute			
Algae	EC50	Algae	> 1000 mg/l, 72 hours
Crustacea	EC50	Daphnia	13299 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	9460 mg/l, 96 hours

Material name: C9351 Series

SDS US

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** Not available.

Partition coefficient n-octanol / water (log Kow)

2-pyrrolidone -0.85 Isopropyl alcohol 0.05

Mobility in soilNot available.Other adverse effectsNot available.

## 13. Disposal considerations

**Disposal instructions** Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

**Contaminated packaging** No special precautions.

# 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

No ignition, sustained combustion, or flashing detected, using the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, Part III subsection 32.5.2. Refer to Dangerous

Goods Regulations Section 3.3.1.3.

No ignition, sustained combustion or flashing detected using the sustained combustibility test

(method in US CFR173, Appendix H).

# 15. Regulatory information

**US TSCA** 12(b): Does not contain listed chemicals.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**SARA 304 Emergency release notification** 

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** No

**Hazardous chemical** 

Material name: C9351 Series sps us

6/8

#### Other federal regulations

Safe Drinking Water Act

(SDWA)

Not regulated.

#### **US state regulations**

#### **US. Massachusetts RTK - Substance List**

2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4) Isopropyl alcohol (CAS 67-63-0)

#### **US. New Jersey Worker and Community Right-to-Know Act**

Carbon black (CAS 1333-86-4) Isopropyl alcohol (CAS 67-63-0)

#### US. Pennsylvania Worker and Community Right-to-Know Law

2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4) Isopropyl alcohol (CAS 67-63-0)

#### **US. Rhode Island RTK**

Isopropyl alcohol (CAS 67-63-0)

#### **US. California Proposition 65**

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003 OF RESPIRABLE SIZE [<= 10 MICROMETERS]) (CAS

1333-86-4)

**Other information** VOC content (less water, less exempt compounds) = <592.5 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

# 16. Other information, including date of preparation or last revision

Issue date14-Apr-2015Revision date23-Aug-2015

Version # 03

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Manufacturer information HF

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Material name: C9351 Series sps us

# **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C9351 Series SDS US

C9352 Series[C][3]-SDS\_US-English-23.pdf

C9352 Series[M][3]-SDS\_US-English-23.pdf

C9352 Series[Y][3]-SDS\_US-English-23.pdf

# SAFETY DATA SHEET

#### 1. Identification

Product identifier C9352 Series[C][3]
Other means of identification Not available.
Recommended use Inkjet printing
Recommended restrictions None known.

Company identification

1501 Page Mill Road

Palo Alto, CA 94304-1112

**United States** 

Telephone 650-857-5020

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

**Label elements** 

Hazard symbol None.
Signal word None.

**Hazard statement** Not available.

**Precautionary statement** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Hazard(s) not otherwise

classified (HNOC)

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

**Supplemental information** This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

# 3. Composition/information on ingredients

#### **Mixtures**

Common name and synonyms	CAS number	%
	7732-18-5	65-75
	111-29-5	<10
	616-45-5	< 7.5
	10377-60-3	< 7.5
	6484-52-2	<2.5
	Common name and synonyms	7732-18-5 111-29-5 616-45-5 10377-60-3

Material name: C9352 Series[C][3] sps us

% **CAS** number **Chemical name** Common name and synonyms Cyan colorant Proprietary < 2.5

This ink supply contains an aqueous ink formulation. **Composition comments** 

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important

Not available.

symptoms/effects, acute and delayed

5. Fire-fighting measures

Suitable extinguishing media For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.

For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for

firefighters

Not available.

Specific methods None established.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

7. Handling and storage

Precautions for safe handling Avoid contact with skin, eyes and clothing.

Conditions for safe storage,

including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure controls/personal protection

**Occupational exposure limits** No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s). **Exposure guidelines** Exposure limits have not been established for this product.

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

**Hand protection** Not available. Not available. Other Respiratory protection Not available. Thermal hazards Not available.

Material name: C9352 Series[C][3]

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

**Appearance** Not available. **Physical state** Liquid.

Color Cyan

Odor Not available. **Odor threshold** Not available. 6.2 - 6.8Melting point/freezing point Not available. Initial boiling point and Not determined

boiling range Flash point

>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not determined

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Not available.

Vapor pressure

Solubility(ies)

Solubility (water) Soluble in water **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. >= 2 cp**Viscosity** 

Other information

Specific gravity 1 - 1.2

Other information For other VOC regulatory data/information see Section 15.

VOC (Weight %) < 338 g/l

#### 10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under recommended storage conditions.

**Possibility of hazardous** 

reactions

Will not occur.

Conditions to avoid Not available.

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

Hazardous decomposition Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

products dioxide and/or low molecular weight hydrocarbons.

# 11. Toxicological information

Not available. Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

Material name: C9352 Series[C][3] 9183 Version #: 02 Revision date: 28-Sep-2015 Issue date: 14-Jun-2015 Skin corrosion/irritation Serious eye damage/eye irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Respiratory sensitization
Skin sensitization
Based on available data, the classification criteria are not met.
Germ cell mutagenicity
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard**Based on available data, the classification criteria are not met. **Further information**Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute Oral

LD50 Guinea pig 6500 mg/kg

Rat 6500 mg/kg

Ammonium nitrate (CAS 6484-52-2)

Acute

Inhalation

LC50 Rat > 88.8 mg/l, 4 Hours

Oral

LD50 Rat 2217 mg/kg

# 12. Ecological information

# **Ecotoxicity**

Product		Species	Test Results
Cyan ink (CAS Mixture)			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	< 400 mg/l, 96 hours
Components		Species	Test Results

**Aquatic** 

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Ammonium nitrate (CAS 6484-52-2)

Aquatic

Crustacea EC50 Daphnia 100, 48 Hours Fish LC50 Fish 100, 96 Hours

Cyan colorant (CAS Proprietary)

Aquatic

Material name: C9352 Series[C][3]

Crustacea EC50 Daphnia 50 - 100 mg/l, 48 Hours

**Persistence and degradability** Not available.

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient n-octanol / water (log Kow)

2-pyrrolidone -0.85

Mobility in soil Not available. Other adverse effects Not available.

### 13. Disposal considerations

**Disposal instructions** Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# 15. Regulatory information

**US federal regulations** US TSCA 12(b): Does not contain listed chemicals.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** No

**Hazardous chemical** 

Other federal regulations

Safe Drinking Water Act Not regulated.

(SDWA)

**US state regulations** 

**US. Massachusetts RTK - Substance List** 

2-pyrrolidone (CAS 616-45-5) Ammonium nitrate (CAS 6484-52-2)

**US. New Jersey Worker and Community Right-to-Know Act** 

Ammonium nitrate (CAS 6484-52-2)

**US. Pennsylvania Worker and Community Right-to-Know Law** 

2-pyrrolidone (CAS 616-45-5) Ammonium nitrate (CAS 6484-52-2)

**US. Rhode Island RTK** 

Not regulated.

Material name: C9352 Series[C][3] 5/6 9183 Version #: 02 Revision date: 28-Sep-2015 Issue date: 14-Jun-2015

SDS US

#### **US. California Proposition 65**

Not Listed.

**Other information** VOC content (less water, less exempt compounds) = <1120 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

# 16. Other information, including date of preparation or last revision

Issue date14-Jun-2015Revision date28-Sep-2015

Version # 02

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Manufacturer information HP

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: C9352 Series[C][3] sps us

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** C9352 Series[M][3]

Other means of identificationNot available.Recommended useInkjet printing

Company identification HP

**Recommended restrictions** 

1501 Page Mill Road Palo Alto, CA 94304-1112

**United States** 

None known.

Telephone 650-857-5020

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

**Label elements** 

Hazard symbol None.
Signal word None.

**Hazard statement** Not available.

**Precautionary statement** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Hazard(s) not otherwise

classified (HNOC)

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and inqestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

**Supplemental information** This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	65-75
2-pyrrolidone		616-45-5	< 7.5
Magnesium nitrate hexahydrate		10377-60-3	< 7.5
Substituted napthalenesulfonate salt #8		Proprietary	< 5
Ammonium nitrate		6484-52-2	< 2.5

Material name: C9352 Series[M][3] SDS U

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important

delayed

Not available. symptoms/effects, acute and

# 5. Fire-fighting measures

Suitable extinguishing media For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.

For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for

Not available.

firefighters

#### **Specific methods** None established. 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Methods and materials for

containment and cleaning up

Not available.

**Environmental precautions** 

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

#### 7. Handling and storage

**Precautions for safe handling** 

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any

incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

## 8. Exposure controls/personal protection

**Occupational exposure limits** 

No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s). **Exposure guidelines** Exposure limits have not been established for this product.

Appropriate engineering

controls

Use in a well ventilated area.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

**Hand protection** Not available. Not available. Other **Respiratory protection** Not available. Thermal hazards Not available.

**General hygiene** considerations

Handle in accordance with good industrial hygiene and safety practice.

Material name: C9352 Series[M][3]

# 9. Physical and chemical properties

Not available. **Appearance** 

**Physical state** Liquid. Color Magenta Odor Not available. **Odor threshold** Not available. 6.2 - 6.8Melting point/freezing point Not available.

Initial boiling point and

boiling range

Not determined

>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup Flash point

**Evaporation rate** Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not determined

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not determined

Solubility(ies)

Solubility (water) Soluble in water Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** >= 2 cp

Other information

Specific gravity 1 - 1.2VOC (Weight %) < 349 g/I

## 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

**Conditions to avoid** Not available.

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

products dioxide and/or low molecular weight hydrocarbons.

#### 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Material name: C9352 Series[M][3] SDS US 9184 Version #: 02 Revision date: 28-Sep-2015 Issue date: 14-Jun-2015

3/6

Respiratory or skin sensitization

**Respiratory sensitization** Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity Based on available data, the classification criteria are not met.

Guinea pig

- single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity

- repeated exposure

**Aspiration hazard** Based on available data, the classification criteria are not met. **Further information** 

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

6500 mg/kg

Components **Species Test Results** 2-pyrrolidone (CAS 616-45-5) **Acute** Oral

> Rat 6500 mg/kg

Ammonium nitrate (CAS 6484-52-2)

**Acute** 

LD50

Inhalation

LC50 Rat > 88.8 mg/l, 4 Hours

Oral

LD50 Rat 2217 mg/kg

# 12. Ecological information

**Ecotoxicity** 

**Product Test Results** Species

Magenta ink (CAS Mixture)

**Aquatic** 

Acute

Fish LC50 Fathead minnow (Pimephales promelas) < 400 mg/l, 96 hours

Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Ammonium nitrate (CAS 6484-52-2)

Aquatic

EC50 Crustacea Daphnia 100, 48 Hours LC50 Fish Fish 100, 96 Hours

Persistence and degradability Not available.

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient n-octanol / water (log Kow)

2-pyrrolidone -0.85

Mobility in soil Not available. Other adverse effects Not available.

Material name: C9352 Series[M][3] SDS US

# 13. Disposal considerations

**Disposal instructions** 

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

## 14. Transport information

**DOT** 

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# 15. Regulatory information

**US federal regulations** 

US TSCA 12(b): Does not contain listed chemicals.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**SARA 304 Emergency release notification** 

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312

No

**Hazardous chemical** 

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

#### **US. Massachusetts RTK - Substance List**

2-pyrrolidone (CAS 616-45-5)

Ammonium nitrate (CAS 6484-52-2)

#### **US. New Jersey Worker and Community Right-to-Know Act**

Ammonium nitrate (CAS 6484-52-2)

#### US. Pennsylvania Worker and Community Right-to-Know Law

2-pyrrolidone (CAS 616-45-5)

Ammonium nitrate (CAS 6484-52-2)

#### **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

Not Listed.

Material name: C9352 Series[M][3]

**Other information** VOC content (less water, less exempt compounds) = <1110 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

#### 16. Other information, including date of preparation or last revision

Issue date14-Jun-2015Revision date28-Sep-2015

Version # 02

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

**Manufacturer information** HP

1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C9352 Series[M][3] sps us

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** C9352 Series[Y][3] Other means of identification Not available. Recommended use Not available. **Recommended restrictions** None known.

**Company identification** 

1501 Page Mill Road Palo Alto, CA 94304-1112

**United States** 

Telephone 650-857-5020

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 

None. **Hazard symbol** Signal word None.

Not available. **Hazard statement** 

**Precautionary statement** 

**Prevention** Not available. Response Not available. **Storage** Not available. **Disposal** Not available.

Hazard(s) not otherwise

classified (HNOC)

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

**Supplemental information** This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	65-75
1,5-pentanediol		111-29-5	<10
2-pyrrolidone		616-45-5	< 7.5
Magnesium nitrate hexahydrate		10377-60-3	< 7.5
naphthalenesulfonate salt #12		Proprietary	< 5
Ammonium nitrate		6484-52-2	< 2.5
Arylazopyrazolesulfonate salt # 3		Proprietary	< 2.5

Material name: C9352 Series[Y][3] SDS US 1/6

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Not available.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

# 5. Fire-fighting measures

Suitable extinguishing media For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.

For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for

Not available.

**Specific methods** 

firefighters

None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Methods and materials for

containment and cleaning up

Not available.

**Environmental precautions** 

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

#### 7. Handling and storage

**Precautions for safe handling** 

Avoid contact with skin, eyes and clothing.

Conditions for safe storage,

including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold.

## 8. Exposure controls/personal protection

**Occupational exposure limits** 

No exposure limits noted for ingredient(s).

**Biological limit values Exposure guidelines** 

No biological exposure limits noted for the ingredient(s). Exposure limits have not been established for this product.

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

**Hand protection** Not available. Not available. Other **Respiratory protection** Not available. Thermal hazards Not available.

**General hygiene** considerations

Handle in accordance with good industrial hygiene and safety practice.

Material name: C9352 Series[Y][3]

# 9. Physical and chemical properties

Not available. **Appearance** 

**Physical state** Liquid. Color Yellow

Odor Not available. **Odor threshold** Not available. 6.2 - 6.8Melting point/freezing point Not available.

Initial boiling point and

boiling range

Not determined

>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup Flash point

**Evaporation rate** Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not determined

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not determined

Solubility(ies)

Solubility (water) Soluble in water Not available. **Partition coefficient** (n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** >= 2 cp

Other information

Specific gravity 1 - 1.2VOC (Weight %) < 340 g/l

## 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

**Conditions to avoid** Not available.

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

products dioxide and/or low molecular weight hydrocarbons.

#### 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Material name: C9352 Series[Y][3]

Respiratory or skin sensitization

**Respiratory sensitization** Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity

- single exposure

**Aspiration hazard** 

**Further information** 

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

2217 mg/kg

Components **Species Test Results** 2-pyrrolidone (CAS 616-45-5) **Acute** Oral LD50 Guinea pig 6500 mg/kg Rat 6500 mg/kg Ammonium nitrate (CAS 6484-52-2) **Acute** Inhalation LC50 Rat > 88.8 mg/l, 4 Hours

# 12. Ecological information

## **Ecotoxicity**

**Product Test Results Species** 

Yellow ink (CAS Mixture)

**Aquatic** 

Acute

Oral LD50

LC50 Fathead minnow (Pimephales promelas) < 400 mg/l, 96 hours Fish

Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Ammonium nitrate (CAS 6484-52-2)

Aquatic

EC50 Crustacea Daphnia 100, 48 Hours LC50 Fish Fish 100, 96 Hours

Arylazopyrazolesulfonate salt # 3 (CAS Proprietary)

**Aquatic** 

LC50 Fathead minnow (Pimephales promelas) > 180 mg/l, 96 hours Fish

Persistence and degradability Not available.

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient n-octanol / water (log Kow)

2-pyrrolidone -0.85

Rat

Mobility in soil Not available. Other adverse effects Not available.

Material name: C9352 Series[Y][3] SDS US

# 13. Disposal considerations

**Disposal instructions** 

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# 15. Regulatory information

US federal regulations

US TSCA 12(b): Does not contain listed chemicals.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**SARA 304 Emergency release notification** 

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312

No

**Hazardous chemical** 

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

#### **US. Massachusetts RTK - Substance List**

2-pyrrolidone (CAS 616-45-5)

Ammonium nitrate (CAS 6484-52-2)

#### **US. New Jersey Worker and Community Right-to-Know Act**

Ammonium nitrate (CAS 6484-52-2)

#### US. Pennsylvania Worker and Community Right-to-Know Law

2-pyrrolidone (CAS 616-45-5)

Ammonium nitrate (CAS 6484-52-2)

#### **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

Not Listed.

Material name: C9352 Series[Y][3]

**Other information** VOC content (less water, less exempt compounds) = <1061 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

## 16. Other information, including date of preparation or last revision

Issue date14-Jun-2015Revision date28-Sep-2015

Version # 02

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

**Manufacturer information** HP

1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C9352 Series[Y][3] sps us