



SAFETY DATA SHEET DAILY WASHROOM CLEANER 750ML

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	DAILY WASHROOM CLEANER 750ML	
Product number	8149848	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Disinfecting and cleaning.	
1.3. Details of the supplier of	f the safety data sheet	
Supplier	COVENTRY CHEMICALS LTD WOODHAMS RD SISKIN DRIVE COVENTRY CV3 4FX Tel: +44 (0) 02476639739 Fax: +44 (0) 02476639717 Email: sales@coventrychemicals.com	
Contact person	For content of safety data sheet:,sds@coventrychemicals.com	
1.4. Emergency telephone number		
Emergency telephone	+44 (0) 02476639739	
SECTION 2: Hazards identif	ication	
2.1. Classification of the sub	stance or mixture	
Classification		
Physical hazards	Not Classified	
Health hazards	Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram	Warning	
Signal Wold	wanning	

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements	P264 Wash contaminated skin thoroughly after handling.
	P280 Wear protective gloves/protective clothing/eye protection/face protection.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on	ingredients			
3.2. Mixtures				
ALCOHOLS, C12-14, ETHOXYLATED				1-5%
CAS number: 68439-50-9	EC number: 500-213-3	3	REACH registration number: 01- 2119487984-16-XXXX	
M factor (Acute) = 1				
Classification Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412		l assification (67/5 4 i;R41. N;R50.	18/EEC or 1999/45/EC)	
2-(2-BUTOXYETHOXY)ETHANOL				1-5%
CAS number: 112-34-5	EC number: 203-961-6	3	REACH registration number: 01- 2119475104-44-xxxx	
Classification	С	lassification (67/54	18/EEC or 1999/45/EC)	
Eye Irrit. 2 - H319	Х	i;R36		
QUATERNARY AMMONIUM COMPOU 16-ALKYLDIMETHYL, CHLORIDES	INDS, BENZYL-C12-			<1%
CAS number: 68424-85-1	EC number: 270-325-2	2		
M factor (Acute) = 1				
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1B - H314		lassification (67/5 4 ;R34 Xn;R21/22 N	I8/EEC or 1999/45/EC) ;R50	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.
4.2. Most important symptoms	and effects, both acute and delayed
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
5.2. Special hazards arising fr	om the substance or mixture
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.
6.2. Environmental precaution	S
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage

7.1. Precautions for safe handling

Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Avoid contact with acids and other cleaning agents. Wear protective clothing as described in Section 8 of this safety data sheet.	
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Use appropriate skin cream to prevent drying of skin.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure Controls/personal protection		

8.1. Control parameters

Occupational exposure limits

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³ Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³

WEL = Workplace Exposure Limit

ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)

DNEL	Workers - Inhalation; Long term systemic effects: 294 mg/m ³ Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m ³ General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day
PNEC	 Fresh water; 0.0437 mg/l Intermittent release; 0.004 mg/l STP; 10 mg/l Sediment (Freshwater); 31 mg/kg Sediment (Marinewater); 31 mg/kg Soil; 1 mg/kg 2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)
DNEL	Workers - Inhalation; Long term systemic effects: 67.5 mg/m ³ Workers - Inhalation; Long term local effects: 67.5 mg/m ³ Workers - Dermal; Long term systemic effects: 20 mg/kg/day General population - Inhalation; Long term systemic effects: 34 mg/m ³ General population - Inhalation; Long term local effects: 34 mg/m ³ General population - Inhalation; Short term local effects: 34 mg/m ³ General population - Inhalation; Short term local effects: 50.6 mg/m ³ General population - Dermal; Long term systemic effects: 10 mg/kg/day General population - Oral; Long term systemic effects: 1.25 mg/kg/day

PNEC	- Fresh water; 1 mg/l
	- Marine water; 0.1 mg/l - Intermittent release; 3.9 mg/l
	- STP; 200 mg/l
	- Sediment (Freshwater); 4 mg/kg
	- Sediment (Marinewater); 0.4 mg/kg
	- Soil; 0.4 mg/kg
	TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)
DNEL	General population - Oral; Long term systemic effects: 25 mg/kg/day
	General population - Inhalation; Long term local effects: 0.6 mg/m ³
	General population - Inhalation; Short term local effects: 1.2 mg/m ³
	Workers - Inhalation; Long term local effects: 1.5 mg/m ³
	Workers - Inhalation; Short term local effects: 3 mg/m ³
PNEC	- Fresh water; 2.2 mg/l
	- Marine water; 0.22 mg/l
	- Intermittent release; 1.2 mg/l - STP; 43 mg/l
	- Soil; 0.72 mg/kg
	SODIUM CARBONATE (CAS: 497-19-8)
DNEL	Workers - Inhalation; Long term local effects: 10 mg/m ³
	General population - Inhalation; Long term local effects: 10 mg/m ³
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates
	eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. EN 166
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Simple Design for minimal risk.
Other skin and body protection	Use barrier creams to prevent skin contact. Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	When using do not eat, drink or smoke. Good personal hygiene procedures should be
	implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid release to the environment. Users should be aware of environmental considerations and their duties under the environmental protection act. Further information may be found on Government websites: www.dti.gov.uk/access/index/htm and www.envirowise.gov.uk.

SECTION 9: Physical and Chemical Properties 9.1. Information on basic physical and chemical properties Appearance Liquid. Colour Green. Odour Floral. Odour threshold Not applicable. pH (concentrated solution): 10.0 TYPICAL pН Melting point Not applicable. Initial boiling point and range Not applicable. Flash point Not applicable. **Evaporation rate** Not determined. **Evaporation factor** Not applicable. Vapour pressure Not determined. Not determined. Vapour density **Relative density** 1.002 TYPICAL @ °C **Bulk density** Not applicable. Solubility(ies) Soluble in water. Auto-ignition temperature Not applicable. **Decomposition Temperature** Not applicable. Viscosity Not determined. Explosive properties Not applicable **Oxidising properties** Not applicable. Comments Information given is applicable to the product as supplied. 9.2. Other information Other information Not relevant. SECTION 10: Stability and reactivity 10.1. Reactivity Reactivity There are no known reactivity hazards associated with this product. 10.2. Chemical stability Stability Stable at normal ambient temperatures. 10.3. Possibility of hazardous reactions Possibility of hazardous Not applicable. reactions 10.4. Conditions to avoid Conditions to avoid Avoid exposure to high temperatures or direct sunlight. 10.5. Incompatible materials

Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decompositio	on products	
Hazardous decomposition products	No known hazardous decomposition products.	
SECTION 11: Toxicological int	formation	
11.1. Information on toxicologi	cal effects	
General information	This product has low toxicity.	
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.	
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.	
Eye contact	May cause temporary eye irritation.	
SECTION 12: Ecological Infor	mation	
Ecotoxicity	There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.	
12.1. Toxicity		
Toxicity	Not considered toxic to fish.	
12.2. Persistence and degradability		
Persistence and degradability	There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.	
12.3. Bioaccumulative potentia	al	
Bioaccumulative potential	No data available on bioaccumulation.	
12.4. Mobility in soil		
Mobility	The product is water-soluble and may spread in water systems.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	s	
General information	Do not discharge into drains or watercourses or onto the ground.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Packaging is recyclable. Wash out containers with water before disposal.	

SECTION 14: Transport information Road transport notes Not classified. Rail transport notes Not classified. Sea transport notes Not classified. Air transport notes Not classified. 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group 14.5. Environmental hazards 14.6. Special precautions for user 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
	Workplace Exposure Limits EH40.
EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006,
Guidance	COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information		
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.	
Revision date	18/11/2015	
Revision	1	
SDS number	21107	

Risk phrases in full	Not classified. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.