



## SAFETY DATA SHEET MULTI SURFACE CLEANER 5 LITRE

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** MULTI SURFACE CLEANER 5 LITRE  
**Product number** 8149941

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Washing and cleaning.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** COVENTRY CHEMICALS LTD  
WOODHAMS RD  
SISKIN DRIVE  
COVENTRY  
CV3 4FX  
Tel: +44 (0) 02476639739  
Fax: +44 (0) 02476639717  
Email: sales@coventrychemicals.com

**Contact person** For content of safety data sheet: sds@coventrychemicals.com

#### 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 02476639739

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification

**Physical hazards** Not Classified  
**Health hazards** Skin Irrit. 2 - H315 Eye Dam. 1 - H318  
**Environmental hazards** Not Classified

**Classification (67/548/EEC or 1999/45/EC)** Xi;R36.

#### 2.2. Label elements

##### Pictogram



**Signal word** Danger

**Hazard statements** H315 Causes skin irritation.  
H318 Causes serious eye damage.

## MULTI SURFACE CLEANER 5 LITRE

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P337+P313 If eye irritation persists: Get medical advice/attention.

**Contains** ALCOHOLS C12-14 ETHOXYLATED, DISODIUM METASILICATE

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>ALCOHOLS, C12-14, ETHOXYLATED</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 68439-50-9	EC number: 500-213-3	REACH registration number: 01-2119487984-16-XXXX
M factor (Acute) = 1		
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Eye Dam. 1 - H318	Xi;R41. N;R50.	
Aquatic Acute 1 - H400		
Aquatic Chronic 3 - H412		
<b>DISODIUM METASILICATE</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 6834-92-0	EC number: 229-912-9	REACH registration number: 01-2119449811-37-XXXX
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Met. Corr. 1 - H290	C;R34 Xi;R37	
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
<b>2-(2-BUTOXYETHOXY)ETHANOL</b> <span style="float: right;"><b>&lt;1%</b></span>		
CAS number: 112-34-5	EC number: 203-961-6	REACH registration number: 01-2119475104-44-xxxx
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Eye Irrit. 2 - H319	Xi;R36	

## MULTI SURFACE CLEANER 5 LITRE

<b>AMINES, C12-14 (EVEN NUMBERED) -ALKYLDIMETHYL, N-OXIDES</b>	<b>&lt;1%</b>
CAS number: 308062-28-4	REACH registration number: 01- 2119490061-47-XXXX
M factor (Acute) = 1	
<b>Classification</b> Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R22. Xi;R38,R41. N;R50.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
<b>Eye contact</b>	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
-----------------------------	------------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

#### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
--------------------------------------	--

#### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Control run-off water by containing and keeping it out of sewers and watercourses.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## MULTI SURFACE CLEANER 5 LITRE

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.

#### 6.2. Environmental precautions

**Environmental precautions** Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Avoid contact with acids and other cleaning agents. Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene** Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Use appropriate skin cream to prevent drying of skin.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### 2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

##### ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)

##### DNEL

Workers - Inhalation; Long term systemic effects: 294 mg/m<sup>3</sup>

Workers - Dermal; Long term systemic effects: 2080 mg/kg/day

General population - Inhalation; Long term systemic effects: 87 mg/m<sup>3</sup>

General population - Dermal; Long term systemic effects: 1250 mg/kg/day

General population - Oral; Long term systemic effects: 25 mg/kg/day

## MULTI SURFACE CLEANER 5 LITRE

- PNEC**
- Fresh water; 0.0437 mg/l
  - Intermittent release; 0.004 mg/l
  - STP; 10 mg/l
  - Sediment (Freshwater); 31 mg/kg
  - Sediment (Marinewater); 31 mg/kg
  - Soil; 1 mg/kg

### 2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

- DNEL**
- Workers - Inhalation; Long term systemic effects: 67.5 mg/m<sup>3</sup>
  - Workers - Inhalation; Long term local effects: 67.5 mg/m<sup>3</sup>
  - Workers - Dermal; Long term systemic effects: 20 mg/kg/day
  - General population - Inhalation; Long term systemic effects: 34 mg/m<sup>3</sup>
  - General population - Inhalation; Long term local effects: 34 mg/m<sup>3</sup>
  - General population - Inhalation; Short term local effects: 34 mg/m<sup>3</sup>
  - General population - Inhalation; Short term local effects: 50.6 mg/m<sup>3</sup>
  - General population - Dermal; Long term systemic effects: 10 mg/kg/day
  - General population - Oral; Long term systemic effects: 1.25 mg/kg/day

- PNEC**
- Fresh water; 1 mg/l
  - Marine water; 0.1 mg/l
  - Intermittent release; 3.9 mg/l
  - STP; 200 mg/l
  - Sediment (Freshwater); 4 mg/kg
  - Sediment (Marinewater); 0.4 mg/kg
  - Soil; 0.4 mg/kg

### TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

- DNEL**
- General population - Oral; Long term systemic effects: 25 mg/kg/day
  - General population - Inhalation; Long term local effects: 0.6 mg/m<sup>3</sup>
  - General population - Inhalation; Short term local effects: 1.2 mg/m<sup>3</sup>
  - Workers - Inhalation; Long term local effects: 1.5 mg/m<sup>3</sup>
  - Workers - Inhalation; Short term local effects: 3 mg/m<sup>3</sup>

- PNEC**
- Fresh water; 2.2 mg/l
  - Marine water; 0.22 mg/l
  - Intermittent release; 1.2 mg/l
  - STP; 43 mg/l
  - Soil; 0.72 mg/kg

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate ventilation.

### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. EN 166

## MULTI SURFACE CLEANER 5 LITRE

<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Simple Design for minimal risk.
<b>Other skin and body protection</b>	Use barrier creams to prevent skin contact. Wear appropriate clothing to prevent repeated or prolonged skin contact.
<b>Hygiene measures</b>	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
<b>Respiratory protection</b>	Respiratory protection not required.
<b>Environmental exposure controls</b>	Avoid release to the environment. Users should be aware of environmental considerations and their duties under the environmental protection act. Further information may be found on Government websites: <a href="http://www.dti.gov.uk/access/index/htm">www.dti.gov.uk/access/index/htm</a> and <a href="http://www.envirowise.gov.uk">www.envirowise.gov.uk</a> .

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Yellow.
<b>Odour</b>	Lemon.
<b>Odour threshold</b>	Not applicable.
<b>pH</b>	pH (concentrated solution): 13.0
<b>Melting point</b>	Not applicable.
<b>Initial boiling point and range</b>	Not applicable.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not determined.
<b>Evaporation factor</b>	Not applicable.
<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Relative density</b>	1.030 @ @ 20°C
<b>Bulk density</b>	Not applicable.
<b>Solubility(ies)</b>	Soluble in water.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	Not applicable.
<b>Viscosity</b>	Not determined.
<b>Explosive properties</b>	Not applicable
<b>Oxidising properties</b>	Not applicable.
<b>Comments</b>	Information given is applicable to the product as supplied.

#### 9.2. Other information

<b>Other information</b>	Not relevant.
--------------------------	---------------

## MULTI SURFACE CLEANER 5 LITRE

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not applicable.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

#### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**General information** This product has low toxicity.

**Ingestion** May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.

**Skin contact** Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.

**Eye contact** May cause temporary eye irritation.

### SECTION 12: Ecological Information

**Ecotoxicity** There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

#### 12.1. Toxicity

**Toxicity** Not considered toxic to fish.

#### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

#### 12.4. Mobility in soil

## MULTI SURFACE CLEANER 5 LITRE

**Mobility** The product is water-soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Do not discharge into drains or watercourses or onto the ground.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Packaging is recyclable. Wash out containers with water before disposal.

## SECTION 14: Transport information

**Road transport notes** Not classified.

**Rail transport notes** Not classified.

**Sea transport notes** Not classified.

**Air transport notes** Not classified.

### 14.1. UN number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

### 14.4. Packing group

### 14.5. Environmental hazards

### 14.6. Special precautions for user

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).  
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).  
Workplace Exposure Limits EH40.

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).  
Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006,



## MULTI SURFACE CLEANER 5 LITRE

**Guidance** COSHH Essentials.  
ECHA Guidance on the Application of the CLP Criteria.  
ECHA Guidance on the compilation of safety data sheets.

### 15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

### SECTION 16: Other information

<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	18/11/2015
<b>Revision</b>	1
<b>Supersedes date</b>	29/03/2012
<b>SDS number</b>	21102
<b>Risk phrases in full</b>	R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R37 Irritating to respiratory system. R41 Risk of serious damage to eyes.
<b>Hazard statements in full</b>	H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.