

SAFETY DATA SHEET

1. Identification

Product identifier Other means of identification Recommended use	HP Color LaserJet CF410A-X-XC Black Print Cartridge Not available. This product is a black toner preparation that is used in HP Color LaserJet Pro M452, HP Color LaserJet Pro MFP M477 series printers.
Recommended restrictions Company identification	None known. HP 1501 Page Mill Road Palo Alto, CA 94304-1112 United States Telephone 650-857-5020 HP health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048
	(Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Not classified.
Not classified.
Not classified.
Not classified.
None.
None.
Not available.
Not available.
Not available.
Not available.
Not available.
Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Carbon black		1333-86-4	<10
Wax	Wax	Trade Secret	<10
Amorphous silica	Amorphous silica	7631-86-9	<3

4. First-aid measures	
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Most important symptoms/effects, acute and delayed	Not available.

5. Fire-fighting measures

5 5	
Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
Fire-fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.
6. Accidental release me	asures
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.
Methods and materials for containment and cleaning up	Not available.
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
7. Handling and storage	
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Constitutions for an for shore and	Keen autofille was de of dellaren. Keen biskile de ord and des Oleve al was been was been of the

Conditions for safe storage,	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store
including any incompatibilities	away from strong oxidizers.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Components	Air Contaminants (29 CFR 1910.1000) Type	Value	
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
US. ACGIH Threshold Limit Va Components	lues Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to C Components	hemical Hazards Type	Value	
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3	
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3	

Biological limit values	No biological exposure limits noted for the ingredient(s).		
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)		
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)		
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3		
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)		
	UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)		
Appropriate engineering controls	Use in a well ventilated area.		
Individual protection measure	s, such as personal protective equipment		
Eye/face protection	Not available.		
Skin protection			
Hand protection	Not available.		
Other	Not available.		
Respiratory protection	Not available.		
Thermal hazards	Not available.		
9. Physical and chemical	properties		
Appearance	Fine powder		
Physical state	Solid.		
Color	Black.		
Odor	Slight plastic odor		
Odor threshold	Not available.		
рН	Not applicable		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not applicable		
Flash point	Not applicable		
Evaporation rate	Not applicable		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or e	explosive limits		
Flammability limit - lower (%)	Not flammable		
Flammability limit - upper (%)	Not available.		

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Other information	
Percent volatile	0 % estimated
Softening point	176 - 266 °F (80 - 130 °C)

Material name: CF410A-X-XC

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

11. Toxicological information

Symptoms related to the Not available. physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	on and a second s
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-8	36-4)	2B Possibly carcinogenic to humans.	
Reproductive toxicity	Based on available data, the cla	ssification criteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the cla	ssification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the cla	ssification criteria are not met.	
Aspiration hazard	Based on available data, the cla	ssification criteria are not met.	
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		
Components	Species	Test Results	

Components	Species	Test Results	
Amorphous silica (CAS 76	31-86-9)		
Acute			
Oral			
LD50	Mouse	> 15000 mg/kg	
	Rat	> 22500 mg/kg	
Carbon black (CAS 1333-8	36-4)		
Acute			
Oral			
LD50	Rat	> 8000 mg/kg	

Ecotoxicity	on				
Product		Enocios	Test Results		
CF410A-X-XC		Species	Test Results		
Aquatic					
-	LC50	Fish	> 100 mg/l, 96 Hours		
Persistence and degradability	Not available.				
Bioaccumulative potential	Not available.				
Mobility in soil	Not available.				
Other adverse effects	Not available.				
13. Disposal consideration	ne				
Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.				
	HP original ink	jet and LaserJet supplie	lies recycling program enables simple, convenient recycling or s. For more information and to determine if this service is http://www.hp.com/recycle.		
14. Transport informatio	n				
Further information	Not a dangero	us good under DOT, IA	A, ADR, IMDG, or RID.		
15. Regulatory informati	ion				
US federal regulations	US EPA TSCA I under TSCA.	Inventory: All chemical	substances in this product comply with all rules or orders		
CERCLA Hazardous Substa Not listed.	ince List (40 Cl	FR 302.4)			
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate	ase notification	n	1050)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed.	ase notification ed Substances	n (29 CFR 1910.1001-	1050)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed.	ase notification ed Substances	n (29 CFR 1910.1001- n Act of 1986 (SARA) zard - No d - No No rd - No	1050)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza	ase notification ed Substances Ceauthorization Immediate Haz Delayed Hazar Fire Hazard - N Pressure Hazar Reactivity Hazar	n (29 CFR 1910.1001- n Act of 1986 (SARA) zard - No d - No No rd - No ard - No ard - No	1050)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed.	ase notification ed Substances Ceauthorization Immediate Haz Delayed Hazar Fire Hazard - N Pressure Hazar Reactivity Hazar rdous substance	n (29 CFR 1910.1001- n Act of 1986 (SARA) zard - No d - No No rd - No ard - No ard - No	1050)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza	ase notification ed Substances Ceauthorization Immediate Haz Delayed Hazar Fire Hazard - N Pressure Hazar Reactivity Hazar	n (29 CFR 1910.1001- n Act of 1986 (SARA) zard - No d - No No rd - No ard - No ard - No	1050)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical	ase notification ed Substances Ceauthorization Immediate Haz Delayed Hazar Fire Hazard - N Pressure Hazar Reactivity Hazar rdous substance	n (29 CFR 1910.1001- n Act of 1986 (SARA) zard - No rd - No rd - No ard - No ce	1050)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA)	ase notification ed Substances Reauthorization Immediate Haz Delayed Hazar Fire Hazard - N Pressure Hazar Reactivity Haza rdous substance	n (29 CFR 1910.1001- n Act of 1986 (SARA) zard - No rd - No rd - No ard - No ce	1050)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA)	ase notification ed Substances Reauthorization Immediate Haz Delayed Hazar Fire Hazard - N Pressure Hazar Reactivity Hazar rdous substance No No	n (29 CFR 1910.1001- n Act of 1986 (SARA) zard - No rd - No rd - No ard - No ce	1050)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) US state regulations	ase notification ed Substances Reauthorization Immediate Haz Delayed Hazar Fire Hazard - N Pressure Hazar Reactivity Haza rdous substance No Not regulated.	n (29 CFR 1910.1001-1 n Act of 1986 (SARA) zard - No rd - No rd - No ard - No ce	1050)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - S Carbon black (CAS 1333-4 Carbon black (CAS 1333-4	ase notification ed Substances Reauthorization Immediate Haz Delayed Hazar Fire Hazard - N Pressure Hazar Reactivity Hazar No No Not regulated. Substance List 86-4) ad Community 1 86-4)	n (29 CFR 1910.1001-1 n Act of 1986 (SARA) zard - No rd - No rd - No ard - No ce Right-to-Know Act			
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - S Carbon black (CAS 1333- US. New Jersey Worker an	ase notification ed Substances Reauthorization Immediate Haz Delayed Hazar Fire Hazard - N Pressure Hazar Reactivity Haza rdous substance No Not regulated. Substance List 86-4) ad Community 1 86-4) and Community	n (29 CFR 1910.1001-1 n Act of 1986 (SARA) zard - No rd - No rd - No ard - No ce Right-to-Know Act			

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003 OF RESPIRABLE SIZE [<= 10 MICROMETERS]) (CAS 1333-86-4)

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date	16-Oct-2015
Revision date	22-Oct-2015
Version #	02
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds