

Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 1 / 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trodat 7011/7012 Black**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Stamp colour

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** Trodat GmbH  
Linzerstr. 156  
4600 Wels / AUSTRIA  
Phone +43 (0) 7242 239 - 0  
Fax +43 (0) 7242 239 - 940  
Homepage [www.trodat.net](http://www.trodat.net)  
E-mail [trodat@trodat.net](mailto:trodat@trodat.net)

#### Address enquiries to

**Technical information** [trodat@trodat.net](mailto:trodat@trodat.net)

**Safety Data Sheet** [sdb@chemiebuero.de](mailto:sdb@chemiebuero.de)

### 1.4 Emergency telephone number

**Company** +43 (0) 7242 239 - 0 Mo-Fr 8:00 - 16:00

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

### 2.2 Label elements

The product does not require a hazard warning label in accordance with regulation (EC) No 1272/2008 (CLP).

**Hazard pictograms** none

**Signal word** none

**Hazard statements** none

**Precautionary statements** none

### 2.3 Other hazards

**Environmental hazards** This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Other hazards** Further hazards were not determined with the current level of knowledge.

## SECTION 3: Composition / Information on ingredients

### 3.1 Substances

not applicable

Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 2 / 11

### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
40 - 50	Glycerol
	CAS: 56-81-5
10 - 15	Polyethylene glycol
	CAS: 25322-68-3
1 - 2	2,2'-(methylimino)diethanol
	CAS: 105-59-9
	GHS/CLP: Eye Irrit. 2: H319

#### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Take off contaminated clothing and wash before reuse.

#### Inhalation

Ensure supply of fresh air.  
In the event of symptoms seek medical treatment.

#### Skin contact

When in contact with the skin, clean with soap and water.  
Consult a doctor if skin irritation persists.

#### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

#### Ingestion

Seek medical advice immediately.  
Rinse out mouth and give plenty of water to drink.  
Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
Forward this sheet to your doctor.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Dry powder.  
Carbon dioxide.  
Foam.

#### Extinguishing media that must not be used

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)  
Nitrogen oxides (NO<sub>x</sub>).  
Sulphur oxides (SO<sub>x</sub>).

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 3 / 11

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.  
Keep away from all sources of ignition.  
High risk of slipping due to leakage/spillage of product.  
Wear suitable protective equipment. For personal protection see SECTION 8.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).  
Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.  
Avoid contact with eyes and skin.

Take off contaminated clothing and wash before reuse.  
Do not eat, drink or smoke when using this product.  
Wash face and/or hands before break and end of work.  
Use barrier skin cream.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Provide floor with bunding.  
Do not store together with oxidizing agents.  
Keep container in a well-ventilated place.  
Keep container tightly closed.  
Protect from heat/overheating.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational  
exposure limits to be monitored (GB)

Substance
Glycerol
CAS: 56-81-5
Long-term exposure: 10 mg/m <sup>3</sup>

Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 4 / 11

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	If there is a risk of splashing: Safety glasses. (EN 166:2001)
<b>Hand protection</b>	> 0,11 mm, Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
<b>Skin protection</b>	light protective clothing
<b>Other</b>	Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	Not required under normal conditions. In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
<b>Thermal hazards</b>	not applicable
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid
<b>Color</b>	black
<b>Odor</b>	characteristic
<b>Odour threshold</b>	No information available.
<b>pH-value</b>	No information available.
<b>pH-value [1%]</b>	No information available.
<b>Boiling point [°C]</b>	No information available.
<b>Flash point [°C]</b>	> 93°C / > 199°F
<b>Flammability (solid, gas) [°C]</b>	No information available.
<b>Lower explosion limit</b>	No information available.
<b>Upper explosion limit</b>	No information available.
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	No information available.
<b>Density [g/cm<sup>3</sup>]</b>	No information available.
<b>Relative density</b>	No information available.
<b>Bulk density [kg/m<sup>3</sup>]</b>	not applicable
<b>Solubility in water</b>	completely miscible
<b>Solubility other solvents</b>	No information available.
<b>Partition coefficient [n-octanol/water]</b>	not applicable
<b>Kinematic viscosity</b>	No information available.
<b>Relative vapour density</b>	No information available.
<b>Evaporation speed</b>	No information available.
<b>Melting point [°C]</b>	No information available.
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition temperature [°C]</b>	No information available.
<b>Particle characteristics</b>	not applicable

Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 5 / 11

## 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

No dangerous reactions known if used as directed.

In the event of fire: See SECTION 5.

Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 6 / 11

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute oral toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
2,2'-(methylimino)diethanol, CAS: 105-59-9
LD50, oral, Rat, 4780 mg/kg (IUCLID)
Glycerol, CAS: 56-81-5
LD50, oral, Rat, 12600 mg/kg
Polyethylene glycol, CAS: 25322-68-3
LD50, oral, Rat, > 15000 mg/kg

#### Acute dermal toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
2,2'-(methylimino)diethanol, CAS: 105-59-9
LD50, dermal, Rabbit, > 5990 mg/kg (IUCLID)
Glycerol, CAS: 56-81-5
LD50, dermal, Rabbit, > 10000 mg/kg
Polyethylene glycol, CAS: 25322-68-3
LD50, dermal, Rabbit, > 20000 mg/kg

#### Acute inhalational toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Glycerol, CAS: 56-81-5
LC50, inhalative, Rat, > 570 mg/m <sup>3</sup> 1h

#### Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
2,2'-(methylimino)diethanol, CAS: 105-59-9
irritant
Glycerol, CAS: 56-81-5
non-irritating
Polyethylene glycol, CAS: 25322-68-3
no adverse effect observed

#### Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
2,2'-(methylimino)diethanol, CAS: 105-59-9
no adverse effect observed

Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 7 / 11

Glycerol, CAS: 56-81-5
non-irritating
Polyethylene glycol, CAS: 25322-68-3
no adverse effect observed

**Respiratory or skin sensitisation** Based on the available information, the classification criteria are not fulfilled.

Substance
2,2'-(methylimino)diethanol, CAS: 105-59-9
dermal, no adverse effect observed
Glycerol, CAS: 56-81-5
inhalative, no adverse effect observed
dermal, no adverse effect observed
Polyethylene glycol, CAS: 25322-68-3
no adverse effect observed

**Specific target organ toxicity — single exposure** Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — repeated exposure** Based on the available information, the classification criteria are not fulfilled.

**Mutagenicity** Based on the available information, the classification criteria are not fulfilled.

Substance
2,2'-(methylimino)diethanol, CAS: 105-59-9
no adverse effect observed
Polyethylene glycol, CAS: 25322-68-3
no adverse effect observed

**Reproduction toxicity** Based on the available information, the classification criteria are not fulfilled.

Substance
2,2'-(methylimino)diethanol, CAS: 105-59-9
NOAEL, dermal, Rat, 1000 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed
NOAEL, oral, Rat, 300 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed
NOAEL, oral, Rat, 300 mg/kg bw/d (Effect on fertility), adverse effect observed
Polyethylene glycol, CAS: 25322-68-3
NOAEL, oral, Rat, 5000 mg/kg bw/d (Effect on fertility), no adverse effect observed
NOAEL, oral, Rat, 5699 mg/kg bw/d (Effect on fertility), no adverse effect observed

**Carcinogenicity** Based on the available information, the classification criteria are not fulfilled.

**Aspiration hazard** Based on the available information, the classification criteria are not fulfilled.

**General remarks**

Toxicological data of complete product are not available.

Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 8 / 11

## SECTION 12: Ecological information

### 12.1 Toxicity

Substance
2,2'-(methylimino)diethanol, CAS: 105-59-9
LC50, (96h), <i>Leuciscus idus</i> , > 1000 - 2200 mg/l (IUCLID)
EC50, (72h), <i>Scenedesmus subspicatus</i> , 37 mg/l (IUCLID)
EC50, (48h), <i>Daphnia magna</i> , 332 mg/l (IUCLID)
Glycerol, CAS: 56-81-5
LC50, (24h), fish, > 5000 mg/l
EC50, (16h), <i>Pseudomonas putida</i> , > 10000 mg/l
EC50, (24h), <i>Daphnia magna</i> , > 10000 mg/l
Polyethylene glycol, CAS: 25322-68-3
LC50, (96h), fish, 87209 mg/l
EC50, (48h), <i>Daphnia magna</i> , 53484 mg/l

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	No information available.
<b>Behaviour in sewage plant</b>	No information available.
<b>Biological degradability</b>	CAS 56-81-5: The product is readily biodegradable. CAS 25322-68-3: The product is readily biodegradable. CAS 105-59-9: The product is readily biodegradable.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

Ecological data of complete product are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with national regulations.

#### Product

Coordinate disposal with the authorities if necessary.  
Disposal in an incineration plant in accordance with the regulations of the local authorities.

#### Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.  
Uncontaminated packaging may be taken for recycling.



Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 9 / 11

#### SECTION 14: Transport information

##### 14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

##### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

##### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

##### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 10 / 11

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people none

- VOC (2010/75/CE) not applicable

#### 15.2 Chemical safety assessment

not applicable

Trodat GmbH  
4600 Wels

Date printed 23.07.2021, Revision 23.07.2021

Version 04. Supersedes version: 03

Page 11 / 11

## SECTION 16: Other information

### 16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV@/TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

### 16.2 Other information

#### Classification procedure

Modified position

none



Copyright: Chemiebüro®

